## **BIG**

Designed by Lievore Altherr Molina.



Reference 0547. Application Ceiling Lamps Installation type Built-in


Description

Recessed ceiling light for indoor use, designed by Lievore, Altherr, Molina. Direct, diffuse and uniform light distribution. Chrome body and white opal methacrylate diffuser. Its large size makes it ideal for lighting large spaces from a single point. Its design enables it to fit perfectly into its setting, simulating natural light.

Diffuser Acrylic diffuser



Sketch



**Electrical characteristics** 

1 x 2GX13 230V 55W (T5C)



Total 55 W





**Physical characteristics** 

1 Box /  $0.25 \times 0.42 \times 0.42 \text{ m.}$  / Vol.  $0.0440 \text{ m}^3$  / Gross weight 2.5 kg. / Net weight 2.0 kg.

**Installation and assembly** 

Follow instruccions of the installation guide

**Light distribution** 

## **General lighting**

Lamp for general lighting that equally distributes the light in all directions.




Photometric data

Efficiency: 14.24% Coordinate system : C-G Total flux : 4200.00 lm

Maximum value : 50.48 cd/klm Light position: C=0.00 G=0.00 Isolux : Isolux (Suelo) Light position : X=0.00m Y=0.00m Z=3.00m

Light rotation :



Certificates













