

MADE IN ITALY

Scheda tecnica - Datasheet



LLD



AURA

Incasso a pavimento/parete/soffitto a luce diffusa IP67, ideale per l'illuminazione di marciapiedi, vialetti, giardini.

Corpo in alluminio anticorodal anodizzato
Ghiera in alluminio anodizzato o in acciaio inox AISI 316L
Vetro temperato

Diffused light floor/wall recessed fixture IP67, ideal for the lighting of sidewalks, paths, gardens.

Anticorodal anodized aluminium body
Trim made of anodized aluminium or AISI 316L stainless steel
Tempered glass



Led Luce e Dintorni s.r.l.

Via dei Laghi 76 – 36077 Altavilla Vicentina (VI)
Tel. 0444 040857, 0444 040858 – Fax 0444 923464

lldlight.it – info@lldlight.it

MADE IN ITALY

Scheda tecnica - Datasheet



LLD

TECHNICAL DATA

POTENZA ASSORBITA <i>Power Absorption</i>	S: 4W M: 6W L: 9W
ALIMENTAZIONE <i>Supply Voltage</i>	24Vdc 230Vac
COLLEGAMENTO <i>Connection</i>	24Vdc: Collegamento in parallelo – Parallel connection 230Vac: A tensione di rete – To main voltage
DURATA MEDIA LED <i>Average LED life</i>	50.000h
COLORI LED DISPONIBILI <i>LED colours available</i>	3000K, 4000K
CRI	80
FASCI DISPONIBILI <i>Available Lens</i>	120°
FLUSSO LUMINOSO <i>Luminous Flux</i>	S 24Vdc: 440lm (3000K), 480lm (4000K) S 230Vac: 430lm (3000K), 470lm (4000K) M 24Vdc: 660lm (3000K), 720lm (4000K) M 230Vac: 645lm (3000K), 705lm (4000K) L 24Vdc: 990lm (3000K), 1080lm (4000K) L 230Vac: 970lm (3000K), 1060lm (4000K)
INSTALLAZIONE <i>Installation</i>	A parete/ soffitto con molle non incluse – On wall/ceiling with spring not included A pavimento con controcassa non inclusa – On floor with housing box not included
TEMPERATURA DI ESERCIZIO <i>Operating Temperature</i>	-10+45°C
CALPESTABILE <i>Walk Over</i>	Si 500Kg Yes 500Kg
CARRABILE <i>Drive Over</i>	No
GRADO DI PROTEZIONE IP <i>IP rating</i>	IP67
CLASSE DI CONSUMO ENERGETICO <i>Energy Efficiency Class</i>	A/A+/A++
CLASSE DI ISOLAMENTO <i>Insulation Class</i>	Classe 3 – Class 3 (24Vdc) Classe 1 – Class 1(230Vac)
PROTEZIONI <i>Protections</i>	24Vdc: WP system
PESO <i>Weight</i>	Aura Round S: 0,26Kg (Aluminium), 0,31Kg (Steel) Aura Round M: 0,39Kg (Aluminium), 0,51Kg (Steel) Aura Round L: 0,58Kg (Aluminium), 0,76Kg (Steel) Aura Square M: 0,41Kg (Aluminium) Aura Square L: 0,59Kg (aluminium)



Led Luce e Dintorni s.r.l.

Via dei Laghi 76 – 36077 Altavilla Vicentina (VI)

Tel. 0444 040857, 0444 040858 – Fax 0444 923464


lldlight.it – info@lldlight.it

MADE IN ITALY


Scheda tecnica - Datasheet




DIMENSIONI – Dimensions




AURA ROUND S




AURA ROUND M





AURA ROUND L



AURA SQUARE M



AURA SQUARE L



Led Luce e Dintorni s.r.l.

Via dei Laghi 76 – 36077 Altavilla Vicentina (VI)
Tel. 0444 040857, 0444 040858 – Fax 0444 923464

lldlight.it – info@lldlight.it


MADE IN ITALY

Scheda tecnica - Datasheet





LLD



ACCESSORI – Accessories



ML053
Spring for Aura Round S




CAE53
Housing Box for Aura Round S





ML053
Spring for Aura
Round/Square M, L



CA081
Housing Box for Aura Round M



CA107
Housing Box for Aura Round L



Led Luce e Dintorni s.r.l.

Via dei Laghi 76 – 36077 Altavilla Vicentina (VI)
Tel. 0444 040857, 0444 040858 – Fax 0444 923464




lldlight.it – info@lldlight.it

MADE IN ITALY



Scheda tecnica - Datasheet

LLD



CAQ74
Housing Box for Aura Square M

CAQ94
Housing Box for Aura Square L



Led Luce e Dintorni s.r.l.

Via dei Laghi 76 – 36077 Altavilla Vicentina (VI)
Tel. 0444 040857, 0444 040858 – Fax 0444 923464

lldlight.it – info@lldlight.it