

LUCTRA®
FLEX
FACT SHEET



LUCTRA® FLEX




LUCTRA® FLEX is the cordless lamp with biologically effective lighting for mobile working in the office or at home. Four high-performance CREE LEDs are powered for up to 25 hours by the integrated lithium-ion battery. The rubberised base and the height-adjustable protective sleeve guarantee stability and security in all positions. LUCTRA® FLEX gives you complete freedom to work or relax anywhere without compromising on the quality of light.

TECHNICAL DATA


LUCTRA® FLEX	
Product #	9231
Colours	01 black 02 white 09 orange 23 aluminium
Dimensions	Height: 1.200 mm – 1.600 mm
	Radius: 100 mm – 600 mm
Material	Aluminium, zinc, plastic, lithium-ion battery
Weight	2 kg
Energy efficiency	A++*
Protection type	IP 20
Protection class	III ⚡
Illuminants	
LEDs	2 cold white & 2 warm white LEDs (CREE)
Power consumption	9,5 W**
Luminous flux of luminaire:	neutral white 680 lm*
Light intensity	neutral white 566 cd*
Illuminance	1,000 lux at a height of 60 cm
Luminous efficiency	neutral white 73 lm/W*
Colour temperature (CCT)	2.700 K/3.600/6.500 K
Colour reproduction index	≥ 80
Operating temperature on lamp head	≤ 40°C at 25°C ambient temperature
Burning life	over 50,000 hours
Standby consumption	≤ 0,5 W
Nominal voltage	12 V DC
Protection class	II ☐
VITACORE®	
Operation	via VITACORE® electronics
Light strength setting	in 5 steps up to 1,000 lux
Setting of light colour	in 3 steps 2,700 / 3,600 / 6,500 K
Touch panel	made of acrylic glass
Battery	
Battery life	25 hours
Charge time	90 minutes
Power supply unit	
Desktop power supply	Europlug & BS 1363 (British 3-pin) plug
AC cable length	1,2 m
DC cable length	1,8 m
Nominal voltage	100–240 V, 50–60 Hz
Power consumption	1,5 A
Output	max. 12 V, 48 W, 4 A DC

*with warm white and cold white LEDs switched on
 **with cold white LEDs switched on to 100%

TECHNICAL VIEW



LIGHT INTENSITY DISTRIBUTION



Free download on
www.luctra.eu

LUCTRA

LUCTRA® is a brand of
DURABLE · Hunke & Jochheim GmbH & Co. KG
Westfalenstraße 77–79 · 58636 Iserlohn
P.O. Box 1753 · 58634 Iserlohn · Germany
Phone +49 2371 662445
info@luctra.eu · www.luctra.eu