


MADE IN ITALY

Scheda tecnica - Datasheet



LLD



## AMBRA

Apparecchio a pavimento/parete IP65, ideale per l'illuminazione di vialetti e facciate.

Corpo in alluminio anticorodal  
Diffusore in PMMA opalino

Floor/wall mounted fixture IP65, ideal for the lighting of paths and facades.

Anticorodal aluminium body  
Opal PMMA diffuser



Led Luce e Dintorni s.r.l.

Via dei Laghi 76 - 36077 Altavilla Vicentina (VI)  
Tel. 0444 040857, 0444 040858 - Fax 0444 923464

lldlight.it - info@lldlight.it

MADE IN ITALY

Scheda tecnica - Datasheet




LLD



### TECHNICAL DATA

<b>POTENZA ASSORBITA</b> <i>Power Absorption</i>	Monoemissione – Single emission: 6W Biemissione – Double emission: 8W
<b>ALIMENTAZIONE</b> <i>Supply Voltage</i>	24Vdc
<b>COLLEGAMENTO</b> <i>Connection</i>	Collegamento in serie Series connection
<b>DURATA MEDIA LED</b> <i>Average LED life</i>	50,000h
<b>COLORI LED DISPONIBILI</b> <i>LED colours available</i>	3000K, 4000K
<b>CRI</b>	80
<b>FASCI DISPONIBILI</b> <i>Available Lens</i>	120°
<b>FLUSSO LUMINOSO</b> <i>Luminous Flux</i>	Monoemissione – Single emission: 660lm (3000K), 720lm (4000K) Biemissione – Double emission: 830lm (3000K), 900lm (4000K)
<b>INSTALLAZIONE</b> <i>Installation</i>	Con viti non incluse With screws (not included)
<b>TEMPERATURA DI ESERCIZIO</b> <i>Operating Temperature</i>	-10+45°C
<b>CALPESTABILE</b> <i>Walk Over</i>	No
<b>CARRABILE</b> <i>Drive Over</i>	No
<b>GRADO DI PROTEZIONE IP</b> <i>IP rating</i>	IP65
<b>CLASSE DI CONSUMO ENERGETICO</b> <i>Energy Efficiency Class</i>	A/A+/A++
<b>CLASSE DI ISOLAMENTO</b> <i>Insulation Class</i>	Classe 3 Class 3
<b>PROTEZIONI</b> <i>Protections</i>	WP system



Led Luce e Dintorni s.r.l.

Via dei Laghi 76 – 36077 Altavilla Vicentina (VI)  
Tel. 0444 040857, 0444 040858 – Fax 0444 923464

lldlight.it – info@lldlight.it


MADE IN ITALY




Scheda tecnica - Datasheet



LLD



### DIMENSIONI – Dimensions



Led Luce e Dintorni s.r.l.

Via dei Laghi 76 – 36077 Altavilla Vicentina (VI)  
Tel. 0444 040857, 0444 040858 – Fax 0444 923464

[lldlight.it](http://lldlight.it) – [info@lldlight.it](mailto:info@lldlight.it)