

Uma

Incassi asimmetrici
Asymmetric recessed luminaire
Luminaire encastré asymétrique
Asymmetrische Einbauleuchte
Aparato asimétrico de empotrar



Uma



Alimentazione
Supply current
Courant d'alimentation
Stromversorgung
Corriente de alimentación

350mA

Potenza
Power
Puissance
Bestuekung
Potencia

1W


Cablaggio: **in serie**
Wiring: **series**
Câblage: **en série**
Verkabelung: **in Serie**
Cableado: **en serie**

Fissaggio: **Molla**
Fixing: **Spring**
Fixation: **Ressort**
Befestigung: **Feder**
Fijación: **Resorte**


Temperatura colore / Flusso luminoso
Color Temperature / Luminous flux
Température couleur / Flux lumineux
Farbtemperatur / Leuchtenlichtstrom
Temperatura de color / Flujo luminoso

HW 2700K 89 lm
WW 3000K 93 lm
NW 4200K 103 lm
CW 6000K 114 lm

F007




Dimensioni
Dimensions
Größe
Dimensiones



Esempio • Sample • Exemple • Beispiel • Ejemplo

UM1121 Tondo Bianco WW
Round White
Ronde Blanc
Runde Weiß
Ronda Blanco

Costruzione del codice
Code construction
Construction du code produit
Bau der Produkt-Code
Construcción del código de producto



UM X X 2 X

Forma
Shape
Forme
Form


- 1** Tondo • Round • Ronde
Runde • Ronda
- 2** Quadro • Square • Carré
Cuadrat • Cuadrado

Finitura
Finishing
Finitions
Oberflächenfinish
Acabados

- 1** Bianco • White • Blanc
Weiß • Blanco
- 2** Grigio • Grey
Gris • Grau
- 3** Cromo • Chrome
Chrom
- 4** Oro • Gold
Or
- 5** Nero • Black • Noir
Schwarz • Negro

Temperatura colore
Color Temperature
Température couleur
Temperaturabhängige Farbe
Temperatura de color

- 0** HW
- 1** WW
- 2** NW
- 3** CW
- 6** Blu • Blue • Bleu
Blau • Azul
- 7** Verde • Green • Vert
Grün
- 8** Rosso • Red • Rouge
Rot • Rojo



La gamma Uma propone apparecchi ad emissione asimmetrica che uniscono alte prestazioni ad una geometria minimale ed a dimensioni ridotte, offrendo un elemento compositivo discreto, in grado di generare efficaci ed interessanti effetti luminosi.

The Uma range offers asymmetrical emission luminaires that bring together high performance with minimal geometry and small size, providing a discrete compositional element that can generate effective and interesting lighting effects.


La gamme Uma propose des appareils à émission asymétrique qui associent de hautes prestations à une géométrie minimale et de dimensions réduites, offrant un élément de composition discret, en mesure de générer des effets lumineux efficaces et intéressants.

Die Produktreihe Uma bietet Geräte mit asymmetrischer Strahlung, die erhöhten Leistungen, mit einer minimalen Geometrie und äußerst reduzierten Maßen kombinieren; ein diskretes Element, das effiziente und interessante Leuchteffekte schenkt.

La gama Uma ofrece aparatos de emisión asimétrica que aúnan altas prestaciones con una geometría mínima y unas dimensiones reducidas, presentándose como elemento compositivo discreto, pero capaz de generar unos eficaces e interesantes efectos luminosos.

Accessori
Optionals
Accessoires
Zubehör
Accesorios

CS1005 Controcassa per muratura
Recessing box
Boîtier d'encastrement
EingieÙgehäuse
Caja de empotrar



Alimentatori
Drivers
Alimentateurs
Netzteile
Alimentadores

350 mA

non dimmerabili
non-dimmable
nicht dimmbar
no regulable

AL1035 (1...11)

IP 20

AL1037 (1...16)

sec. protection

IP 20

AL1034 (1...11)

IP 20 

AL9011 (1...12)

IP 67

dimmerabili
dimmable
dimmbar
regulable

AL4000 (1...12)

PUSH 1...10V

IP 20

AL4051 (1...12)

DALI

IP 20

AL4053 (1...12)

PUSH IGBT-TRIAC

IP 20