

NEMO

K-Hole 5

Gabi Peretto

K-Hole System is aimed at satisfying the needs of lighting design planning particularly for retail spaces. The family is composed of two typologies: semi-recessed and ceiling/wall with QR111 LED or halogen sources. The semi-recessed version can be installed in all plasterboard ceiling. In the wall/ceiling version, the power supply is integrated. Products realized in matt white powder coated aluminium, with chromed supporting elements.



NEMO


K-Hole 5

Gabi Peretto

LED/HALO RECESSED

Lamping

Source	G53, QR111
Total power	5 x 25W LED/ 5 x 50W HALO
Emission	Orientable
Switching	dimmable TRIAC, according to bulb
Tension	220-240V/12V AC
Ip class	A, Q
Dimensions	1200x130x130
Materials	Aluminium



Codes

KH5 LWW 71

Structure



Diffuseur

NEMO


K-Hole 5

Gabi Peretto

LED/ HALO

Lamping

Source	G53, QR111
Total power	5 x 25W LED/ 5 x 50W HALO
Emission	Orientable
Switching	dimmable TRIAC, according to bulb
Tension	220-240V/12V AC
Ip class	A, Q
Dimensions	1200x130x170
Materials	Aluminium



Codes

KH5 LWW 41

Structure



Diffuseur

Package

LxPxH (base)	27x19x130
Weight (base)	7