



C.C.
[m.A.]



INCASSO DA PARETE

2416B-2734

Recessed Wall lamp / CRISTALY

Surface finish : CRISTALY

LED 32W / 1050mA / 4600lm / 2700°K / CRI85

Model

Code	2416B
Product family	INCASSO DA PARETE
Type	Recessed Wall lamp

Material/Surface finish

Code	004
Material	CRISTALY
Surface finish	CRISTALY

Electrical part

Code	2734
Type	LED
Power	32W
Current	1050mA
Light Output	4600lm
Colour Temperature	2700°K
CRI	85
Light Output of the lamp	2392lm
Dimmable	SI
Power Supply	Power Supply in counterceiling
Connection	2 PVC cables
Cover	Transparent Silicon Paint

General Data

Protection Index	IP 20
Isolation Class	III
Weight [Kg]	7,5
Country of production	MADE IN ITALY
Mounting instruction	025.528_9010_REV01


Installation

Multisize system	SI
Position	Wall

Packaging


Type	White american Box
Measures AxBxH	690x440x165mm
Gross Weight [Kg]	8,5269
Master carton	NO
Quantity of articles	
Measures AxBxH	

Req. space behind the plasterboard




105mm

hole on the plasterboard




615x360mm

External measures



610x355mm

Measures of the light output



515x200mm

Height without electrical part



100mm

Height including the electrical part



100mm


Notes on measures

General notes

Technical Data Sheet

2416B-2734

Fotometric Data




<i>Electrical part</i>	2734
<i>Power</i>	32W
<i>Light Output</i>	4600lm
<i>Colour Temperature</i>	2700°K
<i>CRI</i>	85

<i>Illuminance</i>	0.3m	13156lux
	0.5m	4736lux
	1m	1184lux

<i>Lamp Light Output</i>	52%
<i>Light Output of the lamp</i>	2392lm
<i>Beam Angle</i>	70°
<i>Beam Inclination</i>	42°


Accessories

Housing Box for Brickwork




<i>Code</i>	023.460
<i>Measures</i>	615X360X110mm
<i>Measures of the hole on</i>	645X390X120mm

Standard Power Supply




<i>Code</i>	026.220
<i>Measures</i>	84x57x30mm
<i>Power</i>	min11,6W max34,7W
<i>Input</i>	90-264 V~W
<i>Output</i>	1050mA

Dimmable Power Supply




<i>Code</i>	026.206
<i>Measures</i>	124x82x23mm
<i>Power</i>	59,9W
<i>Input</i>	180-295V~W
<i>Output</i>	1050mA
<i>Dimmable</i>	PUSH/DALI



<i>Code</i>	026.207
<i>Measures</i>	124x82x23mm
<i>Power</i>	59,9W
<i>Input</i>	180-295V~W
<i>Output</i>	1050mA
<i>Dimmable</i>	0-10V

Accessories

Other Accessories



<i>Code</i>	099.142
<i>Description</i>	Emergency Kit
<i>Notes</i>	