



Req. space behind the plasterboard

75mm




hole on the plasterboard

310x310mm




External measures

305x305mm



Measures of the light output

Ø111x-----mm



Height without electrical part

25mm



Protrusion

50mm



General notes

INCASSO A PLAFONE

8935M-3008

Recessed Spotlight / CRISTALY

Surface finish : CRISTALY

LED 13W / 700mA / 1600lm / 3000°K / CRI85

Model

Code	8935M
Product family	INCASSO A PLAFONE
Type	Recessed Spotlight

Material/Surface finish

Code	004
Material	CRISTALY
Surface finish	CRISTALY

Electrical part

Code	3008
Type	LED
Power	13W
Current	700mA
Light Output	1600lm
Colour Temperature	3000°K
CRI	85
Light Output of the lamp	1376lm
Dimmable	SI
Power Supply	Power Supply in counterceiling
Connection	2 PVC cables
Cover	Satin Polycarbonate

General Data

Protection Index	IP20
Isolation Class	III
Weight [Kg]	2,9
Country of production	MADE IN ITALY
Mounting instruction	025.552_9010_REV03

Installation

Multisize system	SI
Position	Ceiling


Packaging

Type	White american Box
Measures AxBxH	530x400x175mm
Gross Weight [Kg]	3,6606
Master carton	NO
Quantity of articles	
Measures AxBxH	

Technical Data Sheet

8935M-3008

Fotometric Data




<i>Electrical part</i>	3008
<i>Power</i>	13W
<i>Light Output</i>	1600lm
<i>Colour Temperature</i>	3000°K
<i>CRI</i>	85
<i>Lamp Light Output</i>	86%
<i>Light Output of the lamp</i>	1376lm
<i>Beam Angle</i>	46°
<i>Beam Inclination</i>	0°

<i>Illuminance</i>	<i>1m</i>	1665lux
	<i>2m</i>	416lux
	<i>3m</i>	185lux
	<i>4m</i>	104lux
	<i>5m</i>	67lux


Accessories

Housing Box for Brickwork




Code 023.480
Measures 310X310X80mm
Measures of the hole on 340X340X90mm

Standard Power Supply




Code 026.255
Measures 88,5x41x23mm
Power min11,9W max18,2W
Input 220-240V~W
Output 700mA




Code 026.256
Measures 118x42,5x24mm
Power min25,2W max35,7W
Input 220-240V~W
Output 700mA


Dimmable Power Supply



Code 026.219
Measures 155x51x26mm
Power 19,6W
Input 220-240V~W
Output 700mA
Dimmable PUSH/0-10V/DALI



Code 026.206
Measures 124x82x23mm
Power 60,2W
Input 180-295V~W
Output 700mA
Dimmable PUSH/DALI



Code 026.207
Measures 124x82x23mm
Power 60,2W
Input 180-295V~W
Output 700mA
Dimmable 0-10V


Technical Data Sheet

8935M-3008

9010
novantadieci®

Accessories

Other Accessories



<i>Code</i>	099.142
<i>Description</i>	Emergency Kit
<i>Notes</i>	