






# Technical Data Sheet

Last data update

7/19/2016

9010  
novantadieci®



## Notes on measures

## General notes

## PASSO

4100G-2700

Recessed Spotlight / CRISTALY  
Surface finish : CRISTALY  
LED 2W / 24Vdc / 190lm / 2700°K / CRI85

## Model

Code	4100G
Product family	PASSO
Type	Recessed Spotlight

## Material/Surface finish

Code	004
Material	CRISTALY
Surface finish	CRISTALY

## Electrical part

Code	2700
Type	LED
Power	2W
Tension	24Vdc
Light Output	190lm
Colour Temperature	2700°K
CRI	85
Light Output of the lamp	66,5lm
Dimmable	SI
Power Supply	by Remote Power Supply
Connection	Screw Terminal
Cover	Transparent Polycarbonate

## General Data

Protection Index	IP20
Isolation Class	III
Weight [Kg]	1,2
Country of production	MADE IN ITALY
Mounting instruction	025.566_9010

## Installation

Multisize system	SI
Position	Wall pathmarker


## Packaging

Type	White american Box
Measures AxBxH	435x170x135mm
Gross Weight [Kg]	1,4047
Master carton	NO
Quantity of articles	
Measures AxBxH	

# Technical Data Sheet

4100G-2700

## Fotometric Data




<i>Electrical part</i>	2700_B
<i>Power</i>	2W
<i>Light Output</i>	190lm
<i>Colour Temperature</i>	2700°K
<i>CRI</i>	85

<i>Illuminance</i>	0.3m	769lux
	0.5m	277lux
	1m	69lux

<i>Lamp Light Output</i>	35%
<i>Light Output of the lamp</i>	66,5lm
<i>Beam Angle</i>	57°
<i>Beam Inclination</i>	30°


## Accessories

### Housing Box for Brickwork




*Code* 023.498  
*Measures* 95X390X65mm  
*Measures of the hole on* 125X420X75mm

## Standard Power Supply



*Code* 026.258  
*Measures* 130x42x23mm  
*Power* 12W  
*Input* 220-240V~W  
*Output* 24Vdc




*Code* 026.259  
*Measures* 167x45x30mm  
*Power* 36W  
*Input* 220-240V~W  
*Output* 24Vdc




*Code* 026.260  
*Measures* 157x54x36mm  
*Power* 60W  
*Input* 220-240V~W  
*Output* 24Vdc

## Dimmable Power Supply



*Code* 026.219  
*Measures* 155x51x26mm  
*Power* 21,6W  
*Input* 220-240V~W  
*Output* 24Vdc  
*Dimmable* PUSH/0-10V/DALI



*Code* 026.209  
*Measures* 125x82x29mm  
*Power* 60W  
*Input* 220-240 V~W  
*Output* 24Vdc  
*Dimmable* PUSH/1-10V

# Technical Data Sheet

4100G-2700

9010  
novantadieci®

---

## Accessories

---

### Other Accessories

---



<i>Code</i>	099.142
<i>Description</i>	Emergency Kit
<i>Notes</i>	