


Technical Data Sheet

Last data update

3/24/2016

9010
novantadieci®



INCASSO DA PARETE

2416C-2731

Recessed Wall lamp / CRISTALY

Surface finish : CRISTALY

LED 16.5W / 700mA / 2450lm / 2700°K / CRI85

Model

Code	2416C
Product family	INCASSO DA PARETE
Type	Recessed Wall lamp

Material/Surface finish

Code	004
Material	CRISTALY
Surface finish	CRISTALY

Electrical part

Code	2731
Type	LED
Power	16.5W
Current	700mA
Light Output	2450lm
Colour Temperature	2700°K
CRI	85

Light Output of the lamp	1911lm
Dimmable	SI

Power Supply	Power Supply in counterceiling
Connection	2 PVC cables
Cover	Transparent Silicon Paint

General Data

Protection Index	IP20
Isolation Class	III
Weight [Kg]	4,9
Country of production	MADE IN ITALY
Mounting instruction	025.551_9010_REV02

Installation

Multisize system	SI
Position	Wall

Packaging

Type	White american Box
Measures AxBxH	530x400x175mm
Gross Weight [Kg]	5,6606
Master carton	NO
Quantity of articles	
Measures AxBxH	

Req. space behind the plasterboard

80mm

hole on the plasterboard

305x465mm

External measures

300x460mm

Measures of the light output

210x300mm

Height without electrical part

80mm

Height including the electrical part

80mm

Notes on measures


General notes

Technical Data Sheet

2416C-2731

9010
novantadieci®

Fotometric Data




<i>Electrical part</i>	2731
<i>Power</i>	16.5W
<i>Light Output</i>	2450lm
<i>Colour Temperature</i>	2700°K
<i>CRI</i>	85
<i>Lamp Light Output</i>	78%
<i>Light Output of the lamp</i>	1911lm
<i>Beam Angle</i>	48°
<i>Beam Inclination</i>	32°

Illuminance


Accessories

Housing Box for Brickwork




<i>Code</i>	023.4008
<i>Measures</i>	305X465X85mm
<i>Measures of the hole on</i>	335X495X95mm

Standard Power Supply




<i>Code</i>	026.255
<i>Measures</i>	88,5x41x23mm
<i>Power</i>	min11,9W max18,2W
<i>Input</i>	220-240V~W
<i>Output</i>	700mA




<i>Code</i>	026.256
<i>Measures</i>	118x42,5x24mm
<i>Power</i>	min25,2W max35,7W
<i>Input</i>	220-240V~W
<i>Output</i>	700mA


Dimmable Power Supply



<i>Code</i>	026.219
<i>Measures</i>	155x51x26mm
<i>Power</i>	19,6W
<i>Input</i>	220-240V~W
<i>Output</i>	700mA
<i>Dimmable</i>	PUSH/0-10V/DALI



<i>Code</i>	026.206
<i>Measures</i>	124x82x23mm
<i>Power</i>	60,2W
<i>Input</i>	180-295V~W
<i>Output</i>	700mA
<i>Dimmable</i>	PUSH/DALI



<i>Code</i>	026.207
<i>Measures</i>	124x82x23mm
<i>Power</i>	60,2W
<i>Input</i>	180-295V~W
<i>Output</i>	700mA
<i>Dimmable</i>	0-10V


Technical Data Sheet

2416C-2731

9010
novantadieci®

Accessories

Other Accessories



Code	099.142
Description	Emergency Kit
Notes	