


# Technical Data Sheet

Last data update

8/5/2017

9010  
novantadieci®



	<b>Base</b>
	300mm
	<b>Height</b>
	12mm
	<b>Depth</b>
	100mm
	<b>Req. space behind the plasterboard</b>
	50mm
	<b>hole on the plasterboard</b>
	405x145mm
	<b>External measures</b>
	400x140mm

## General notes

## INCASSO DA PARETE

2484A-4004

Recessed Wall lamp / CRISTALY  
Surface finish : CRISTALY  
LED 5.5W / 24Vdc / 530lm / 4000°K / CRI85

### Model

Code	2484A
Product family	INCASSO DA PARETE
Type	Recessed Wall lamp

### Material/Surface finish

Code	004
Material	CRISTALY
Surface finish	CRISTALY

### Electrical part

Code	4004
Type	LED
Power	5.5W
Tension	24Vdc
Light Output	530lm
Colour Temperature	4000°K
CRI	85
Light Output of the lamp	243,8lm
Dimmable	SI
Power Supply	by Remote Power Supply
Connection	2 PVC cables
Cover	

### General Data

Protection Index	IP20
Isolation Class	III
Weight [Kg]	3,5
Country of production	MADE IN ITALY
Mounting instruction	025.581_9010

### Installation

Multisize system	SI
Position	Wall Lamp


### Packaging

Type	White american Box
Measures AxBxH	450x310x205mm
Gross Weight [Kg]	4,0862
Master carton	NO
Quantity of articles	
Measures AxBxH	

# Technical Data Sheet

2484A-4004

## Fotometric Data




<i>Electrical part</i>	4004_5,5
<i>Power</i>	5.5W
<i>Light Output</i>	530lm
<i>Colour Temperature</i>	4000°K
<i>CRI</i>	85
<i>Lamp Light Output</i>	46%
<i>Light Output of the lamp</i>	243,8lm
<i>Beam Angle</i>	\
<i>Beam Inclination</i>	

## Illuminance


## Accessories

### Housing Box for Brickwork




*Code* 023.4003  
*Measures* 405X145X80mm  
*Measures of the hole on* 435X175X90mm

### Standard Power Supply




*Code* 026.258  
*Measures* 130x42x23mm  
*Power* 12W  
*Input* 220-240V~W  
*Output* 24Vdc




*Code* 026.259  
*Measures* 167x45x30mm  
*Power* 36W  
*Input* 220-240V~W  
*Output* 24Vdc



*Code* 026.260  
*Measures* 157x54x36mm  
*Power* 60W  
*Input* 220-240V~W  
*Output* 24Vdc




*Code* 026.261  
*Measures* 219x63x35.5mm  
*Power* 150W  
*Input* 180-295V~W  
*Output* 24Vdc




*Code* 026.262  
*Measures* 244x71x35.5mm  
*Power* 240W  
*Input* 180-295V~W  
*Output* 24Vdc

## Accessories


### Dimmable Power Supply




Code 026.219  
 Measures 155x51x26mm  
 Power 21,6W  
 Input 220-240V~W  
 Output 24Vdc  
 Dimmable PUSH/0-10V/DALI



Code 026.209  
 Measures 125x82x29mm  
 Power 60W  
 Input 220-240 V~W  
 Output 24Vdc  
 Dimmable PUSH/1-10V




Code 026.190+026.261  
 Measures 156x52x24mm  
 Power 150W  
 Input 180-295V~W  
 Output 24Vdc  
 Dimmable PUSH/0-10V/DALI



Code 026.190+026.262  
 Measures 156x52x24mm  
 Power 240W  
 Input 180-295V~W  
 Output 24Vdc  
 Dimmable PUSH/0-10V/DALI

### Other Accessories



Code 099.142  
 Description Emergency Kit  
 Notes