


Technical Data Sheet

Last data update

8/5/2017

9010
novantadieci®



	Base
	900mm
	Height
	12mm
	Depth
	100mm
	Req. space behind the plasterboard
	50mm
	hole on the plasterboard
	1005x145mm
	External measures
	1000x140mm

General notes

INCASSO DA PARETE

2484C-4004

Recessed Wall lamp / CRISTALY

Surface finish : CRISTALY

LED 19W / 24Vdc / 1800lm / 4000°K / CRI85

Model

Code	2484C
Product family	INCASSO DA PARETE
Type	Recessed Wall lamp

Material/Surface finish

Code	004
Material	CRISTALY
Surface finish	CRISTALY

Electrical part

Code	4004
Type	LED
Power	19W
Tension	24Vdc
Light Output	1800lm
Colour Temperature	4000°K
CRI	85
Light Output of the lamp	828lm
Dimmable	SI
Power Supply	by Remote Power Supply
Connection	2 PVC cables
Cover	

General Data

Protection Index	IP20
Isolation Class	III
Weight [Kg]	9,5
Country of production	MADE IN ITALY
Mounting instruction	025.581_9010

Installation

Multisize system	SI
Position	Wall Lamp


Packaging

Type	White american Box
Measures AxBxH	1090x240x210mm
Gross Weight [Kg]	10,626
Master carton	NO
Quantity of articles	
Measures AxBxH	

Technical Data Sheet

2484C-4004

Fotometric Data




<i>Electrical part</i>	4004_19
<i>Power</i>	19W
<i>Light Output</i>	1800lm
<i>Colour Temperature</i>	4000°K
<i>CRI</i>	85
<i>Lamp Light Output</i>	46%
<i>Light Output of the lamp</i>	828lm
<i>Beam Angle</i>	\
<i>Beam Inclination</i>	

Illuminance


Accessories

Housing Box for Brickwork



<i>Code</i>	023.4006
<i>Measures</i>	1005X145X65mm
<i>Measures of the hole on</i>	1035X175X75mm


Standard Power Supply




<i>Code</i>	026.259
<i>Measures</i>	167x45x30mm
<i>Power</i>	36W
<i>Input</i>	220-240V~W
<i>Output</i>	24Vdc



<i>Code</i>	026.260
<i>Measures</i>	157x54x36mm
<i>Power</i>	60W
<i>Input</i>	220-240V~W
<i>Output</i>	24Vdc




<i>Code</i>	026.261
<i>Measures</i>	219x63x35.5mm
<i>Power</i>	150W
<i>Input</i>	180-295V~W
<i>Output</i>	24Vdc




<i>Code</i>	026.262
<i>Measures</i>	244x71x35.5mm
<i>Power</i>	240W
<i>Input</i>	180-295V~W
<i>Output</i>	24Vdc


Dimmable Power Supply




<i>Code</i>	026.219
<i>Measures</i>	155x51x26mm
<i>Power</i>	21,6W
<i>Input</i>	220-240V~W
<i>Output</i>	24Vdc
<i>Dimmable</i>	PUSH/0-10V/DALI



<i>Code</i>	026.209
<i>Measures</i>	125x82x29mm
<i>Power</i>	60W
<i>Input</i>	220-240 V~W
<i>Output</i>	24Vdc
<i>Dimmable</i>	PUSH/1-10V



<i>Code</i>	026.190+026.261
<i>Measures</i>	156x52x24mm
<i>Power</i>	150W
<i>Input</i>	180-295V~W
<i>Output</i>	24Vdc
<i>Dimmable</i>	PUSH/0-10V/DALI



<i>Code</i>	026.190+026.262
<i>Measures</i>	156x52x24mm
<i>Power</i>	240W
<i>Input</i>	180-295V~W
<i>Output</i>	24Vdc
<i>Dimmable</i>	PUSH/0-10V/DALI


Technical Data Sheet

2484C-4004

9010
novantadieci®

Accessories

Other Accessories



<i>Code</i>	099.142
<i>Description</i>	Emergency Kit
<i>Notes</i>	