


Technical Data Sheet

Last data update

8/5/2017

9010
novantadieci®



	Base
450mm	
	Height
40mm	
	Depth
50mm	
	Req. space behind the plasterboard
50mm	
	hole on the plasterboard
555x145mm	
	External measures
550x140mm	

General notes

INCASSO DA PARETE

2485B-3003

Recessed Wall lamp / CRISTALY + ALUMITE

Surface finish : CRISTALY

LED 10.5W / 24Vdc / 1200lm / 3000°K / CRI85

Model

Code	2485B
Product family	INCASSO DA PARETE
Type	Recessed Wall lamp

Material/Surface finish

Code	004
Material	CRISTALY + ALUMITE
Surface finish	CRISTALY

Electrical part

Code	3003
Type	LED
Power	10.5W
Tension	24Vdc
Light Output	1200lm
Colour Temperature	3000°K
CRI	85
Light Output of the lamp	840lm
Dimmable	SI
Power Supply	by Remote Power Supply
Connection	Screw Terminal
Cover	

General Data

Protection Index	IP20
Isolation Class	III
Weight [Kg]	3,4
Country of production	MADE IN ITALY
Mounting instruction	025.585_9010

Installation

Multisize system	SI
Position	Wall Lamp


Packaging

Type	White american Box
Measures AxBxH	760x240x210mm
Gross Weight [Kg]	4,1852
Master carton	NO
Quantity of articles	
Measures AxBxH	

Technical Data Sheet

2485B-3003

Fotometric Data




<i>Electrical part</i>	3003_10,5
<i>Power</i>	10.5W
<i>Light Output</i>	1200lm
<i>Colour Temperature</i>	3000°K
<i>CRI</i>	85
<i>Lamp Light Output</i>	70%
<i>Light Output of the lamp</i>	840lm
<i>Beam Angle</i>	115°
<i>Beam Inclination</i>	

Illuminance


Accessories

Housing Box for Brickwork




<i>Code</i>	023.4004
<i>Measures</i>	555X145X80mm
<i>Measures of the hole on</i>	585X175X90mm

Standard Power Supply




<i>Code</i>	026.258
<i>Measures</i>	130x42x23mm
<i>Power</i>	12W
<i>Input</i>	220-240V~W
<i>Output</i>	24Vdc




<i>Code</i>	026.259
<i>Measures</i>	167x45x30mm
<i>Power</i>	36W
<i>Input</i>	220-240V~W
<i>Output</i>	24Vdc



<i>Code</i>	026.260
<i>Measures</i>	157x54x36mm
<i>Power</i>	60W
<i>Input</i>	220-240V~W
<i>Output</i>	24Vdc




<i>Code</i>	026.261
<i>Measures</i>	219x63x35.5mm
<i>Power</i>	150W
<i>Input</i>	180-295V~W
<i>Output</i>	24Vdc




<i>Code</i>	026.262
<i>Measures</i>	244x71x35.5mm
<i>Power</i>	240W
<i>Input</i>	180-295V~W
<i>Output</i>	24Vdc

Accessories


Dimmable Power Supply




Code 026.219
Measures 155x51x26mm
Power 21,6W
Input 220-240V~W
Output 24Vdc
Dimmable PUSH/0-10V/DALI



Code 026.209
Measures 125x82x29mm
Power 60W
Input 220-240 V~W
Output 24Vdc
Dimmable PUSH/1-10V




Code 026.190+026.261
Measures 156x52x24mm
Power 150W
Input 180-295V~W
Output 24Vdc
Dimmable PUSH/0-10V/DALI



Code 026.190+026.262
Measures 156x52x24mm
Power 240W
Input 180-295V~W
Output 24Vdc
Dimmable PUSH/0-10V/DALI

Other Accessories



Code 099.142
Description Emergency Kit
Notes