



Technical Data Sheet

Last data update


8/5/2017

9010
novantadieci®



Base

300mm



Height

40mm




Depth

60mm



Req. space behind the plasterboard

50mm



hole on the plasterboard

405x145mm



External measures

400x140mm



General notes

INCASSO DA PARETE

2486A-4003

Recessed Wall lamp / CRISTALY + ALUMITE

Surface finish : CRISTALY

LED 8W / 24Vdc / 950lm / 4000°K / CRI85

Model

Code	2486A
Product family	INCASSO DA PARETE
Type	Recessed Wall lamp

Material/Surface finish

Code	004
Material	CRISTALY + ALUMITE
Surface finish	CRISTALY

Electrical part

Code	4003
Type	LED
Power	8W
Tension	24Vdc
Light Output	950lm
Colour Temperature	4000°K
CRI	85
Light Output of the lamp	665lm
Dimmable	SI
Power Supply	by Remote Power Supply
Connection	Screw Terminal
Cover	

General Data

Protection Index	IP20
Isolation Class	III
Weight [Kg]	2,4
Country of production	MADE IN ITALY
Mounting instruction	025.585_9010

Installation

Multisize system	SI
Position	Wall Lamp


Packaging

Type	White american Box
Measures AxBxH	450x310x205mm
Gross Weight [Kg]	2,9862
Master carton	NO
Quantity of articles	
Measures AxBxH	

Technical Data Sheet

2486A-4003

Fotometric Data



<i>Electrical part</i>	4003_8
<i>Power</i>	8W
<i>Light Output</i>	950lm
<i>Colour Temperature</i>	4000°K
<i>CRI</i>	85
<i>Lamp Light Output</i>	70%
<i>Light Output of the lamp</i>	665lm
<i>Beam Angle</i>	115°
<i>Beam Inclination</i>	

Illuminance


Accessories

Housing Box for Brickwork




Code 023.4003
Measures 405X145X80mm
Measures of the hole on 435X175X90mm

Standard Power Supply




Code 026.258
Measures 130x42x23mm
Power 12W
Input 220-240V~W
Output 24Vdc



Code 026.259
Measures 167x45x30mm
Power 36W
Input 220-240V~W
Output 24Vdc



Code 026.260
Measures 157x54x36mm
Power 60W
Input 220-240V~W
Output 24Vdc



Code 026.261
Measures 219x63x35.5mm
Power 150W
Input 180-295V~W
Output 24Vdc




Code 026.262
Measures 244x71x35.5mm
Power 240W
Input 180-295V~W
Output 24Vdc

Technical Data Sheet


2486A-4003

Accessories


Dimmable Power Supply




Code 026.219
Measures 155x51x26mm
Power 21,6W
Input 220-240V~W
Output 24Vdc
Dimmable PUSH/0-10V/DALI



Code 026.209
Measures 125x82x29mm
Power 60W
Input 220-240 V~W
Output 24Vdc
Dimmable PUSH/1-10V




Code 026.190+026.261
Measures 156x52x24mm
Power 150W
Input 180-295V~W
Output 24Vdc
Dimmable PUSH/0-10V/DALI



Code 026.190+026.262
Measures 156x52x24mm
Power 240W
Input 180-295V~W
Output 24Vdc
Dimmable PUSH/0-10V/DALI

Other Accessories



Code 099.142
Description Emergency Kit
Notes