


# Technical Data Sheet

Last data update


7/19/2016

9010  
novantadieci®




*Req. space behind the plasterboard*

40mm




*hole on the plasterboard*

110x150mm




*External measures*

107x148mm




*Measures of the light output*

15x55mm



*Height without electrical part*

35mm



*Height including the electrical part*

35mm

## Notes on measures

## General notes

## PASSO

4130A-3003

Recessed Spotlight / CRISTALY

Surface finish : CRISTALY

LED 1.5W / 24Vdc / 150lm / 3000°K / CRI85

## Model

Code	4130A
Product family	PASSO
Type	Recessed Spotlight

## Material/Surface finish

Code	004
Material	CRISTALY
Surface finish	CRISTALY

## Electrical part

Code	3003
Type	LED
Power	1.5W
Tension	24Vdc
Light Output	150lm
Colour Temperature	3000°K
CRI	85
Light Output of the lamp	97,5lm
Dimmable	SI
Power Supply	by Remote Power Supply
Connection	2 PVC cables
Cover	Opal Polycarbonate

## General Data

Protection Index	IP20
Isolation Class	III
Weight [Kg]	0,55
Country of production	MADE IN ITALY
Mounting instruction	025.571_9010

## Installation

Multisize system	SI
Position	Wall pathmarker


## Packaging

Type	White die-cut Box
Measures AxBxH	165x165x116mm
Gross Weight [Kg]	0,6147
Master carton	NO
Quantity of articles	
Measures AxBxH	

# Technical Data Sheet

4130A-3003

## Fotometric Data




<i>Electrical part</i>	3003_1,5
<i>Power</i>	1.5W
<i>Light Output</i>	150lm
<i>Colour Temperature</i>	3000°K
<i>CRI</i>	85
<i>Lamp Light Output</i>	65%
<i>Light Output of the lamp</i>	97,5lm
<i>Beam Angle</i>	119°
<i>Beam Inclination</i>	0°

## Illuminance


## Accessories

### Housing Box for Brickwork




*Code* 023.4100  
*Measures* 110X150X50mm  
*Measures of the hole on* 140X180X60mm

## Standard Power Supply



*Code* 026.258  
*Measures* 130x42x23mm  
*Power* 12W  
*Input* 220-240V~W  
*Output* 24Vdc




*Code* 026.259  
*Measures* 167x45x30mm  
*Power* 36W  
*Input* 220-240V~W  
*Output* 24Vdc




*Code* 026.260  
*Measures* 157x54x36mm  
*Power* 60W  
*Input* 220-240V~W  
*Output* 24Vdc

## Dimmable Power Supply



*Code* 026.219  
*Measures* 155x51x26mm  
*Power* 21,6W  
*Input* 220-240V~W  
*Output* 24Vdc  
*Dimmable* PUSH/0-10V/DALI



*Code* 026.209  
*Measures* 125x82x29mm  
*Power* 60W  
*Input* 220-240 V~W  
*Output* 24Vdc  
*Dimmable* PUSH/1-10V

# Technical Data Sheet

4130A-3003

9010  
novantadieci®

---

## Accessories

---

### Other Accessories

---



<i>Code</i>	099.142
<i>Description</i>	Emergency Kit
<i>Notes</i>	