



# Technical Data Sheet


Last data update


7/19/2016


9010  
novantadieci®




 Req. space behind the plasterboard  
40mm

 hole on the plasterboard  
110x250mm

 External measures  
107x247mm

 Measures of the light output  
15x155mm

 Height without electrical part  
35mm

 Height including the electrical part  
35mm

## Notes on measures

## General notes

## PASSO

4130C-2703

Recessed Spotlight / CRISTALY  
Surface finish : CRISTALY  
LED 4W / 24Vdc / 430lm / 2700°K / CRI85

## Model

Code	4130C
Product family	PASSO
Type	Recessed Spotlight

## Material/Surface finish

Code	004
Material	CRISTALY
Surface finish	CRISTALY

## Electrical part

Code	2703
Type	LED
Power	4W
Tension	24Vdc
Light Output	430lm
Colour Temperature	2700°K
CRI	85
Light Output of the lamp	279,5lm
Dimmable	SI
Power Supply	by Remote Power Supply
Connection	2 PVC cables
Cover	Opal Polycarbonate

## General Data

Protection Index	IP20
Isolation Class	III
Weight [Kg]	0,95
Country of production	MADE IN ITALY
Mounting instruction	025.571_9010

## Installation

Multisize system	SI
Position	Wall pathmarker


## Packaging

Type	White american Box
Measures AxBxH	339x176x81mm
Gross Weight [Kg]	1,0491
Master carton	NO
Quantity of articles	
Measures AxBxH	

# Technical Data Sheet

4130C-2703

## Fotometric Data



<i>Electrical part</i>	2703_4
<i>Power</i>	4W
<i>Light Output</i>	430lm
<i>Colour Temperature</i>	2700°K
<i>CRI</i>	85
<i>Lamp Light Output</i>	65%
<i>Light Output of the lamp</i>	279,5lm
<i>Beam Angle</i>	119°
<i>Beam Inclination</i>	0°

## Illuminance


## Accessories

### Housing Box for Brickwork




<i>Code</i>	023.4102
<i>Measures</i>	110X250X50mm
<i>Measures of the hole on</i>	140X280X60mm

## Standard Power Supply



<i>Code</i>	026.258
<i>Measures</i>	130x42x23mm
<i>Power</i>	12W
<i>Input</i>	220-240V~W
<i>Output</i>	24Vdc




<i>Code</i>	026.259
<i>Measures</i>	167x45x30mm
<i>Power</i>	36W
<i>Input</i>	220-240V~W
<i>Output</i>	24Vdc




<i>Code</i>	026.260
<i>Measures</i>	157x54x36mm
<i>Power</i>	60W
<i>Input</i>	220-240V~W
<i>Output</i>	24Vdc

## Dimmable Power Supply



<i>Code</i>	026.219
<i>Measures</i>	155x51x26mm
<i>Power</i>	21,6W
<i>Input</i>	220-240V~W
<i>Output</i>	24Vdc
<i>Dimmable</i>	PUSH/0-10V/DALI



<i>Code</i>	026.209
<i>Measures</i>	125x82x29mm
<i>Power</i>	60W
<i>Input</i>	220-240 V~W
<i>Output</i>	24Vdc
<i>Dimmable</i>	PUSH/1-10V

# Technical Data Sheet

4130C-2703

9010  
novantadieci®

---

## Accessories

---

### Other Accessories

---



<i>Code</i>	099.142
<i>Description</i>	Emergency Kit
<i>Notes</i>	