


Technical Data Sheet


Last data update


7/19/2016


9010
novantadieci®



 Req. space behind the plasterboard
40mm

 hole on the plasterboard
110x250mm

 External measures
107x247mm

 Measures of the light output
15x155mm

 Height without electrical part
35mm

 Height including the electrical part
35mm

Notes on measures

General notes

PASSO

4130C-3003

Recessed Spotlight / CRISTALY
Surface finish : CRISTALY
LED 4W / 24Vdc / 450lm / 3000°K / CRI85

Model

Code	4130C
Product family	PASSO
Type	Recessed Spotlight

Material/Surface finish

Code	004
Material	CRISTALY
Surface finish	CRISTALY

Electrical part

Code	3003
Type	LED
Power	4W
Tension	24Vdc
Light Output	450lm
Colour Temperature	3000°K
CRI	85
Light Output of the lamp	292,5lm
Dimmable	SI
Power Supply	by Remote Power Supply
Connection	2 PVC cables
Cover	Opal Polycarbonate

General Data

Protection Index	IP20
Isolation Class	III
Weight [Kg]	0,95
Country of production	MADE IN ITALY
Mounting instruction	025.571_9010

Installation

Multisize system	SI
Position	Wall pathmarker


Packaging

Type	White american Box
Measures AxBxH	339x176x81mm
Gross Weight [Kg]	1,0491
Master carton	NO
Quantity of articles	
Measures AxBxH	

Technical Data Sheet

4130C-3003

Fotometric Data




<i>Electrical part</i>	3003_4
<i>Power</i>	4W
<i>Light Output</i>	450lm
<i>Colour Temperature</i>	3000°K
<i>CRI</i>	85
<i>Lamp Light Output</i>	65%
<i>Light Output of the lamp</i>	292,5lm
<i>Beam Angle</i>	119°
<i>Beam Inclination</i>	0°

Illuminance


Accessories

Housing Box for Brickwork




<i>Code</i>	023.4102
<i>Measures</i>	110X250X50mm
<i>Measures of the hole on</i>	140X280X60mm

Standard Power Supply



<i>Code</i>	026.258
<i>Measures</i>	130x42x23mm
<i>Power</i>	12W
<i>Input</i>	220-240V~W
<i>Output</i>	24Vdc




<i>Code</i>	026.259
<i>Measures</i>	167x45x30mm
<i>Power</i>	36W
<i>Input</i>	220-240V~W
<i>Output</i>	24Vdc




<i>Code</i>	026.260
<i>Measures</i>	157x54x36mm
<i>Power</i>	60W
<i>Input</i>	220-240V~W
<i>Output</i>	24Vdc

Dimmable Power Supply



<i>Code</i>	026.219
<i>Measures</i>	155x51x26mm
<i>Power</i>	21,6W
<i>Input</i>	220-240V~W
<i>Output</i>	24Vdc
<i>Dimmable</i>	PUSH/0-10V/DALI



<i>Code</i>	026.209
<i>Measures</i>	125x82x29mm
<i>Power</i>	60W
<i>Input</i>	220-240 V~W
<i>Output</i>	24Vdc
<i>Dimmable</i>	PUSH/1-10V


Technical Data Sheet

4130C-3003

9010
novantadieci®

Accessories

Other Accessories



<i>Code</i>	099.142
<i>Description</i>	Emergency Kit
<i>Notes</i>	