



Req. space behind the plasterboard

130(160*)mm




hole on the plasterboard

485x185mm



External measures

480x180mm



Measures of the light output

120x120mm



Height without electrical part

80mm



Height including the electrical part

105mm

Notes on measures

General notes

INCASSO A PLAFONE E PARETE

4054-3003

Recessed lighting / CRISTALY

Surface finish : CRISTALY

LED 21W / 24Vdc / 2500lm / 3000°K / CRI85

Model

Code	4054
Product family	INCASSO A PLAFONE E PARETE
Type	Recessed lighting

Material/Surface finish

Code	004
Material	CRISTALY
Surface finish	CRISTALY

Electrical part

Code	3003
Type	LED
Power	21W
Tension	24Vdc
Light Output	2500lm
Colour Temperature	3000°K
CRI	85
Light Output of the lamp	1500lm
Dimmable	SI
Power Supply	Power Supply in counterceiling
Connection	2 PVC cables
Cover	Etched Glass

General Data

Protection Index	IP20
Isolation Class	III
Weight [Kg]	3,4
Country of production	MADE IN ITALY
Mounting instruction	025.367_9010_REV06

Installation

Multisize system	NO
Position	Wall lamp/Ceiling Lamp


Packaging

Type	White american Box
Measures AxBxH	600x330x195mm
Gross Weight [Kg]	4,1915
Master carton	NO
Quantity of articles	
Measures AxBxH	

Technical Data Sheet

4054-3003

Fotometric Data




<i>Electrical part</i>	3003_21
<i>Power</i>	21W
<i>Light Output</i>	2500lm
<i>Colour Temperature</i>	3000°K
<i>CRI</i>	85
<i>Lamp Light Output</i>	60%
<i>Light Output of the lamp</i>	1500lm
<i>Beam Angle</i>	111°
<i>Beam Inclination</i>	0°

<i>Illuminance</i>	<i>1m</i>	<i>630lux</i>
	<i>2m</i>	<i>158lux</i>
	<i>3m</i>	<i>70lux</i>
	<i>4m</i>	<i>39lux</i>
	<i>5m</i>	<i>25lux</i>


Accessories

Housing Box for Brickwork



Code 023.415
Measures 485X185X115mm
Measures of the hole on 515X215X125mm


Standard Power Supply




Code 026.259
Measures 167x45x30mm
Power 36W
Input 220-240V~W
Output 24Vdc



Code 026.260
Measures 157x54x36mm
Power 60W
Input 220-240V~W
Output 24Vdc




Code 026.261
Measures 219x63x35.5mm
Power 150W
Input 180-295V~W
Output 24Vdc




Code 026.262
Measures 244x71x35.5mm
Power 240W
Input 180-295V~W
Output 24Vdc


Dimmable Power Supply




Code 026.219
Measures 155x51x26mm
Power 21,6W
Input 220-240V~W
Output 24Vdc
Dimmable PUSH/0-10V/DALI



Code 026.209
Measures 125x82x29mm
Power 60W
Input 220-240 V~W
Output 24Vdc
Dimmable PUSH/1-10V



Code 026.190+026.261
Measures 156x52x24mm
Power 150W
Input 180-295V~W
Output 24Vdc
Dimmable PUSH/0-10V/DALI




Code 026.190+026.262
Measures 156x52x24mm
Power 240W
Input 180-295V~W
Output 24Vdc
Dimmable PUSH/0-10V/DALI

4054-3003

Accessories

Other Accessories



<i>Code</i>	099.142
<i>Description</i>	Emergency Kit
<i>Notes</i>	