



Technical Data Sheet


Last data update

3/15/2016


9010
novantadieci®




130(160*)mm



485x185mm




480x180mm



120x120mm



80mm



105mm

Notes on measures

General notes

INCASSO A PLAFONE E PARETE

4054-4003

Recessed lighting / CRISTALY
Surface finish : CRISTALY
LED 21W / 24Vdc / 2600lm / 4000°K / CRI85

Model

Code	4054
Product family	INCASSO A PLAFONE E PARETE
Type	Recessed lighting

Material/Surface finish

Code	004
Material	CRISTALY
Surface finish	CRISTALY

Electrical part

Code	4003
Type	LED
Power	21W
Tension	24Vdc
Light Output	2600lm
Colour Temperature	4000°K
CRI	85
Light Output of the lamp	1560lm
Dimmable	SI
Power Supply	Power Supply in counterceiling
Connection	2 PVC cables
Cover	Etched Glass

General Data

Protection Index	IP20
Isolation Class	III
Weight [Kg]	3,4
Country of production	MADE IN ITALY
Mounting instruction	025.367_9010_REV06

Installation

Multisize system	NO
Position	Wall lamp/Ceiling Lamp


Packaging

Type	White american Box
Measures AxBxH	600x330x195mm
Gross Weight [Kg]	4,1915
Master carton	NO
Quantity of articles	
Measures AxBxH	

Technical Data Sheet

4054-4003

Fotometric Data




<i>Electrical part</i>	4003_21
<i>Power</i>	21W
<i>Light Output</i>	2600lm
<i>Colour Temperature</i>	4000°K
<i>CRI</i>	85
<i>Lamp Light Output</i>	60%
<i>Light Output of the lamp</i>	1560lm
<i>Beam Angle</i>	111°
<i>Beam Inclination</i>	0°

<i>Illuminance</i>	<i>1m</i>	<i>655lux</i>
	<i>2m</i>	<i>164lux</i>
	<i>3m</i>	<i>73lux</i>
	<i>4m</i>	<i>41lux</i>
	<i>5m</i>	<i>26lux</i>


Accessories

Housing Box for Brickwork



Code 023.415
Measures 485X185X115mm
Measures of the hole on 515X215X125mm


Standard Power Supply




Code 026.259
Measures 167x45x30mm
Power 36W
Input 220-240V~W
Output 24Vdc



Code 026.260
Measures 157x54x36mm
Power 60W
Input 220-240V~W
Output 24Vdc




Code 026.261
Measures 219x63x35.5mm
Power 150W
Input 180-295V~W
Output 24Vdc




Code 026.262
Measures 244x71x35.5mm
Power 240W
Input 180-295V~W
Output 24Vdc


Dimmable Power Supply




Code 026.219
Measures 155x51x26mm
Power 21,6W
Input 220-240V~W
Output 24Vdc
Dimmable PUSH/0-10V/DALI



Code 026.209
Measures 125x82x29mm
Power 60W
Input 220-240 V~W
Output 24Vdc
Dimmable PUSH/1-10V




Code 026.190+026.261
Measures 156x52x24mm
Power 150W
Input 180-295V~W
Output 24Vdc
Dimmable PUSH/0-10V/DALI



Code 026.190+026.262
Measures 156x52x24mm
Power 240W
Input 180-295V~W
Output 24Vdc
Dimmable PUSH/0-10V/DALI

Accessories

Other Accessories



<i>Code</i>	099.142
<i>Description</i>	Emergency Kit
<i>Notes</i>	