


Technical Data Sheet

Last data update


3/15/2016

9010
novantadieci®




Req. space behind the plasterboard

60mm




hole on the plasterboard

205x175mm




External measures

200x170mm




Measures of the light output

90x90mm



Height without electrical part

40mm



Height including the electrical part

40mm

Notes on measures

General notes

INCASSO A PLAFONE E PARETE

4105-2724

Recessed Spotlight / CRISTALY

Surface finish : CRISTALY

LED 8W / 350mA / 1050lm / 2700°K / CRI85

Model

Code	4105
Product family	INCASSO A PLAFONE E PARETE
Type	Recessed Spotlight

Material/Surface finish

Code	004
Material	CRISTALY
Surface finish	CRISTALY

Electrical part

Code	2724
Type	LED
Power	8W
Current	350mA
Light Output	1050lm
Colour Temperature	2700°K
CRI	85

Light Output of the lamp	661,5lm
Dimmable	SI

Power Supply	Power Supply in counterceiling
Connection	2 PVC cables
Cover	Etched Glass

General Data

Protection Index	IP20-IP44
Isolation Class	III
Weight [Kg]	1,2
Country of production	MADE IN ITALY
Mounting instruction	025.490_9010_REV03

Installation

Multisize system	SI
Position	Wall/Ceiling lighting

Packaging


Type	White american Box
Measures AxBxH	360x295x140mm
Gross Weight [Kg]	1,5048
Master carton	NO
Quantity of articles	
Measures AxBxH	

Technical Data Sheet

4105-2724

9010
novantadieci®

Fotometric Data




Electrical part	2724
Power	8W
Light Output	1050lm
Colour Temperature	2700°K
CRI	85

Illuminance	1m	285lux
	2m	71lux
	3m	32lux
	4m	18lux
	5m	11lux

Lamp Light Output	63%
Light Output of the lamp	661,5lm
Beam Angle	96°
Beam Inclination	0°


Accessories

Housing Box for Brickwork




Code	023.471
Measures	175X205X75mm
Measures of the hole on	205X235X85mm

Standard Power Supply




Code	026.251
Measures	88,5x41x23mm
Power	min6W max8,8W
Input	220-240V~W
Output	350mA




Code	026.252
Measures	88,5x41x23mm
Power	min12,6W max18,2W
Input	220-240V~W
Output	350mA


Dimmable Power Supply



Code	026.219
Measures	155x51x26mm
Power	16,1W
Input	220-240V~W
Output	350mA
Dimmable	PUSH/0-10V/DALI




Code	026.185
Measures	124x82x23mm
Power	min0,7W max35W
Input	180-295V~W
Output	350mA
Dimmable	PUSH/DALI



Code	026.187
Measures	124x82x23mm
Power	min0,7W max35W
Input	180-295V~W
Output	350mA
Dimmable	0-10V

Accessories

Other Accessories



Code	099.142
Description	Emergency Kit
Notes	