



Req. space behind the plasterboard

60mm




hole on the plasterboard

205x175mm




External measures

200x170mm




Measures of the light output

90x90mm



Height without electrical part

40mm



Height including the electrical part

40mm

**Notes on measures**

**General notes**

**INCASSO A PLAFONE E PARETE**

4105-4024

Recessed Spotlight / CRISTALY

Surface finish : CRISTALY

LED 8W / 350mA / 1160lm / 4000°K / CRI85

**Model**

Code	4105
Product family	INCASSO A PLAFONE E PARETE
Type	Recessed Spotlight

**Material/Surface finish**

Code	004
Material	CRISTALY
Surface finish	CRISTALY

**Electrical part**

Code	4024
Type	LED
Power	8W
Current	350mA
Light Output	1160lm
Colour Temperature	4000°K
CRI	85
Light Output of the lamp	730,8lm
Dimmable	SI
Power Supply	Power Supply in counterceiling
Connection	2 PVC cables
Cover	Etched Glass

**General Data**

Protection Index	IP20-IP44
Isolation Class	III
Weight [Kg]	1,2
Country of production	MADE IN ITALY
Mounting instruction	025.490_9010_REV03

**Installation**

Multisize system	SI
Position	Wall/Ceiling lighting


**Packaging**

Type	White american Box
Measures AxBxH	360x295x140mm
Gross Weight [Kg]	1,5048
Master carton	NO
Quantity of articles	
Measures AxBxH	

# Technical Data Sheet

4105-4024

## Fotometric Data




<i>Electrical part</i>	4024
<i>Power</i>	8W
<i>Light Output</i>	1160lm
<i>Colour Temperature</i>	4000°K
<i>CRI</i>	85
<i>Lamp Light Output</i>	63%
<i>Light Output of the lamp</i>	730,8lm
<i>Beam Angle</i>	96°
<i>Beam Inclination</i>	0°

<i>Illuminance</i>	1m	315lux
	2m	79lux
	3m	35lux
	4m	20lux
	5m	13lux


## Accessories

### Housing Box for Brickwork




*Code* 023.471  
*Measures* 175X205X75mm  
*Measures of the hole on* 205X235X85mm

### Standard Power Supply




*Code* 026.251  
*Measures* 88,5x41x23mm  
*Power* min6W max8,8W  
*Input* 220-240V~W  
*Output* 350mA




*Code* 026.252  
*Measures* 88,5x41x23mm  
*Power* min12,6W max18,2W  
*Input* 220-240V~W  
*Output* 350mA


### Dimmable Power Supply



*Code* 026.219  
*Measures* 155x51x26mm  
*Power* 16,1W  
*Input* 220-240V~W  
*Output* 350mA  
*Dimmable* PUSH/0-10V/DALI



*Code* 026.185  
*Measures* 124x82x23mm  
*Power* min0,7W max35W  
*Input* 180-295V~W  
*Output* 350mA  
*Dimmable* PUSH/DALI



*Code* 026.187  
*Measures* 124x82x23mm  
*Power* min0,7W max35W  
*Input* 180-295V~W  
*Output* 350mA  
*Dimmable* 0-10V

4105-4024


---

## Accessories

---

### Other Accessories

---



<i>Code</i>	099.142
<i>Description</i>	Emergency Kit
<i>Notes</i>	