


Technical Data Sheet

Last data update


3/15/2016

9010
novantadieci®




Req. space behind the plasterboard

65mm




hole on the plasterboard

325x205mm




External measures

320x200mm



Measures of the light output

260x100mm



Height without electrical part

55mm



Height including the electrical part

55mm

Notes on measures

General notes

PASSO

4167-4004

Recessed Spotlight / CRISTALY

Surface finish : CRISTALY

LED 6.5W / 24Vdc / 640lm / 4000°K / CRI85

Model

Code	4167
Product family	PASSO
Type	Recessed Spotlight

Material/Surface finish

Code	004
Material	CRISTALY
Surface finish	CRISTALY

Electrical part

Code	4004
Type	LED
Power	6.5W
Tension	24Vdc
Light Output	640lm
Colour Temperature	4000°K
CRI	85

Light Output of the lamp	320lm
Dimmable	SI

Power Supply	by Remote Power Supply
Connection	2 PVC cables
Cover	Transparent Polycarbonate

General Data

Protection Index	IP20
Isolation Class	III
Weight [Kg]	2,7
Country of production	MADE IN ITALY
Mounting instruction	025.389_9010_REV03

Installation

Multisize system	NO
Position	Wall pathmarker


Packaging

Type	White american Box
Measures AxBxH	360x295x140mm
Gross Weight [Kg]	3,0048
Master carton	NO
Quantity of articles	
Measures AxBxH	

Technical Data Sheet

4167-4004

Fotometric Data




<i>Electrical part</i>	4004_6,5
<i>Power</i>	6.5W
<i>Light Output</i>	640lm
<i>Colour Temperature</i>	4000°K
<i>CRI</i>	85
<i>Lamp Light Output</i>	50%
<i>Light Output of the lamp</i>	320lm
<i>Beam Angle</i>	47°
<i>Beam Inclination</i>	33°

<i>Illuminance</i>	0.3m	2236lux
	0.5m	805lux
	1m	201lux


Accessories

Housing Box for Brickwork




Code 023.444
Measures 325X205X65mm
Measures of the hole on 355X235X75mm

Standard Power Supply




Code 026.258
Measures 130x42x23mm
Power 12W
Input 220-240V~W
Output 24Vdc



Code 026.259
Measures 167x45x30mm
Power 36W
Input 220-240V~W
Output 24Vdc



Code 026.260
Measures 157x54x36mm
Power 60W
Input 220-240V~W
Output 24Vdc




Code 026.261
Measures 219x63x35.5mm
Power 150W
Input 180-295V~W
Output 24Vdc




Code 026.262
Measures 244x71x35.5mm
Power 240W
Input 180-295V~W
Output 24Vdc

Accessories


Dimmable Power Supply




<i>Code</i>	026.219
<i>Measures</i>	155x51x26mm
<i>Power</i>	21,6W
<i>Input</i>	220-240V~W
<i>Output</i>	24Vdc
<i>Dimmable</i>	PUSH/0-10V/DALI



<i>Code</i>	026.209
<i>Measures</i>	125x82x29mm
<i>Power</i>	60W
<i>Input</i>	220-240 V~W
<i>Output</i>	24Vdc
<i>Dimmable</i>	PUSH/1-10V




<i>Code</i>	026.190+026.261
<i>Measures</i>	156x52x24mm
<i>Power</i>	150W
<i>Input</i>	180-295V~W
<i>Output</i>	24Vdc
<i>Dimmable</i>	PUSH/0-10V/DALI



<i>Code</i>	026.190+026.262
<i>Measures</i>	156x52x24mm
<i>Power</i>	240W
<i>Input</i>	180-295V~W
<i>Output</i>	24Vdc
<i>Dimmable</i>	PUSH/0-10V/DALI

Other Accessories



<i>Code</i>	099.142
<i>Description</i>	Emergency Kit
<i>Notes</i>	