








Technical Data Sheet

Last data update

3/15/2016

9010
novantadieci®



Notes on measures

General notes

PASSO

4202-2700

Recessed Spotlight / CRISTALY
Surface finish : CRISTALY
LED 2W / 24Vdc / 190lm / 2700°K / CRI85

Model

| | |
|----------------|--------------------|
| Code | 4202 |
| Product family | PASSO |
| Type | Recessed Spotlight |

Material/Surface finish

| | |
|----------------|----------|
| Code | 004 |
| Material | CRISTALY |
| Surface finish | CRISTALY |

Electrical part

| | |
|--------------------------|------------------------|
| Code | 2700 |
| Type | LED |
| Power | 2W |
| Tension | 24Vdc |
| Light Output | 190lm |
| Colour Temperature | 2700°K |
| CRI | 85 |
| Light Output of the lamp | 91,2lm |
| Dimmable | SI |
| Power Supply | by Remote Power Supply |
| Connection | 2 PVC cables |
| Cover | |

General Data

| | |
|-----------------------|--------------------|
| Protection Index | IP20 |
| Isolation Class | III |
| Weight [Kg] | 0,35 |
| Country of production | MADE IN ITALY |
| Mounting instruction | 025.416_9010_REV03 |

Installation

| | |
|------------------|-----------------|
| Multisize system | SI |
| Position | Wall pathmarker |

Packaging


| | |
|----------------------|-------------------|
| Type | White die-cut Box |
| Measures AxBxH | 165x165x116mm |
| Gross Weight [Kg] | 0,4147 |
| Master carton | NO |
| Quantity of articles | |
| Measures AxBxH | |

Technical Data Sheet

4202-2700

9010
novantadieci®

Fotometric Data




Electrical part 2700_A
Power 2W
Light Output 190lm
Colour Temperature 2700°K
CRI 85

Illuminance 0.3m 725lux
 0.5m 261lux
 1m 65lux

Lamp Light Output 48%
Light Output of the lamp 91,2lm
Beam Angle 42°
Beam Inclination 50°


Accessories

Housing Box for Brickwork




Code 023.411
Measures 105X115X70mm
Measures of the hole on 135X145X80mm

Standard Power Supply



Code 026.258
Measures 130x42x23mm
Power 12W
Input 220-240V~W
Output 24Vdc




Code 026.259
Measures 167x45x30mm
Power 36W
Input 220-240V~W
Output 24Vdc




Code 026.260
Measures 157x54x36mm
Power 60W
Input 220-240V~W
Output 24Vdc

Dimmable Power Supply



Code 026.219
Measures 155x51x26mm
Power 21,6W
Input 220-240V~W
Output 24Vdc
Dimmable PUSH/0-10V/DALI




Code 026.209
Measures 125x82x29mm
Power 60W
Input 220-240 V~W
Output 24Vdc
Dimmable PUSH/1-10V

4202-2700

Accessories

Other Accessories



| | |
|--------------------|---------------|
| <i>Code</i> | 099.142 |
| <i>Description</i> | Emergency Kit |
| <i>Notes</i> | |