


# Technical Data Sheet

Last data update


3/15/2016

9010  
novantadieci®




*Req. space behind the plasterboard*

15mm




*hole on the plasterboard*

205x125mm



*External measures*

200x120mm



*Measures of the light output*

Ø50mm



*Height without electrical part*

20mm



*Height including the electrical part*

28mm

## Notes on measures

## General notes

## 15MM

4194-3006

Recessed Spotlight / CRISTALY

Surface finish : CRISTALY

LED 6.5W / 350mA / 850lm / 3000°K / CRI85

## Model

Code	4194
Product family	15MM
Type	Recessed Spotlight

## Material/Surface finish

Code	004
Material	CRISTALY
Surface finish	CRISTALY

## Electrical part

Code	3006
Type	LED
Power	6.5W
Current	350mA
Light Output	850lm
Colour Temperature	3000°K
CRI	85
Light Output of the lamp	595lm
Dimmable	SI
Power Supply	by Remote Power Supply
Connection	2 PVC cables
Cover	Etched Glass

## General Data

Protection Index	IP20-IP44
Isolation Class	III
Weight [Kg]	0,7
Country of production	MADE IN ITALY
Mounting instruction	025.409_9010_REV04

## Installation

Multisize system	NO
Position	Wall/Ceiling lighting


## Packaging

Type	White american Box
Measures AxBxH	238x238x121mm
Gross Weight [Kg]	0,8405
Master carton	NO
Quantity of articles	
Measures AxBxH	

# Technical Data Sheet

4194-3006

## Fotometric Data




<i>Electrical part</i>	3006
<i>Power</i>	6.5W
<i>Light Output</i>	850lm
<i>Colour Temperature</i>	3000°K
<i>CRI</i>	85
<i>Lamp Light Output</i>	70%
<i>Light Output of the lamp</i>	595lm
<i>Beam Angle</i>	94°
<i>Beam Inclination</i>	0°

<i>Illuminance</i>	<i>1m</i>	274lux
	<i>2m</i>	69lux
	<i>3m</i>	30lux
	<i>4m</i>	17lux
	<i>5m</i>	11lux


## Accessories

### Housing Box for Brickwork




*Code* 023.492  
*Measures* 210X220X30mm  
*Measures of the hole on* 240X250X40mm

## Standard Power Supply




*Code* 026.251  
*Measures* 88,5x41x23mm  
*Power* min6W max8,8W  
*Input* 220-240V~W  
*Output* 350mA




*Code* 026.252  
*Measures* 88,5x41x23mm  
*Power* min12,6W max18,2W  
*Input* 220-240V~W  
*Output* 350mA


## Dimmable Power Supply



*Code* 026.219  
*Measures* 155x51x26mm  
*Power* 16,1W  
*Input* 220-240V~W  
*Output* 350mA  
*Dimmable* PUSH/0-10V/DALI



*Code* 026.185  
*Measures* 124x82x23mm  
*Power* min0,7W max35W  
*Input* 180-295V~W  
*Output* 350mA  
*Dimmable* PUSH/DALI



*Code* 026.187  
*Measures* 124x82x23mm  
*Power* min0,7W max35W  
*Input* 180-295V~W  
*Output* 350mA  
*Dimmable* 0-10V

4194-3006


---

## Accessories

---

### Other Accessories

---



<i>Code</i>	099.142
<i>Description</i>	Emergency Kit
<i>Notes</i>	