

Shio

ref. SH04-1

Pendant lamp

[Click here to download:](#)
3D/2D, pictures, photometric curves
and assembly instructions



Shio Collection



SH02



SH03



SH04




SH04-1

MATERIAL FINISHES

LAMPSHADE

Plywood

One color to choose



Top and bottom diffuser

Painted steel

CANOPY AND CABLE

Steel gloss nickel-plated and stainless steel

Black or transparent cable

LIGHT SOURCE

120V - 60Hz

2GX13 - Max. 1x22 W

OTHER TECHNICAL DATA

PACKAGING

17,3x17,3x15,7in
9,1lb

ELECTRICAL FEATURES



CERTIFICATIONS



Shio

ref. **SH04-1-D**

DIMMABLE

Pendant lamp

[Click here to download:](#)
3D/2D, pictures, photometric curves
and assembly instructions



Shio Collection



SH02



SH03



SH04




SH04-1

MATERIAL FINISHES

LAMPSHADE

Plywood

One color to choose



Top and bottom diffuser

Painted steel

CANOPY AND CABLE

Steel gloss nickel-plated and stainless steel

Black or transparent cable

LIGHT SOURCE

120V - 60Hz

2GX13 - Max. 1x22 W
Dimming system: 0-10 V

OTHER TECHNICAL DATA

PACKAGING

17,3x17,3x15,7 in
9,1lb

ELECTRICAL FEATURES



CERTIFICATIONS



Shio

LED

ref. **SH04-1-LD**

LED / DIMMABLE

Pendant lamp

[Click here to download:](#)
3D/2D, pictures, photometric curves
and assembly instructions



Shio Collection



SH02



SH03



SH04




SH04-1

MATERIAL FINISHES

LAMPSHADE

Plywood

One color to choose



Top and bottom diffuser

Painted steel

CANOPY AND CABLE

Steel gloss nickel-plated and stainless steel

Black or transparent cable

LIGHT SOURCE

120V - 60Hz

16,6W 3000K 1530lm built-in
upon request 2700K 1449lm

Dimming system: 0-10 V

OTHER TECHNICAL DATA

PACKAGING

17,3x17,3x15,7in
10,5lb

ELECTRICAL FEATURES



CERTIFICATIONS

