



# TECHNICAL DATA SHEET



**AUTOBAHN 19 FOR LED  
MODULE 100**

**REF N° 419 00 100**

Ready for LED - excl LED strip - L=100 cm

**AUTOBAHN 20 FOR LED  
MODULE 100**

**REF N° 421 00 100**

Ready for LED - excl LED strip - L=100 cm

**AUTOBAHN 19 FOR LED  
MODULE 200**

**REF N° 419 00 200**

Ready for LED - excl LED strip - L=200 cm

**AUTOBAHN 20 FOR LED  
MODULE 200**

**REF N° 421 00 200**

Ready for LED - excl LED strip - L=200 cm

**AUTOBAHN 19 FOR LED  
CUSTOM LENGTH**

**REF N° 419 00 XXX**

Ready for LED - excl LED strip  
XXX= Custom length of XXX cm  
Example : 421 00 153 = custom length  
of 153 cm

**AUTOBAHN 20 FOR LED  
CUSTOM LENGTH**

**REF N° 421 00 XXX**

Ready for LED - excl LED strip  
XXX= Custom length of XXX cm  
Example : 421 00 153 = custom length  
of 153 cm

# TECHNICAL DATA SHEET

## AUTOBAHN 60/58 FOR LED

REF N° 460 00 058

Ready for LED - excl LED strip  
L1= 590 mm, L2= 770 mm, L3=774 mm

## AUTOBAHN 60/88 FOR LED








REF N° 460 00 088

Ready for LED - excl LED strip  
L1= 890 mm, L2= 1070 mm, L3=1074 mm

## AUTOBAHN 60/58 FLUO

REF N° 460 15 058 on/off








REF N° 460 18 058 DIM

1x T16-S - 24W - G5 - 230V/50Hz -   
incl EVG -  -  0.5m -  -  - IP20  
850°C -  -   
L1= 590 mm, L2= 770 mm, L3=774 mm  
DIM version requires DIM interface module

## AUTOBAHN 60/88 FLUO

REF N° 460 15 088 on/off

REF N° 460 18 088 DIM

1x T16-S - 39W - G5 - 230V/50Hz -   
incl EVG -  -  0.5m -  -  - IP20  
850°C -  -   
L1= 890 mm, L2= 1070 mm, L3=1074 mm  
DIM version requires DIM interface module

## AUTOBAHN 60/118 FOR LED

REF N° 460 00 118

Ready for LED - excl LED strip  
L1= 1190 mm, L2= 1370 mm, L3=1374 mm

## AUTOBAHN 60/236 FOR LED








REF N° 460 00 236

Ready for LED - excl LED strip  
L1= 2370 mm, L2= 2550 mm, L3=2554 mm

## AUTOBAHN 60/118 FLUO

REF N° 460 15 118 on/off








REF N° 460 18 118 DIM


1x T16-S - 54W - G5 - 230V/50Hz -   
incl EVG -  -  0.5m -  -  - IP20  
850°C -  -   
L1= 1190 mm, L2= 1370 mm, L3=1374 mm  
DIM version requires DIM interface module

## AUTOBAHN 60/236 FLUO

REF N° 460 15 236 on/off

REF N° 460 18 236 DIM

2x T16-S - 54W - G5 - 230V/50Hz -   
incl EVG -  -  0.5m -  -  - IP20  
850°C -  -   
L1= 2370 mm, L2= 2550 mm, L3=2554 mm  
DIM version requires DIM interface module



## DIM INTERFACE MODULE

REF N° 696 18 000 1-10V

REF N° 696 30 000 DALI


230V/50Hz - Can drive up to 2x 10 modules

# TECHNICAL DATA SHEET

## AUTOBAHN 60 FOR LED CORNER MODULE 58

REF N° 464 00 058

Ready for LED - excl LED strip  
L= 383 mm



## AUTOBAHN 60 FLUO CORNER MODULE 58

REF N° 464 15 058 on/off


REF N° 464 18 058 DIM

1x T16-S - 39W - G5 - 230V/50Hz - - - - - - IP20

850°C - -

L= 383 mm

DIM version requires DIM interface module



## AUTOBAHN 60 FOR LED CORNER MODULE 88

REF N° 464 00 088

Ready for LED - excl LED strip  
L= 683 mm

## AUTOBAHN 60 FOR LED CORNER MODULE 118

REF N° 464 00 118

Ready for LED - excl LED strip  
L= 983 mm

## AUTOBAHN 60 FLUO CORNER MODULE 88

REF N° 464 15 088 on/off

REF N° 464 18 088 DIM

1x T16-S - 54W - G5 - 230V/50Hz - - - - - - IP20

850°C - -

L= 683 mm

DIM version requires DIM interface module

## AUTOBAHN 60 FLUO CORNER MODULE 118

REF N° 464 15 118 on/off

REF N° 464 18 118 DIM

2x T16-S - 54W - G5 - 230V/50Hz - - - - - - IP20


850°C - -

L= 983 mm

DIM version requires DIM interface module


## AUTOBAHN 60 CORNER 90

REF N° 463 00 090



## AUTOBAHN 60 3D CORNER 90

REF N° 465 00 090



# TECHNICAL DATA SHEET

## AUTOBAHN 60 FOR LED MODULE 58

REF N° 461 00 058

Ready for LED - excl LED strip  
L= 583 mm

## AUTOBAHN 60 FOR LED MODULE 88








REF N° 461 00 088

Ready for LED - excl LED strip  
L= 883 mm

## AUTOBAHN 60 FLUO MODULE 58

REF N° 461 15 058 on/off








REF N° 461 18 058 DIM

1x T16-S - 24W - G5 - 230V/50Hz -   
incl EVG -  -  -  -  - IP20  
850°C -  -   
L= 583 mm  
DIM version requires DIM interface module

## AUTOBAHN 60 FLUO MODULE 88

REF N° 461 15 088 on/off

REF N° 461 18 088 DIM

1x T16-S - 39W - G5 - 230V/50Hz -   
incl EVG -  -  -  -  - IP20  
850°C -  -   
L= 883 mm  
DIM version requires DIM interface module

## AUTOBAHN 60 FOR LED MODULE 118

REF N° 461 00 118

Ready for LED - excl LED strip  
L= 1183 mm

## AUTOBAHN 60 FOR LED MODULE 236








REF N° 461 00 236

Ready for LED - excl LED strip  
L= 2363 mm

## AUTOBAHN 60 FLUO MODULE 118

REF N° 461 15 118 on/off








REF N° 461 18 118 DIM


1x T16-S - 54W - G5 - 230V/50Hz -   
incl EVG -  -  -  -  - IP20  
850°C -  -   
L= 1183 mm  
DIM version requires DIM interface module

## AUTOBAHN 60 FLUO MODULE 236

REF N° 461 15 236 on/off

REF N° 461 18 236 DIM

2x T16-S - 54W - G5 - 230V/50Hz -   
incl EVG -  -  -  -  - IP20  
850°C -  -   
L= 2363 mm  
DIM version requires DIM interface module



## DIM INTERFACE MODULE


REF N° 696 18 000 1-10V

REF N° 696 30 000 DALI

230V/50Hz - Can drive up to 2 x 10 modules

## AUTOBAHN 60 ENDCAP RIGHT

REF N° 462 00 101



## AUTOBAHN 60 ENDCAP LEFT

REF N° 462 00 102

