

DARKLIGHT DESIGN



M  
DLD SHADOWLINE  
D  
U  
L  
TRACK SYSTEM  
R 2025







**SURFACE MOUNTED TRACK**



SURFACE MOUNTED / SUSPENSION PENDANT TRACK




H.66mm D.38mm

- Aluminium extrusion
- Use hanging kit to suspend from ceiling
- Supplied with black PC extrusion cover & end caps
- Cut-to-length

Code	Length	Finish
SHDT02-BK	2100mm	Black
SHDT02-WH	2100mm	White

SURFACE MOUNTED TRACK HORIZONTAL CORNER



169 x 169mm D.38mm

Code	Finish
SHDT05-WH	White
SHDT05-BK	Black




SUSPENSION PENDANT TRACK



ACCESSORIES TO CONVERT SURFACE MOUNTED TRACK TO SUSPENSION PENDANT TRACK


Surface mounted track can be hung from the ceiling using the accessories below:

2 x 1500MM HANGING KIT



Code	Finish
SHDI06-WH	White
SHDI06-BK	Black

2 x 1500MM HANGING KIT WITH 1 x POWER CABLE




Code	Finish
SHDI05-WH	White
SHDI05-BK	Black



**PLASTER IN RECESSED TRACK**



PLASTER IN RECESSED TRACK




H.63mm D.38mm Full D.100mm

- Aluminium extrusion
- Cut-to-length
- Supplied with black PC extrusion cover & end caps
- Plaster-in for seamless finish

Code	Length	Finish
SHDR02-BK	2100mm	Black
SHDR02-WH	2100mm	White


PLASTER IN RECESSED TRACK VERTICAL CORNER



Internal Dims: 150 x 150mm, D.38mm, Full D.100mm

Code	Finish
SHDR04-WH	White
SHDR04-BK	Black

PLASTER IN RECESSED TRACK HORIZONTAL CORNER




200 x 200mm D.38mm

Code	Finish
SHDR05-WH	White
SHDR05-BK	Black

ACCESSORIES


CIRCUIT JOINT - ALL TRACKS



Code	Finish
------	--------

SHDC07D-WH	White
SHDC07D-BK	Black


POWER FEED - ALL TRACKS



Code	Finish
------	--------

SHDC09-WH	White
SHDC09-BK	Black


POWER END CAP - RECESSED TRACK WITH TRIM



Code	Finish
------	--------

SHDC03A-WH	White
SHDC03A-BK	Black

POWER END CAP - SURFACE/PENDANT/PLASTER TRACK



Code	Finish
------	--------


SHDC03-WH	White
SHDC03-BK	Black



**LED DOWNLIGHT MODULE**



**LED DOWNLIGHT MODULE**



- Aluminium extrusion body
- ABS plastic baffle
- In 3 sizes - 5 LED, 10 LED or 15 LED version
- 24V DC
- Driver required
- Push locking

Code	Wattage	Length	Lumens
DM5	11W	163mm	1000lm (200lm x 5)
DM10	22W	318mm	2000lm (200lm x 10)
DM15	33W	473mm	3000lm (200 lm x 15)

N.B. Shadowline LED modules are available switch only or 0-10V / DALI dimmable.  
The driver/s required will depend on the length of track, amount of modules that need powering & dimming protocol.  
Based on your individual project we can advise on which drivers are needed & supply prices.

**PRODUCT CODE**

MODEL	FINISH	BEAM ANGLE	COLOUR TEMP.
<b>DM5</b>	<b>W</b> - white	<b>10D</b> - 10°	<b>27K</b> - 2700K
<b>DM10</b>	<b>B</b> - black	<b>15D</b> - 15°	<b>30K</b> - 3000K
<b>DM15</b>		<b>30D</b> - 30°	<b>40K</b> - 4000K


e.g. **DM5-W-15D-27K** = Shadowline DM5 LED downlight module, white,  
15 degree beam angle, 2700K colour temperature



**LINEAR LED MODULE**



## LINEAR LED MODULE



- Aluminium extrusion body
- ABS plastic baffle
- In 3 sizes
- 24V DC
- Driver required
- Twist locking

Code	Wattage	Beam angle	Length	Lumens
LM3	9.2W	115°	303mm	305 lm
LM6	18.4W	115°	603mm	620 lm
LM9	27.5W	115°	903mm	1005 lm

N.B. Shadowline LED modules are available switch only or 0-10V / DALI dimmable.  
The driver/s required will depend on the length of track, amount of modules that need powering & dimming protocol.  
Based on your individual project we can advise on which drivers are needed & supply prices.

## PRODUCT CODE

MODEL	FINISH	COLOUR TEMP.
<b>LM3</b>	<b>W</b> - white	<b>27K</b> - 2700K
<b>LM6</b>	<b>B</b> - black	<b>30K</b> - 3000K
<b>LM9</b>		<b>40K</b> - 4000K


e.g. **LM9-W-27K** = Shadowline LM9 Linear LED module, white, 2700K colour temperature



**WALL WASH LINEAR LED MODULE**



WALL WASH LINEAR LED MODULE



- |                            |                   |
|----------------------------|-------------------|
| • Aluminium extrusion body | • 24V DC          |
| • ABS plastic baffle       | • Driver required |
|                            | • Push locking    |

Code	Wattage	Beam angle	Lumens
W	11W	Wall wash	462 lm

N.B. Shadowline LED modules are available switch only or 0-10V / DALI dimmable.  
The driver/s required will depend on the length of track, amount of modules that need powering & dimming protocol.  
Based on your individual project we can advise on which drivers are needed & supply prices.

PRODUCT CODE

MODEL	FINISH	COLOUR TEMP.
W	W - white	27K - 2700K
	B - black	30K - 3000K
		40K - 4000K


e.g. **W-B-40K** = Shadowline Wall Wash Linear LED module, black, 4000K colour temperature



**LED SPOTLIGHT MODULE**



SM1 LED SPOTLIGHT MODULE



- Aluminium extrusion body
- PC plastic cover & lens
- Steel gear box
- 24V DC
- Driver required
- Twist locking

Code	Wattage	Lumens
SM1	6.4W	626 lm


N.B. Shadowline LED modules are available switch only or 0-10V / DALI dimmable.  
The driver/s required will depend on the length of track, amount of modules that need powering & dimming protocol.  
Based on your individual project we can advise on which drivers are needed & supply prices.

PRODUCT CODE

MODEL	FINISH	BEAM ANGLE	COLOUR TEMP.
SM1	W - white	10D - 10°	27K - 2700K
	B - black	20D - 20°	30K - 3000K
		35D - 35°	40K - 4000K

e.g. **SM1-B-20D-30K** = Shadowline SM1 LED Spotlight module, black, 20 degree beam angle, 3000K colour temperature

SM2 LED SPOTLIGHT MODULE



- Aluminium extrusion body
- PC plastic cover & lens
- Steel gear box
- 24V DC
- Driver required
- Twist locking

Code	Wattage	Lumens
SM2	12.7W	1114 lm

N.B. Shadowline LED modules are available switch only or 0-10V / DALI dimmable.  
The driver/s required will depend on the length of track, amount of modules that need powering & dimming protocol.  
Based on your individual project we can advise on which drivers are needed & supply prices.

PRODUCT CODE

MODEL	FINISH	BEAM ANGLE	COLOUR TEMP.
SM2	W - white B - black	15D - 15° 20D - 20° 35D - 35°	27K - 2700K 30K - 3000K 40K - 4000K


e.g. **SM2-B-35D-27K** = Shadowline SM2 LED Spotlight module, black, 35 degree beam angle, 2700K colour temperature



**TWIN HEAD LED DOWNLIGHT MODULE**



TWIN HEAD LED DOWNLIGHT MODULE



- Aluminium extrusion body
- ABS plastic baffle
- 24V DC
- 10° / 15° / 35° beam angle - lens version
- 110° beam angle - diffuser version
- Driver required
- Twist locking

Code	Wattage	Beam angle	Lumens
TH	4.6W	10°	214 lm
		15°	214 lm
		35°	214 lm
		110°	399 lm

N.B. Shadowline LED modules are available switch only or 0-10V / DALI dimmable.  
The driver/s required will depend on the length of track, amount of modules that need powering & dimming protocol.  
Based on your individual project we can advise on which drivers are needed & supply prices.

PRODUCT CODE

MODEL	FINISH	BEAM ANGLE	COLOUR TEMP.
TH	W - white	10D - 10°	27K - 2700K
	B - black	15D - 15°	30K - 3000K
		35D - 35°	40K - 4000K
		110D - 110°	

e.g. **TH-W-110D-27K** = Shadowline Twin Head LED downlight module, white,  
110 degree beam angle, 2700K colour temperature




**LED PENDANT MODULE**





LED PENDANT MODULE



- Aluminium extrusion body
- ABS plastic baffle & lens
- Steel gear box
- Driver required
- Twist locking

Code	Wattage	Lumens
PM	6.4W	626 lm


N.B. Shadowline LED modules are available switch only or 0-10V / DALI dimmable.  
The driver/s required will depend on the length of track, amount of modules that need powering & dimming protocol.  
Based on your individual project we can advise on which drivers are needed & supply prices.

PRODUCT CODE

MODEL	FINISH	BEAM ANGLE	COLOUR TEMP.
PM	W - white	10D - 10°	27K - 2700K
	B - black	20D - 20°	30K - 3000K
			40K - 4000K


e.g. **PM-B-20D-30K** = Shadowline LED pendant module, black,  
20 degree beam angle, 3000K colour temperature

**EASY INSTALLATION**





- 
- Simple plug & play LED installation - tool & hassle free
  - Track cover can be trimmed or moved to fit the LED module, creating a seamless appearance
-




## CONNECTION OPTIONS



### 1 Single power, single track





### 2 Single power, multiple tracks



Use the joint SHDC07D or SHDC10AM to connect the tracks


### 3 Multiple power, multiple tracks



Use power joint SHDC09 to connect extra drivers




## INSTALLATION



- Continuous lengths of track can be joined, making it a truly flexible solution
- By segregating with multiple drivers separate lighting sections can be created, giving control over lighting different areas.

## DRIVER INSTALLATION



## OUR ENVIRONMENTAL POLICY

We recognise our responsibility to the environment. As part of our ongoing commitment, here's our plan to reduce our environmental impact.

We support the following amazing environmental charities:



### One Tree Planted

An international non-profit organisation with a simple mission - to plant trees all over the world



### Berkshire, Buckinghamshire & Oxford Wildlife Trust

A local charity that helps to protect and conserve local wildlife and waterways

## POLICY AIMS

1. To exceed all regulatory conditions where possible
2. To improve environmental performance
3. To reduce our environmental impact
4. To make environmental issues part of our business decisions
5. To train employees and increase awareness

### Paper and Packaging

- Use sustainable packaging for all of our product ranges
- Minimise paper use in the office
- Reduce our packaging
- Use recycled and recyclable paper products
- Reuse and recycle all paper where possible

### Energy and Water

- Reduce our energy consumption
- Switch off lights and electrical equipment when not in use
- Heating consumption will be minimised where possible
- Energy consumption and efficiency will be key factors in all new product ranges

### Office Supplies

- Before purchasing equipment we'll look at whether renting is possible
- Environmentally friendly products will be purchased when possible
- Wherever possible we will reuse and recycle

### Transportation

- Reduce travel to necessary trips only
- Promote e-mail or video/phone conferencing

### Maintenance and Cleaning

- Environmentally friendly cleaning products will be used where possible
- Only licensed and appropriate organisations will dispose of our waste

### Culture

- Our staff will be fully involved in the implementation of this policy
- Our policy will be updated at least once annually
- Our staff will be provided with relevant environmental training
- Work with all of our suppliers, contractors and sub-contractors to improve environmental performance
- Use local labour and materials where available

## **TERMS AND CONDITIONS**

### **Prices**

Goods are charged at prices shown on the date the customer places the order and are excluding VAT, prices are correct at publication, errors and omissions are excepted. Orders will be accepted at our published prices, otherwise, in the case of any unexpected change in price, you will be informed and asked if you wish to reconsider your order before proceeding.

---

### **Price Pledge**

We realize that price is important and we want you to be assured our prices are based on the recommended retail price. However, we are aware that some companies sell items for less. For this reason we offer our DLD Contract price pledge, so if you see the same product on a different U.K website please let us know and we will match it, we will need a written quotation from the retailer to do this.

If you have found one of our products elsewhere at a lower price or you have any queries regarding the DLD Contract price match then please get in touch on 01189 889414 (International 00 44 1189 882294) or mail us on [enquiries@dld-contract.co.uk](mailto:enquiries@dld-contract.co.uk).

### **Shipping, Delivery, Postage and Packing**

All relevant postage and packing, shipping or delivery charges are included for all orders over £300 for orders less than this we will charge £15. The goods you order will be delivered to the address you give when you place your order. We aim to dispatch all orders within 7 days of the item being in stock but please allow up to 14 days. During busy times, or for bespoke orders, this timeframe may increase. A working day is any day other than weekends, bank or public holidays. If delivery cannot be made to your address for reasons under DLD Contract's control, we will inform you as soon as possible.

If you fail to take delivery because you have cancelled your contract under the Distance Selling Regulation, DLD Contract shall refund or re-credit you within 30 days for any sum that has been paid by you or debited from your credit card for the order, less any expenses incurred for failed delivery.

---

### **Loss or Damaged Deliveries**

Goods should be checked on receipt or be signed for as 'unexamined' and if cartons or external packaging shows signs of damage, they should be signed for as 'received damaged'. Claims for shortages or damaged in transit should be notified in writing to the carrier and ourselves within two days of receipt and in the case of non-delivery, within ten days of the date of invoice. Regrettably, claims not signed for as 'received damaged' or not notified to us within this period **CAN NOT BE ACCEPTED** as we are unable to claim from the carrier.

### **Your Right of Cancellation (Distance Selling Regulations)**

You have the right to cancel the contract at any time up to the end of 14 working days after you receive your order (see below). To exercise your right of cancellation, you must give written notice to Dark Light Design.com by letter, fax or email, giving details of the items ordered and (where appropriate) their delivery. Notification by phone is not sufficient.

If you exercise your right of cancellation after the items have been delivered to you, you will be responsible for returning them to DLD Contract at your own cost. The items must be returned to Unit 9 Brookside business Center, Church Road, Swallowfield, Reading, Berkshire, RG7 1TH.

You must take reasonable care to ensure the items are not damaged in the meantime or in transit. Once you have notified [dld-contract.co.uk](mailto:dld-contract.co.uk) that you are cancelling the contract, we will refund or re-credit you within 30 days for any sum that has been paid by you or debited from your credit card for the items. If you do not return the goods as required, DLD Contract may charge you a sum not exceeding the direct costs of recovering the items.



## **TERMS AND CONDITIONS**

### **Guarantee & Warranty**

The company's products are manufactured in accordance with the latest international standards. Components which develop faults, not caused by clients negligence, within the 5 year warranty period will be repaired or replaced at our discretion. Any replacement parts supplied may be chargeable and invoiced at full value pending return of faulty parts for testing. Faulty parts returned within 30 days of receipt of replacements may be credited in full dependent upon result of testing. Under no circumstances can the company accept liability for labour charges, out of pocket expenses or damage incurred by defects however caused.

### **Returns Policy**

We hope that you will be happy with your purchases. Should you wish to return anything to us, our returns policy is set out below. If we make a mistake with your order, or if the goods received are in some way faulty, we have a no quibble returns policy. Simply return the item and we will replace it with the correct one. We will pay your return delivery costs. Returns should be made within a reasonable time (usually 28 days) and in original, undamaged packaging. If you change your mind for any other reason, we are happy to exchange items, provided the goods are returned to us within 14 working days of their receipt, in the original packaging and in a saleable condition.

### **Distance Selling Regulations**

The customer is entitled to a full refund if they change their mind and cancel the order within 14 working days from the delivery date. It may take up to 28 days for this refund to be processed.

---

### **Disclaimer**

All our products should be fitted by a fully qualified and competent electrician. We will not be liable for any faults that are caused by incorrect installation.

---

### **Value Added Tax (VAT)**

All prices in this pricelist exclude a UK sales tax of 20% for VAT, this applies to UK customers only. Due to the UK leaving the European Union (EU), customers within the EU will now be treated the same as those that live outside the EU - UK VAT will not be charged on your order. Please note that import duties will need to be paid in accordance with local customs controls, and will need to be arranged by the customer.



**01189 882294**



**sales@darklightdesign.com**



**darklightdesign.com**

**Darklight Design Ltd**  
Unit 10 Brookside Business Centre  
Church Road | Swallowfield  
Reading | Berkshire  
RG7 1TH