

Bugia, design by Studio Italia Design, 2016

Ceiling

Round, compact forms featuring elegant finishes with a centre that shines like a precious stone. Once lit up, Bugia amazes with the unexpected effect of its light. A surprising and harmonious balance between direct and indirect light, diffused both downward and up toward the ceiling. A rich family of ceiling lights, in Single, Double, Triple and now also Mega versions.



Bugia Single	Light source	Frame Metal	Diffuser: Methacrylate	Code
	LED	● Matte White 9010	● Glossy Copper	161032
	• 3000 K	● Matte White 9010	● Chrome	161031
	• 1 × 15W 1155 lm	● Matte White 9010	● Gold	161030
	• 220-240V			
	• CRI 90			
	• MacAdam 3-Step			
	LED and driver included	● Matte White 9010	● White	161029
	LED	● Matte White 9010	● Glossy Copper	161028
	• 2700 K	● Matte White 9010	● Chrome	161027
	• 1 × 15W 1092 lm	● Matte White 9010	● Gold	161026
	• 220-240V			
	• CRI 90			
	• MacAdam 3-Step			
	LED and driver included	● Matte White 9010	● White	161025

Net weight: 0.80 kg

Gross weight: 1.52 kg

Parcels: N°2

Volume: 0.017 m³




IP20

Energy Saving


Dim Triac

LODES

Bugia Double	Light source	Frame Metal	Diffuser: Methacrylate	Code
 Technical drawing of Bugia Double light fixture. Top view shows a rectangular frame with two circular diffusers. Dimensions: 52.5 cm (20.67") width, 19 cm (7.48") height. Side view shows a depth of 3.5 cm (1.37") and a height of 5.4 cm (2.12").	LED • 3000 K • 2 × 15W 2310 lm • 220-240V • CRI 90 • MacAdam 3-Step LED and driver included	Matte White 9010	Glossy Copper	161040
		Matte White 9010	Chrome	161039
		Matte White 9010	Gold	161038
		Matte White 9010	White	161037
	LED • 2700 K • 2 × 15W 2184 lm • 220-240V • CRI 90 • MacAdam 3-Step LED and driver included	Matte White 9010	Glossy Copper	161036
		Matte White 9010	Chrome	161035
		Matte White 9010	Gold	161033
		Matte White 9010	White	161033

Net weight: 2.05 kg	Gross weight: 4.91 kg	Parcels: N°2	Volume: 0.062 m³
---------------------	-----------------------	--------------	------------------


CE	EAC	IP20	Energy Saving	Dim Triac
----	-----	------	---------------	-----------

Bugia Triple	Light source	Frame Metal	Diffuser: Methacrylate	Code
 Technical drawing of Bugia Triple light fixture. Top view shows a rectangular frame with three circular diffusers. Dimensions: 52.5 cm (20.67") width, 19 cm (7.48") height. Side view shows a depth of 3.5 cm (1.37") and a height of 5.4 cm (2.12").	LED • 3000 K • 3 × 15W 3465 lm • 220-240V • CRI 90 • MacAdam 3-Step LED and driver included	Matte White 9010	Glossy Copper	161048
		Matte White 9010	Chrome	161047
		Matte White 9010	Gold	161046
		Matte White 9010	White	161045
	LED • 2700 K • 3 × 15W 3276 lm • 220-240V • CRI 90 • MacAdam 3-Step LED and driver included	Matte White 9010	Glossy Copper	161044
		Matte White 9010	Chrome	161043
		Matte White 9010	Gold	161042
		Matte White 9010	White	161041

Net weight: 2.80 kg	Gross weight: 5.66 kg	Parcels: N°2	Volume: 0.062 m³
---------------------	-----------------------	--------------	------------------


CE	EAC	IP20	Energy Saving	Dim Triac
----	-----	------	---------------	-----------

LODES

Bugia Mega	Light source	Frame Metal	Diffuser: Methacrylate	Code
	LED • 3000 K • 3 × 15W 3825 lm • 220-240V • CRI 90 • MacAdam 3-Step LED and driver included	 Matte White 9010	 Glossy Copper	161056
		 Matte White 9010	 Chrome	161055
		 Matte White 9010	 Gold	161054
		 Matte White 9010	 White	161053
	LED • 2700 K • 3 × 15W 3600 lm • 220-240V • CRI 90 • MacAdam 3-Step LED and driver included	 Matte White 9010	 Glossy Copper	161052
		 Matte White 9010	 Chrome	161051
		 Matte White 9010	 Gold	161050
		 Matte White 9010	 White	161049


Net weight: 4.40 kg	Gross weight: 8.80 kg	Parcels: N°2	Volume: 0.117 m³
---------------------	-----------------------	--------------	------------------

CE	EAC	IP20	Energy Saving	Dim Triac
----	-----	------	---------------	-----------

Polar diagram	Bugia Single
	LED • 3000 K • 3 × 15W 3825 lm • 220-240V • CRI 90 • MacAdam 3-Step LED and driver included
	LED • 2700 K • 3 × 15W 3600 lm • 220-240V • CRI 90 • MacAdam 3-Step LED and driver included

LODES

Polar diagram



Bugia Double


- LED
- 3000 K
- 3 × 15W | 3825 lm
- 220-240V
- CRI 90
- MacAdam 3-Step

LED and driver included

- LED
- 2700 K
- 3 × 15W | 3600 lm
- 220-240V
- CRI 90
- MacAdam 3-Step

LED and driver included

Polar diagram



Bugia Triple

- LED
- 3000 K
- 3 × 15W | 3825 lm
- 220-240V
- CRI 90
- MacAdam 3-Step

LED and driver included

- LED
- 2700 K
- 3 × 15W | 3600 lm
- 220-240V
- CRI 90
- MacAdam 3-Step

LED and driver included