



To Te M Pendant

To Te M collection is designed by
Albi Serfaty and Sadeh Halbrecht.

Jun 2019



Aqua Creations
Light that matters



To

Te


M

The To Te M collection is based on three different lamp shades that can be used individually as pendants, or chained easily in any composition up to 3 units. The following instructions refer only to hanging one piece as a pendant, please read them thoroughly before installation.

To Te M Care Instructions

The polymer that's covering the To Te M shades can be best cleaned using a regular dry feather duster, vacuum it gently, or wipe it with a wet cloth.

Attention: Lamp assembly and electrical work should be carried out by a qualified electrician.



Crossbar

Ceiling rose


Top cover

Shade


Bottom cover

1 Fix the crossbar to the desired spot on the ceiling.

2 Run the elect. wire through the ceiling rose (2A), you may' at this point, slack, or cut the wire to the desired length and connect it to the power line using the supplied wire connector (2B). Tighten the canopy to the crossbar with two screws on its side (2C) and tighten the cable fastener (2D).





To Te M Pendant




Aqua Creations
Light that matters

- 3 Remove the shade out of its pack carefully, DO NOT USE A KNIFE. You should hold the shade safe at its center top and bottom black rings; make sure it is the upright position by looking for the "TOP" and "BOTTOM" marking on the rings.
- 4 Connect the electrical male quick connector to the female connector coming from the inside of the shade.

- 5 Hang the shade to the the top cover with the 3 supplied thumb screws and close the bottom cover.



To Te M Pendant



Aqua Creations
Light that matters

To


Linear LED light Board,
78 Lumen per watt

220V-240V Model
8X 4.9 Watt LED Boards. Approx 39W
Type A dimming (Triac)
CE Certified.

100V-120V Model
8X 4.9 Watt LED Boards. Approx 39W
Type A dimming (Triac)
UL Pending

Package
Size: 40 x 40 x 75 cm (H)
16 x 16 x 30 in (H)
Volume: 0.12 Qm
Weight: 4.3kg / 10lb

Dimensions



Te


Linear LED light Board,
78 Lumen per watt

120-240 V Model
7X 4.9 Watt LED Boards. Approx 34W.
Type A dimming (Triac).
CE Certified.

100V-120V Model
7X 4.9 Watt LED Boards. Approx 34W.
Type A dimming (Triac).
UL Pending

Package
Size: 58 x 58 x 37 cm (H)
23 x 23 x 15 in (H)
Volume: 0.12 Qm
Weight: 5kg / 11.25lb

Dimensions



M

Linear LED light Board,
78 Lumen per watt

120-240 V Model
7X 4.9 Watt LED Boards. Approx 34W.
Type A dimming (Triac).
CE Certified.

100V-120V Model
7X 4.9 Watt LED Boards. Approx 34W.
Type A dimming (Triac).
UL Pending

Package
Size: 73 x 73 x 30 cm (H)
29 x 29 x 12" (H)
Volume: 0.16 Qm
Weight: 5kg / 11.25lb

Dimensions

