


INSTALLATION INSTRUCTIONS



www.aquagallery.com

Stand By mobile , Nara Mobile

Important: the lamp assembly and electrical work should be carried out by a qualified electrician.
The Lamp shade's cover should be taken off only after the installation.

Note: Prior to installation, adjust the height of the suspension by cutting the desired length of the electric cable

Stand By Mobile 3



Stand By Mobile 5



Nara Mobile 3




Nara Mobile 4




Nara Mobile 5





INSTALLATION INSTRUCTIONS



www.aquagallery.com



Stand By mobile , Nara Mobile

1 - Insert the electrical wire from the J box through the hanger top hole (a).

- Fix the hanger to the ceiling using 8x58mm screws (b).(supplied)

- Connect the electrical wire(c) to the power wire running it through


- Lift the cover plate (d), and lock it to its position with the thread ring (e).



2




Cut the cable at the desirable length



www.aquagallery.com

INSTALLATION INSTRUCTIONS




Stand By mobile , Nara Mobile

③




Make a loop and tighten it


④



Hang the loop and tighten it





INSTALLATION INSTRUCTIONS



www.aquagallery.com


Stand By mobile , Nara Mobile

⑤




Thread the main wire into shade and hang it as shown


⑥



Connect main cable to terminal block as shown




INSTALLATION INSTRUCTIONS



www.aquagallery.com



Stand By mobile , Nara Mobile

⑦




Close the edge cover as shown


⑧



Install the lamps




INSTALLATION INSTRUCTIONS



www.aquagallery.com

Stand By mobile , Nara Mobile

⑨



**Close the bottom of the shade as shown and
seal it with the nickel cover**

enjoy