


Guinevere 6 arm 1L Technical specification



Dimensions: max width 780mm Height: 194mm (includes 150mm fixed ext. rod as standard)

extension drop can be a fixed 150mm or 300mm or adjustable up to 3m

Model ref.	+	Finish	+	fixed rod 150/300 mm	or +	adjustable cable (3m max)
		Brass detail / wooden stem				
						(pls specify one suspension option)
GU6/1L/PB/LO		polished brass/light oak		F150 or F300	or	ADJ
GU6/1L/PB/DW		polished brass/dark walnut		F150 or F300	or	ADJ
GU6/1L/PB/MB		polished brass/matt black		F150 or F300	or	ADJ
GU6/1L/SB/LO		satin brass/light oak		F150 or F300	or	ADJ
GU6/1L/SB/DW		satin brass/dark walnut		F150 or F300	or	ADJ
GU6/1L/SB/MB		satin brass/matt black		F150 or F300	or	ADJ
GU6/1L/BB/LO		burnished brass/light oak		F150 or F300	or	ADJ
GU6/1L/BB/DW		burnished brass/dark walnut		F150 or F300	or	ADJ
GU6/1L/BB/MB		burnished brass/matt black		F150 or F300	or	ADJ
GU6/1L/PC/LO		polished chrome/light oak		F150 or F300	or	ADJ
GU6/1L/PC/DW		polished chrome/dark walnut		F150 or F300	or	ADJ
GU6/1L/PC/MB		polished chrome/matt black		F150 or F300	or	ADJ
GU6/1L/SC/LO		satin chrome/light oak		F150 or F300	or	ADJ
GU6/1L/SC/DW		satin chrome/dark walnut		F150 or F300	or	ADJ
GU6/1L/SC/MB		satin chrome/matt black		F150 or F300	or	ADJ

Model ref. + **Finish** + **fixed rod 150/300 mm**

Brass detail / wooden stem

or + **adjustable cable (3m max)**

(pls specify one suspension option)

GU6/1L/BC/LO	brushed copper/light oak	F150 or F300	or	ADJ
GU6/1L/BC/DW	brushed copper/dark walnut	F150 or F300	or	ADJ
GU6/1L/BC/MB	brushed copper/matt black	F150 or F300	or	ADJ
GU6/1L/RG/LO	rose gold 24K/light oak	F150 or F300	or	ADJ
GU6/1L/RG/DW	rose gold 24K/dark walnut	F150 or F300	or	ADJ
GU6/1L/RG/MB	rose gold 24K/matt black	F150 or F300	or	ADJ

Glass shade options : acid etched (AE) , clear (CG)

Example order for a Guinevere pendant (6 arm 1 tier) with burnished brass detail, dark walnut stem, 300mm drop rod and acid etched glass shades is: GU6/1L/BB/DW/F300/AE



Lamp Type: 6 x G9 LED 2700K mains dimmable (included)

Manufactured in accordance with EN60598-1

No of cartons 1

Packaged dimensions Carton 1 (main body)

Packed weight Carton 1

Made in Britain

