
Guinevere 12 arm 3L Technical specification



Dimensions: max width 780mm Height: 620mm (includes 150mm fixed ext. rod as standard)

extension drop can be a fixed 150mm or 300mm or adjustable up to 3m

Model ref. + Finish + fixed rod 150/300 mm

Brass detail / wooden stem or + adjustable cable (3m max)

(pls specify one suspension option)

GU12/3L/PB/LO	polished brass/light oak	F150 or F300	or	ADJ
GU12/3L/PB/DW	polished brass/dark walnut	F150 or F300	or	ADJ
GU12/3L/PB/MB	polished brass/matte black	F150 or F300	or	ADJ
GU12/3L/SB/LO	satin brass/light oak	F150 or F300	or	ADJ
GU12/3L/SB/DW	satin brass/dark walnut	F150 or F300	or	ADJ
GU12/3L/SB/MB	satin brass/matte black	F150 or F300	or	ADJ
GU12/3L/BB/LO	burnished brass/light oak	F150 or F300	or	ADJ
GU12/3L/BB/DW	burnished brass/dark walnut	F150 or F300	or	ADJ
GU12/3L/BB/MB	burnished brass/matte black	F150 or F300	or	ADJ
GU12/3L/PC/LO	polished chrome/light oak	F150 or F300	or	ADJ
GU12/3L/PC/DW	polished chrome/dark walnut	F150 or F300	or	ADJ
GU12/3L/PC/MB	polished chrome/matte black	F150 or F300	or	ADJ
GU12/3L/SC/LO	satin chrome/light oak	F150 or F300	or	ADJ
GU12/3L/SC/DW	satin chrome/dark walnut	F150 or F300	or	ADJ
GU12/3L/SC/MB	satin chrome/matte black	F150 or F300	or	ADJ

Model ref. + Finish + fixed rod 150/300 mm

Brass detail / wooden stem

or + adjustable cable (3m max)

(pls specify one suspension option)

GU12/3L/BC/LO	brushed copper/light oak	F150 or F300	or	ADJ
GU12/3L/BC/DW	brushed copper/dark walnut	F150 or F300	or	ADJ
GU12/3L/BC/MB	brushed copper/matte black	F150 or F300	or	ADJ
GU12/3L/RG/LO	rose gold 24K/light oak	F150 or F300	or	ADJ
GU12/3L/RG/DW	rose gold 24K/dark walnut	F150 or F300	or	ADJ
GU12/3L/RG/MB	rose gold 24K/matte black	F150 or F300	or	ADJ

Glass shade options: acid etched (AE), clear (CG)

Example order for a Guinevere pendant (12 arm 3 tier) with matt black stem, rose gold detail, adjustable drop kit and acid etched glass shades is: GU12/3L/RG/MB/ADJ/AE



Lamp Type: 12 x G9 LED 2700K mains dimmable (included)

Manufactured in accordance with EN60598-1

No of cartons 1

Packaged dimensions Carton 1 (main body)

Packed weight Carton 1

Made in Britain

