



Libertà assoluta, spazialità assoluta, creatività assoluta. / Absolute freedom, absolute spatiality, absolute creativity.

La possibilità di portare la luce ovunque, liberamente.

The possibility to take light anywhere, freely.

La tecnologia aiuta a cancellare i confini.

Technology helps to break down the boundaries.

Materiali impalpabili, talvolta invisibili, conduttori nascosti, travestiti, ragnatele sottili di filamenti che conducono e disegnano la luce.

Intangible, almost invisible materials, hidden, camouflages conductors, thin cobwebs of filaments that carry and draw the light.

Luce che corre su binari digitali, su fili leggeri e quasi invisibili, su nastri modulabili che possono posarsi su scale, finestre, vetrate, senza più limiti.

Light running on digital tracks, ultra-light and almost invisible wires, modular tapes that can be laid limitlessly on stairs, windows, glass panels.

Circuiti che si chiudono, luci d'accento, diodi leggerissimi.

Circuit that close, accent lighting, ultra-light diodes.

Tutto questo è **Sistemi**, una struttura che integra quattro diversi progetti, modulabili e compatibili tra loro.

All this is **Sistemi**, a structure integrating four different, modular and compatible designs.

ENDLESS /

Cuore pulsante di **Sistemi**.

Endless è una striscia adesiva, un nastro conduttore che si può applicare a ogni sorta di superficie.

Pareti, soffitti, ma anche scale, mobili, finestre e vetrate, grazie a Endless diventano spazi di luce potenziale.

Il sistema Endless è stato ideato e brevettato per portare "differenza di potenziale" dove si desidera, in modo grafico e digitale.

In questo modo la corrente arriva ovunque, e permette di collegare più apparecchi contemporaneamente.

Ogni spazio diventa un circuito elettronico dove posizionare la luce con la massima libertà.

Con Endless uno dei sogni più grandi dei light designer diventa realtà: con la luce si può disegnare, creare arabeschi, incidere il buio.

La luce, finalmente liberata, diventa pennello d'artista.

The beating heart of **Sistemi**.

Endless is an adhesive strip, a conductive strip that can be applied to any kind of surface.

Walls, ceilings, or even stairs, furniture, windows and glass, with Endless they become potential light spaces.


The Endless system was designed and patented to bring "potential differences" wherever you want them, creating graphic digital designs.

This way current can run anywhere, allowing you to connect more than one luminaire at the same time.

Every space becomes an electronic circuit where light can be positioned with the greatest freedom.

With Endless, one of the greatest dreams of light designers becomes reality: light can be used to draw, create patterns, and engrave the darkness.


Finally freed, light becomes the artist's brush.



The sizes are expressed in millimeters.

DESIGN DAVIDE GROPPI - 2018
SISTEMA DA PARETE E DA SOFFITTO - METALLO - PVC
WALL AND CEILING SYSTEM - METAL - PVC

ENDLESS



CE IP 20


199903	BIANCO OPACO / MATT WHITE - 5 m	ENDLESS - MAX 150 W - MAX 48 V DC - MAX 4 A	
199904	NERO OPACO / MATT BLACK - 5 m		
1A00503	BIANCO OPACO / MATT WHITE - 10 m		
1A00504	NERO OPACO / MATT BLACK - 10 m		

1A03700	STANDARD	KIT FISSAGGIO PARETI RUVIDE / FIXING ROUGH WALLS - 2,5 m	
---------	----------	--	--


196103	BIANCO OPACO / MATT WHITE	BOX MORSETTI CON 2 MORSETTI INCLUSI TERMINALS BOX WITH 2 TERMINALS INCLUDED	
196104	NERO OPACO / MATT BLACK		

1A00303	BIANCO OPACO / MATT WHITE	BASE ALIMENTAZIONE / POWER BASE	
1A00304	NERO OPACO / MATT BLACK		


196900	STANDARD	MORSETTI - 2 PEZZI / TERMINALS - 2 PIECES	
--------	----------	---	--



KIT ROSONE DA PARETE E SOFFITTO / WALL AND CEILING ROSE KIT



KIT DI ALIMENTAZIONE REMOTO / REMOTE POWER SUPPLY KIT



KIT ALIMENTAZIONE OBBLIGATORIO PER SISTEMA ENDLESS ON/OFF - SPOT ENDLESS IOT - DOT ENDLESS IOT / COMPULSORY POWER SUPPLY FOR ENDLESS ON/OFF SYSTEM - SPOT ENDLESS IOT - DOT ENDLESS IOT

CE IP 20


1A02604	NERO OPACO / MATT BLACK	KIT DI ALIMENTAZIONE CON SPINA / POWER SUPPLY KIT WITH PLUG INPUT 100-240 V - 50/60 Hz - OUTPUT 48 V DC - 150 W NON DIMMERABILE - NOT DIMMABLE	
---------	-------------------------	--	--


1A10203	BIANCO OPACO / MATT WHITE	KIT ROSONE PARETE - SOFFITTO - REMOTO / WALL - CEILING ROSE - REMOTE KIT INPUT 220-240 V - 50/60 Hz - OUTPUT 48 V DC - 150 W - IP20 NON DIMMERABILE - NOT DIMMABLE	
---------	---------------------------	---	--

KIT ALIMENTAZIONE OBBLIGATORIO PER DIMMERAZIONE SPOT ENDLESS E DOT ENDLESS / COMPULSORY POWER SUPPLY FOR DIMMING SPOT ENDLESS AND DOT ENDLESS

1A18004	NERO OPACO / MATT BLACK	KIT DI ALIMENTAZIONE CON SPINA / POWER SUPPLY KIT WITH PLUG INPUT 100-240 V - 50/60 Hz - OUTPUT 48 V DC - 150 W DIMMERABILE - DIMMABLE	
---------	-------------------------	--	--

1A18103	BIANCO OPACO / MATT WHITE	KIT ROSONE PARETE - SOFFITTO - REMOTO / WALL - CEILING ROSE - REMOTE KIT INPUT 220-240 V - 50/60 Hz - OUTPUT 48 V DC - 150 W - IP20 DALI - PUSH - 0/1-10 V DIMMABLE	
---------	---------------------------	--	--







The sizes are expressed in millimeters.

DESIGN DAVIDE GROPPI - 2018
LAMPADA DA PARETE E DA SOFFITTO - METALLO
WALL AND CEILING LAMP - METAL

CE  IP 20

SPOT ENDLESS



1A10703	BIANCO OPACO / MATT WHITE	48 V DC - MAX 12,6 W LED MAX 7 SPOT SU ENDLESS
1A10704	NERO OPACO / MATT BLACK	KIT DI ALIMENTAZIONE OBBLIGATORIO NON INCLUSO
		MODULO LED NON INCLUSO
		ACCESSORI OPZIONALI MODULO LED NON INCLUSI
		MAX 7 SPOT ON ENDLESS
		COMPULSORY POWER SUPPLY KIT NOT INCLUDED
		LED MODULE NOT INCLUDED
		OPTIONAL LED MODULE ACCESSORIES NOT INCLUDED





Available on the
App Store

GET IT ON
Google Play

DESIGN DAVIDE GROPPI - 2018
LAMPADA DA PARETE E DA SOFFITTO - METALLO
WALL AND CEILING LAMP - METAL

CE  IP 20

SPOT ENDLESS IOT



1A10803	BIANCO OPACO / MATT WHITE	48 V DC - MAX 12,6 W LED MAX 7 SPOT SU ENDLESS
1A10804	NERO OPACO / MATT BLACK	DIMMERABILE CON CONTROLLO WIRELESS SOLO TRAMITE APP DEDICATA by DAVIDE GROPPI
		KIT DI ALIMENTAZIONE OBBLIGATORIO NON INCLUSO
		MODULO LED NON INCLUSO
		ACCESSORI OPZIONALI MODULO LED NON INCLUSI
		MAX 7 SPOT ON ENDLESS
		DIMMABLE WIRELESS CONTROL ONLY WITH DEDICATED APP by DAVIDE GROPPI
		COMPULSORY POWER SUPPLY KIT NOT INCLUDED
		LED MODULE NOT INCLUDED
		OPTIONAL LED MODULE ACCESSORIES





The sizes are expressed in millimeters.

DESIGN DAVIDE GROPPI - 2020
LAMPADA DA PARETE E DA SOFFITTO - METALLO
WALL AND CEILING LAMP - METAL

CE IP 20

DOT ENDLESS



1A03303	BIANCO OPACO / MATT WHITE - 3000K	48 V DC - MAX 12,6 W LED
1A03303-27	BIANCO OPACO / MATT WHITE - 2700K	3000K - 930 lm - CRI 97 / 2700K - 880 lm - CRI 97
1A03304	NERO OPACO / MATT BLACK - 3000K	MAX 7 DOT SU ENDLESS
1A03304-27	NERO OPACO / MATT BLACK - 2700K	KIT DI ALIMENTAZIONE OBBLIGATORIO NON INCLUSO
		ACCESSORI OBBLIGATORI NON INCLUSI
		MAX 7 DOT ON ENDLESS
		COMPULSORY POWER SUPPLY KIT NOT INCLUDED
		COMPULSORY ACCESSORIES NOT INCLUDED

ACCESSORI OBBLIGATORI / COMPULSORY ACCESSORIES



1A16400	LENS NARROW BEAM	DOT ENDLESS LENS
1A16500	LENS MEDIUM BEAM	



DESIGN DAVIDE GROPPI - 2020
LAMPADA DA PARETE E DA SOFFITTO - METALLO
WALL AND CEILING LAMP - METAL

CE IP 20


DOT ENDLESS IOT



1A14603	BIANCO OPACO / MATT WHITE - 3000K	48 V DC - MAX 12,6 W LED
1A14603-27	BIANCO OPACO / MATT WHITE - 2700K	3000K - 930 lm - CRI 97 / 2700K - 880 lm - CRI 97
1A14604	NERO OPACO / MATT BLACK - 3000K	MAX 7 DOT SU ENDLESS
1A14604-27	NERO OPACO / MATT BLACK - 2700K	DIMMERABILE CON CONTROLLO WIRELESS SOLO TRAMITE APP DEDICATA by DAVIDE GROPPI
		KIT DI ALIMENTAZIONE OBBLIGATORIO NON INCLUSO
		ACCESSORI OBBLIGATORI NON INCLUSI
		MAX 7 DOT ON ENDLESS
		DIMMABLE WIRELESS CONTROL ONLY WITH DEDICATED APP by DAVIDE GROPPI
		COMPULSORY POWER SUPPLY KIT NOT INCLUDED
		COMPULSORY ACCESSORIES NOT INCLUDED

ACCESSORI OBBLIGATORI / COMPULSORY ACCESSORIES


1A16400	LENS NARROW BEAM	DOT ENDLESS LENS
1A16500	LENS MEDIUM BEAM	




NETWORK



GROUPS



DYNAMIC SCENES




DISCOVER



davide groppi IOT

C O N T R O L A P P





CODE	SOCKET	TENSION	WATTAGE	BEAM ANGLE (°)	TEMPERATURE (K)	SOURCE LUMENS	BULB EFFICIENCY	CRI (Ra)	DIMMABLE	PRODUCT REFERENCE
------	--------	---------	---------	----------------	-----------------	---------------	-----------------	----------	----------	-------------------

LAMPADINE LED SORAA MR16 - DIMMERABILE IGBT / SORAA LED BULBS MR16 - IGBT DIMMABLE

🔔	51580010	GU10	230 V	7,5 W	10°	3000K	410 lm	A	95	X	DOT P DOT PL DOT R DOT SISTEMA MINI 51 MINI BIT 51 MINI PL TRICK TRACK
	51580210	GU10	230 V	7,5 W	10°	2700K	390 lm	A	95	X	DOT P DOT PL DOT R DOT SISTEMA MINI 51 MINI BIT 51 MINI PL TRICK TRACK

ACCESSORI "POINT SOURCE OPTICS" PER GENERARE FASCI UNIFORMI E DI ALTA INTENSITA' / "POINT SOURCE OPTICS" ACCESSORIES FOR UNIFORM AND HIGH INTENSITY BEAMS

51580020	FILTER - MR16			25°							DOT FRAMELESS DOT P DOT PL DOT R
51580030	FILTER - MR16			36°							DOT SISTEMA MINI MINI 51 MINI BIT MINI BIT 51 MINI PL TRICK TRACK
51580040	DARKLIGHT - MR16			-							DOT SISTEMA MINI MINI 51 MINI BIT MINI BIT 51 MINI PL TRICK TRACK

MODULI LED / LED MODULES

50041500	500 mA DC	18 W	15°	3000K	1829 lm	A+	90	X	PUNTO PUNTO PL PUNTO 2 PL SPOT SPOT SISTEMA
50041510	500 mA DC	18 W	15°	2700K	1719 lm	A+	90	X	
50041350	500 mA DC	18 W	24°	3000K	1869 lm	A+	90	X	
50041450	500 mA DC	18 W	24°	2700K	1759 lm	A+	90	X	
50041500	350 mA DC	12,6 W	15°	3000K	1350 lm	A+	90	X	SPOT ENDLESS SPOT ENDLESS IOT
50041510	350 mA DC	12,6 W	15°	2700K	1269 lm	A+	90	X	
50041350	350 mA DC	12,6 W	24°	3000K	1361 lm	A+	90	X	
50041450	350 mA DC	12,6 W	24°	2700K	1281 lm	A+	90	X	

ACCESSORI OPZIONALI MODULO LED / OPTIONAL LED MODULE ACCESSORIES

1A12100	STANDARD			DARKLIGHT						PUNTO PUNTO PL PUNTO 2 PL SPOT SPOT ENDLESS SPOT ENDLESS IOT SPOT SISTEMA
---------	----------	--	--	-----------	--	--	--	--	--	---