

**Luminaire**

Code SWA LN2 31  
Name SWAN

**Measurement**

Code SWA LN2 31  
Name SWAN

Luminaire Flux	1063.38 lm	Luminaire Power	15.00 W	Efficacy	70.89 lm/W	Efficiency	126.74%
Lamps Flux	839.00 lm	Maximum value	1301.77 cd/klm	Position	C=0.00 G=5.00	CG	Rotosymmetrical
Round Luminaire Round Luminous Area	Diam. 52 mm Diam. 35 mm	Height	100 mm	Height	1 mm		
Horizontal Luminous Area Emitting area on Plane 0° Emitting area on Plane 90°	0.000962 m2 0.000035 m2 0.000035 m2	Emitting area on Plane 180° Emitting area on Plane 270° Glare area at 76°			0.000035 m2 0.000035 m2 0.000267 m2		
Coordinate system Date Measurement Distance	CG 10-02-2021 0.00	Symmetry Type Maximum Gamma Angle Measurement Flux			Rotosymmetrical 90 839.00 lm		
Operator Temperature Humidity Notes	25.00 °C 60.00 %	Source Voltage [V] Source current [A] Photocell					

Line	Code	Luminaire Lamps	Flux [lm]	Pow. [W]	Q.ty
	LED	Name LED	839.00	15.00	1
C.I.E.	92 99 100 100 127	D DIN 5040	A60		
F UTE	1.27 A	B NBN	BZ 1		

