

ANOUR



CATALOGUE



**REINTRODUCING
THE VALUE OF SIMPLICITY**

STORY

Anour is Farsi and means light.

Founded in 2007 by the architect Arash Nourinejad, Anour is a Copenhagen based lighting studio. Our core business philosophy is based on creating products with an emphasis on quality, craftsmanship and simplicity above all else.

Designed for both commercial and residential use, our luminaires follow in the footsteps of Danish design traditions. Each piece is made with a focus on sustainability in design, production and technology and is individually tailored for each customer.



T MODEL

Carefully made with a focus on minimalistic design with a reference to the past, this desk lamp features a tilting lamp shade with integrated touch dimmer.

H: 300

W: 200

L: 500

POLISHED BRASS

T MODEL



I MODEL

The linear luminaire seems to float in the air. It expresses a raw beauty that will subtly highlight your interior.



L: 3000 W: 35

POLISHED BRASS

I MODEL CORD

7

VISION

Simplicity is about eliminating the noise from the essence. We stand for visual aesthetic and lasting value, a simplicity achieved through a complex process of design and thought.

Our primary focus is to create products that are dedicated to remain relevant over the years and become new contemporary classics.



Ø: 800 H: 53

POLISHED BRASS

Y MODEL



X MODEL

X Model is designed to enhance a square or a round table. A truly bespoke design for our discerning clientele



Ø: 1000 H: 53

BROWNED BRASS

X MODEL

Finest Materials

We only work with the finest materials, highlighting their tactile properties and unique characteristics. Achieving the most beautiful results. Copper, brass, steel, wood and marble offer a wide palette of expressions and a beautiful ageing process.

A selection of sensual materials that create the brand's distinctive catalogue. Each piece procures a feeling of exclusivity and authenticity.



DIVAR

This wall lamp, available in different materials, provides a beautiful and adjustable backlight.



G MODEL

The luminaire provides a fully rotational and adjustable feature, enabling total flexibility when directing the light. An ideal way to highlight any artworks or pictures on a wall.

Available in 3 different sizes with a sleek black aluminium surface.

L:500 W:200 H:300
POLISHED BRASS
T MODEL

F MODEL

This floor lamp showcases a beautiful linear silhouette. Playing with proportions, the lamp presents a narrow base with a tall pivoting light screen. It has the same design features and usability as the Divar wall lamp, but with the additional flexibility of a base mount.

The clean-lined F-Model is inspired by cubism art and architecture.



W:370

H:1650

BLUED STEEL

F MODEL



DIVAR OAK

Made of selected solid oak, each unique piece is produced by craftsmen in Denmark and has its own characteristic.



L: 1000 W: 62 H: 65
WOOD OAK
DIVAR



Design

"Great design is a reflection of its surroundings, and should interpret and adapt to the needs of society"

- Arash Nourinejad

Our approach is to create objects that last. It should positively, and quietly add to the atmosphere of a space without shouting for attention. A philosophy, we think will keep the products relevant over the years.

By working continuously with new ideas and technology, we perfect all aspects of the light. For us, design combined with functionality and the manufacturing process will lend the finished product the highest level of beauty.



Tradition & Innovation

ANOUR is defined by Danish tradition and innovation. For us, this is not a contradiction in terms. Rather, these are values that complement each other and form a unity, a combination that is reflected in a range of fascinating products.



L:2000 W:35 H: 53

BROWNED BRASS

I MODEL CORDLESS



Tailor made

A strength of ours, is the ability to develop bespoke solutions for your projects. As our products are made to order, we are able to accommodate specific requests for our clients, offering customized options.



DONYA

Donya offers an ambient and soft light, with charm and uniqueness. Donya is available as a pendant, table and wall lamp.



BRUSHED GOLD

DONYA

Craftsmanship

Our products are handmade in Denmark by accomplished craftsmen. We choose pure and high-end materials that result in a clear and timeless design.

I MODEL BRASS

The linear luminaire seems to float in the air. It expresses a raw beauty that will subtly highlight your interior.



H:53

IW:35

L:1500

BRUSHED BRASS

I MODEL



G MODEL

The installation with the G-Model is designed as a sculptural northern lighting cloud above the arrival to the Classic Copenhagen property.

PRODUCT SPECIFICATIONS

I MODEL

CORD




Cord colour: Black - Brown - Grey - Copper

CORDLESS




White driver box: 340x36,5x31mm

MATERIALS & FINISHES



DIMENSIONS



SPECIFICATIONS


SIZE	LED	WEIGHT*	PACKAGE WEIGHT*	SUSPENSION	CORD	VOLT	WATT	LUMENS	COLOR T°	CRI	LIFE HOURS	CERTIFICATIONS
100 cm	LED	3,3 kg	4,5 kg	3 m (Cord) 8 m (Cordless)	3 m <small>Cord version only</small>	240v	30w	2130	2700	+93	50 000	CE (230v)
150 cm	LED	5 kg	6 kg	3 m (Cord) 8 m (Cordless)	3 m <small>Cord version only</small>	240v	30w	2130	2700	+93	50 000	CE (230v)
200 cm	LED	6,5 kg	8 kg	3 m (Cord) 8 m (Cordless)	3 m <small>Cord version only</small>	240v	40w	2840	2700	+93	50 000	CE (230v)
250 cm	LED	8 kg	10 kg	3 m (Cord) 8 m (Cordless)	3 m <small>Cord version only</small>	240v	50w	3550	2700	+93	50 000	CE (230v)
300 cm	LED	10 kg	12 kg	3 m (Cord) 8 m (Cordless)	3 m <small>Cord version only</small>	240v	60w	4260	2700	+93	50 000	CE (230v)

*Approximate values
*Special sizes on request

DIMMER COMPATIBILITY
Touch dimmer (standard)
Available for DALI or 1-10v or Casambi
or Push-dim

LEAD TIME
Approx. 8 weeks

Y MODEL



MATERIALS & FINISHES



SPECIFICATIONS


SIZE	LED	WEIGHT*	PACKAGE WEIGHT*	SUSPENSION	VOLT	WATT	LUMENS	COLOR T°	CRI	LIFE HOURS	CERTIFICATIONS
ø 80 cm	LED	4,5 kg	7,5 kg	3 m	240v	31w	1490	2700	+93	50 000	CE (230v)

*Approximate values
*Special sizes on request

LEAD TIME
Approx. 8 weeks

DIMMER COMPATIBILITY
Touch dimmer (standard)
Available for DALI or 1-10v or Casambi or Push-dim

X MODEL



MATERIALS & FINISHES



SPECIFICATIONS


SIZE	LED	WEIGHT*	PACKAGE WEIGHT*	SUSPENSION	VOLT	WATT	LUMENS	COLOR T°	CRI	LIFE HOURS	CERTIFICATIONS
ø 100 cm	LED	7,5 kg	10,5 kg	3 m	240v	40w	2640	2700	+93	50 000	CE (230v)

*Approximate values
*Special sizes on request


LEAD TIME
Approx. 8 weeks

DIMMER COMPATIBILITY
Touch dimmer (standard)
Available for DALI or 1-10v or Casambi or Push-dim

G MODEL



DIMENSIONS



MATERIALS & FINISHES



BLACK
ALUMINIUM

SPECIFICATIONS

SIZE*	LED	WEIGHT*	PACKAGE WEIGHT*	SUSPENSION	VOLT	WATT	LUMENS	COLOR T°	CRI	LIFE HOURS	CERTIFICATIONS
100cm	LED	2 kg	4,5 kg	8 m	240v	30w	2130	2700	+93	50 000	CE (230v)
150 cm	LED	2,8 kg	6 kg	8 m	240v	30w	2130	2700	+93	50 000	CE (230v)
200 cm	LED	3,5 kg	7 kg	8 m	240v	40w	2840	2700	+93	50 000	CE (230v)


*Approximate values
* Special sizes on request

DIMMER COMPATIBILITY
Available for DALI or 1-10v
or Casambi or Push-dim


LEAD TIME
Approx. 8 weeks

DONYA


PENDANT SPOT



PENDANT



WALL / TABLE



MATERIALS & FINISHES



NOIR
BRUSHED



GOLD
BRUSHED




SILVER
BRUSHED

SPECIFICATIONS


SIZE	LIGHT	WEIGHT	PACKAGE WEIGHT*	CORD	VOLT
Ø15x25,5 cm	GU10	2,5 kg	3 kg	Black cord 2m	100V 240v

GU10 socket max. 6 Watt (bulb not included)

DIVAR



MATERIALS & FINISHES



SPECIFICATIONS



SIZE	LED	WEIGHT*	PACKAGE WEIGHT*	CORD	VOLT	WATT	LUMENS	COLOR T°	CRI	LIFE HOURS	CERTIFICATIONS
50 cm	LED	1,5 kg	2 kg	2 m	240v	12w	920	2700	+93	50 000	CE (230v) Driver UL listed
100 cm	LED	2,2 kg	3,1 kg	2 m	240v	27w	2050	2700	+93	50 000	CE (230v) Driver UL listed
150 cm	LED	3,3 kg	4,4 kg	2 m	240v	27w	2050	2700	+93	50 000	CE (230v) Driver UL listed
200 cm	LED	4,2 kg	5,7 kg	2 m	240v	37w	2760	2700	+93	50 000	CE (230v) Driver UL listed
250 cm	LED	5,2 kg	7,1 kg	2 m	240v	47w	3470	2700	+93	50 000	CE (230v) Driver UL listed
300 cm	LED	6,2 kg	8,6 kg	2 m	240v	57w	4190	2700	+93	50 000	CE (230v) Driver UL listed

*Approximate values
*Special sizes on request


DIMMER COMPATIBILITY
Touch dimmer (standard)
Available for DALI or 1-10v or Casamb or Push-dim

LEAD TIME
Approx. 8 weeks


DIMENSIONS



T MODEL



MATERIALS & FINISHES



SPECIFICATIONS


SIZE	LED	WEIGHT*	PACKAGE WEIGHT*	CORD	VOLT	WATT	LUMENS	COLOR T°	CRI	LIFE HOURS	CERTIFICATIONS
50x20x30 cm	LED	3 kg	4,5 kg	Black cord 2m	240v	12w	1185	2700	+93	50 000	CE (230v) Driver UL listed

*Approximate values


LEAD TIME
Approx. 8 weeks

DIMMER COMPATIBILITY
Touch dimmer (standard)

F MODEL



MATERIALS & FINISHES



SPECIFICATIONS

SIZE	LED	WEIGHT*	PACKAGE WEIGHT*	CORD	VOLT	WATT	LUMENS	COLOR T°	CRI	LIFE HOURS	CERTIFICATIONS
One size	LED	10 kg	13,5 kg	Black cord 2m	240v	30w	2050	2700	+93	50 000	CE (230v) Driver UL listed

*Approximate values

DIMMER COMPATIBILITY
Touch dimmer (standard)

LEAD TIME
Approx. 8 weeks

MATERIALS, MAINTENANCE & CARE

CARE AND MAINTENANCE

To maintain the finished quality of your ANOUR product, please follow the cleaning procedures provided below. The instructions for the care and maintenance are provided to you as a service. No warranty is implied since results may vary.

Before cleaning, the light must be turned off and unplugged from mains supply. While cleaning, please be extremely careful.

MAINTENANCE AND CARE OF POLISHED SURFACE

The product should only be treated with a polishing cream made for the specific material. We recommend ©BRASSO

MAINTENANCE AND CARE OF BROWNE D SURFACE & BLUED STEEL

The product should only be cleaned with a dry soft cloth. Only if required, a thin coat of acid free natural oil can be applied on the surface and wiped afterwards with a clean soft cloth.

MAINTENANCE AND CARE OF BRUSHED SURFACE

For regular cleaning, the product should only be cleaned with a dry soft cloth.

To remove small scratches and scuff marks, you can firmly rub the surface (in the same direction of the brushed finish) with the rough green side of a sponge. You can also apply a polishing cream ©BRASSO and then wipe it off with a dry soft cloth.

MAINTENANCE AND CARE OF RUSTED AND OXIDISED SURFACE

For regular cleaning, please use a feather duster.

MAINTENANCE AND CARE OF MARBLE

Dust frequently with a clean, soft cloth. Wash periodically with a cloth dampened with warm water, and if necessary, a small amount of mild dishwashing liquid. Use a second damp cloth to remove the soap.

Please be careful with liquids around the touch dimmer and cable insulation areas.
For more information, consult the FAQ on anour.dk or contact us at contact@anour.dk

POLISHED BRASS



PATINATION



BRUSHED BRASS



PATINATION



BROWNE D BRASS



POLISHED COPPER



PATINATION



BRUSHED COPPER



PATINATION



BROWNE D COPPER



OXIDISE D COPPER



CARRARA MARBLE



BLUED STEEL



RUSTED STEEL



STAINLESS STEEL



GOLD STAINLESS STEEL



NOIR STAINLESS STEEL



OAK



BLACK OAK



contact@anour.dk
+ 45 33 60 70 70
www.anour.dk

