

A dark-colored SUV is parked on a gravel path at dusk. A modern outdoor lamp, consisting of a thin vertical pole and a cylindrical light head, stands to the left of the vehicle, casting a warm glow on the surrounding foliage and the ground. The background is a dense forest of trees and bushes under a twilight sky. The text "davide groppi" and "LUCE FUORI" is overlaid on the right side of the image.

davide groppi
LUCE FUORI

Luce Fuori è la nostra proposta di
corpi illuminanti per l'esterno.
Sono luci delicate e smaterializzate,
pensate per considerare il giardino o il terrazzo
come a un'altra stanza della casa ...

Luce Fuori is our offer for outdoor lamps.
They are gentle and dematerialized,
thought to consider the garden or the terrace
as another room of the house ...



LIGHT INSTALLATION

Pietrasanta, Italy, 2020





PRIVATE RESIDENCE
Garda Lake, Italy, 2019






DESIGN OMAR CARRAGLIA - 2013
LAMPADA DA ESTERNO - METALLO
OUTDOOR LAMP - METAL
US VERSION AVAILABLE

IMU

CE IP65




17230000	STANDARD	MAX 350 mA DC - 5,5 W LED - 3000K - 306 lm - CRI>80 DRIVER LED INCLUSO INPUT 110-240 V - 50/60 Hz - IP68 - NON DIMMERABILE INCLUDES LED DRIVER INPUT 110-240 V - 50/60 Hz - IP68 - NOT DIMMABLE



DESIGN DAVIDE GROPPI - GIORGIO RAVA - 2020
LAMPADA DA ESTERNO - FIBRA DI VETRO - METALLO
OUTDOOR LAMP - FIBERGLASS - METAL
US VERSION AVAILABLE

CE  IP65

ORIGINE OUTDOOR



1A2480400	NERO OPACO / MATT BLACK - 3000K	24 V DC - 40 W LED - 2380 lm - CRI 80 CAVO NERO 5 m DRIVER LED NON INCLUSO BLACK CABLE 5 m LED DRIVER NOT INCLUDED
1A2480400-27	NERO OPACO / MATT BLACK - 2700K	

ACCESSORI OBBLIGATORI / COMPULSORY ACCESSORIES


1Z1120260	STANDARD	DRIVER LED INPUT 110-240 V - 50/60 Hz - OUTPUT 24 V DC - 60 W - IP67 DIMMERABILE 1-10 V - 1-10 V DIMMABLE



Compasso d'Oro ADI
Award 2014

DESIGN ENZO CALABRESE - DAVIDE GROPPI - 2011
LAMPADA DA ESTERNO - FIBRA DI VETRO - METALLO
OUTDOOR LAMP - FIBERGLASS - METAL
US VERSION AVAILABLE

CE  IP65



17980300	BIANCO OPACO / MATT WHITE - 3000K	MAX 700 mA DC - 8,4 W LED - 639 lm - CRI>90 CAVO NERO 5 m - ORIENTABILE DRIVER LED INCLUSO (700 mA DC) INPUT 220-240 V - 50/60 Hz - IP67 - NON DIMMERABILE BLACK CABLE 5 m - ADJUSTABLE INCLUDES LED DRIVER INPUT 220-240 V - 50/60 Hz - IP67 - NOT DIMMABLE
17980300-27	BIANCO OPACO / MATT WHITE - 2700K	
17980400	NERO OPACO / MATT BLACK - 3000K	
17980400-27	NERO OPACO / MATT BLACK - 2700K	


SAMPEI 440 OUTDOOR



DESIGN MAURIZIO MANCINI - 2012
LAMPADA DA ESTERNO - METALLO
OUTDOOR LAMP - METAL

CE  IP67

BELLADINOTTE



18720000	STANDARD	24 V DC - 2 x 4,2 W LED - 3000K - 2 x 282 lm - CRI > 90 ORIENTABILE DRIVER LED NON INCLUSO ADJUSTABLE LED DRIVER NOT INCLUDED

ACCESSORI OBBLIGATORI / COMPULSORY ACCESSORIES


1Z0240990	STANDARD	DRIVER LED INPUT (110-127 V) 220-240 V - 50/60 Hz - OUTPUT 24 V DC - (15 W) 17 W - IP68 DIMMERABILE 0/1-10 V - 0/1-10 V DIMMABLE



DESIGN DANIELE SPREGA - 2012
LAMPADA DA ESTERNO - ACCIAIO INOX AISI 316L - METALLO
OUTDOOR LAMP - METAL - AISI 316L STAINLESS STEEL
US VERSION AVAILABLE

GRILLO

CE  IP67





18560400	NERO OPACO / MATT BLACK	24 V DC - 4,2 W LED - 3000K - 282 lm - CRI>90 STELO IN ACCIAIO INOX AISI 316L - ORIENTABILE DRIVER LED NON INCLUSO AISI 316L STAINLESS STEEL STEM - ADJUSTABLE LED DRIVER NOT INCLUDED
ACCESSORI OBBLIGATORI / COMPULSORY ACCESSORIES		
1Z0240990	STANDARD	DRIVER LED INPUT (110-127 V) 220-240 V - 50/60 Hz - OUTPUT 24 V DC - (15 W) 17 W - IP68 DIMMERABILE 0/1-10 V - 0/1-10 V DIMMABLE
ACCESSORI OPZIONALI / OPTIONAL ACCESSORIES		
18490400	NERO OPACO / MATT BLACK	TESTA LED SUPPLEMENTARE / ADDITIONAL LED HEAD 24 V DC - 4,2 W LED - 3000K - 282 lm - CRI>90
17990000	STANDARD	STELO 1 m / STEM 1 m ACCIAIO INOX AISI 316L - AISI 316L STAINLESS STEEL



DESIGN DANIELE SPREGA - 2014
LAMPADA DA ESTERNO - ACCIAIO INOX AISI 316L - METALLO
OUTDOOR LAMP - METAL - AISI 316L STAINLESS STEEL
US VERSION AVAILABLE

BUBKA

CE IP65



17390000	STANDARD - 3000K	MAX 700 mA DC - 8,4 W LED - 639 lm - CRI>90
17390000-27	STANDARD - 2700K	STELO IN ACCIAIO INOX AISI 316L - CAVO NERO 7 m - KIT INSTALLAZIONE OPZIONALE NON INCLUSO
		DIMENSIONI TAGLIO Ø 250 mm
		SPAZIO MINIMO PER INCASSO 350 mm
		ORIENTABILE
		DRIVER LED INCLUSO (700 mA DC) INPUT 220-240 V - 50/60 Hz - IP68 - NON DIMMERABILE
		AISI 316L STAINLESS STEEL STEM - BLACK CABLE 7 m - OPTIONAL INSTALLATION KIT NOT INCLUDED
		CUT-OUT Ø 250 mm
		MINIMUM SPACE FOR MOUNTING 350 mm
		ADJUSTABLE
		INCLUDES LED DRIVER (700 mA DC) INPUT 220-240 V - 50/60 Hz - IP68 - NOT DIMMABLE

KIT INSTALLAZIONE OPZIONALI / OPTIONAL INSTALLATION KITS

17730000	STANDARD	TIRAFONDO INSTALLAZIONE / INSTALLATION ANCHORING BOLT

ACCESSORI OPZIONALI / OPTIONAL ACCESSORIES

18510400	NERO OPACO / MATT BLACK - 3000K	TESTA LED SUPPLEMENTARE / ADDITIONAL LED HEAD
18510400-27	NERO OPACO / MATT BLACK - 2700K	MAX 700 mA DC - 8,4 W LED - 639 lm - CRI>90
		KIT INSTALLAZIONE OBBLIGATORIO NON INCLUSO / COMPULSORY INSTALLATION KIT NOT INCLUDED

KIT INSTALLAZIONE OBBLIGATORIO PER TESTA LED SUPPLEMENTARE / COMPULSORY INSTALLATION KIT FOR ADDITIONAL LED HEAD



120241110	STANDARD	DRIVER LED
		INPUT (110-127 V) 220-240 V - 50/60 Hz - OUTPUT 700 mA DC - (15 W) 30 W - IP68
		NON DIMMERABILE - NOT DIMMABLE



DESIGN DANIELE SPREGA - 2021
LAMPADA DA ESTERNO - ACCIAIO INOX AISI 316L - METALLO
OUTDOOR LAMP - METAL - AISI 316L STAINLESS STEEL
US VERSION AVAILABLE

CE IP65

BUBKA BOLLARD



1A1440000	STANDARD - 3000K	MAX 700 mA DC - 8,4 W LED - 639 lm - CRI>90
1A1440000-27	STANDARD - 2700K	STELO IN ACCIAIO INOX AISI 316L - CAVO NERO 9 m - KIT INSTALLAZIONE OPZIONALE NON INCLUSO
		DIMENSIONI TAGLIO Ø 250 mm
		SPAZIO MINIMO PER INCASSO 350 mm
		ORIENTABILE
		DRIVER LED INCLUSO (350 mA DC) INPUT 110-240 V - 50/60 Hz - IP68 - NON DIMMERABILE
		AISI 316L STAINLESS STEEL STEM - BLACK CABLE 9 m - OPTIONAL INSTALLATION KIT NOT INCLUDED
		CUT-OUT Ø 250 mm
		MINIMUM SPACE FOR MOUNTING 350 mm
		ADJUSTABLE
		INCLUDES LED DRIVER (350 mA DC) INPUT 110-240 V - 50/60 Hz - IP68 - NOT DIMMABLE

KIT INSTALLAZIONE OPZIONALI / OPTIONAL INSTALLATION KITS

17730000	STANDARD	TIRAFONDO INSTALLAZIONE / INSTALLATION ANCHORING BOLT

ACCESSORI OPZIONALI / OPTIONAL ACCESSORIES

18510400	NERO OPACO / MATT BLACK - 3000K	TESTA LED SUPPLEMENTARE / ADDITIONAL LED HEAD
18510400-27	NERO OPACO / MATT BLACK - 2700K	MAX 700 mA DC - 8,4 W LED - 639 lm - CRI>90
		KIT INSTALLAZIONE OBBLIGATORIO NON INCLUSO / COMPULSORY INSTALLATION KIT NOT INCLUDED


KIT INSTALLAZIONE OBBLIGATORIO PER TESTA LED SUPPLEMENTARE / COMPULSORY INSTALLATION KIT FOR ADDITIONAL LED HEAD

1Z0240880	STANDARD	DRIVER LED
		INPUT 110-240 V - 50/60 Hz - OUTPUT 350 mA DC - 17 W - IP68
		NON DIMMERABILE - NOT DIMMABLE



DESIGN ALBERTO ZATTIN - 2006
LAMPADA DA ESTERNO - CEMENTO - METALLO
OUTDOOR LAMP - CEMENT - METAL

CE  IP67




1A1150000	STANDARD	MAX 500 mA DC - 20 W LED - 10° - 3000K - 2058 lm - CRI > 90 CAVO NERO 2,5 m DRIVER LED INCLUSO INPUT 110-240 V - 50/60 Hz - IP68 - NON DIMMERABILE CONNETTORI DRIVER 2 PEZZI INCLUSI BLACK CABLE 2,5 m INCLUDES LED DRIVER INPUT 110-240 V - 50/60 Hz - IP68 - NOT DIMMABLE DRIVER CONNECTORS 2 PIECES INCLUDED



DESIGN BESTETTI ASSOCIATI - DAVIDE GROPPI - 2011
LAMPADA DA ESTERNO - METACRILATO - METALLO - POLICARBONATO
OUTDOOR LAMP - METHACRYLATE - METAL - POLYCARBONATE
US VERSION AVAILABLE

LENTA

CE IP65




15600300	BIANCO OPACO / MATT WHITE	100-240 V - 50/60 Hz - MAX 18 W LED - E27
		CAVO NERO 5 m
		LAMPADINA NON INCLUSA
		BLACK CABLE 5 m
		BULB NOT INCLUDED



DESIGN DAVIDE GROPPI - PAOLA LENTI - 2013
LAMPADA DA ESTERNO - METALLO - PBT - POLICARBONATO
OUTDOOR LAMP - METAL - PBT - POLYCARBONATE
US VERSION AVAILABLE

CE IP65


SHOJI OUTDOOR



18860000	STANDARD	100-240 V - 50/60 Hz - MAX 18 W LED - E27
		CAVO NERO 5 m
		LAMPADINA NON INCLUSA
		BLACK CABLE 5 m
		BULB NOT INCLUDED



16
•35•




1A1530300	BIANCO OPACO / MATT WHITE - 3000K	MAX 350 mA DC - 1 W LED - 3000K - 33 lm - CRI > 90 / 2700K - 31 lm - CRI > 90 KIT INSTALLAZIONE OBBLIGATORIO NON INCLUSO DIMENSIONI TAGLIO Ø 31 mm SPAZIO MINIMO PER INCASSO 55 mm COMPULSORY INSTALLATION KIT NOT INCLUDED CUT-OUT Ø 31 mm MINIMUM SPACE FOR MOUNTING 55 mm
1A1530300-27	BIANCO OPACO / MATT WHITE - 2700K	
1A1531100	INOX LUCIDO / POLISHED STAINLESS STEEL - 3000K	
1A1531100-27	INOX LUCIDO / POLISHED STAINLESS STEEL - 2700K	

KIT INSTALLAZIONE OBBLIGATORI / COMPULSORY INSTALLATION KITS

1A1540000	STANDARD	CASSAFORMA INSTALLAZIONE / INSTALLATION BOX

1Z0240880	STANDARD	DRIVER LED INPUT 110-240 V - 50/60 Hz - OUTPUT 350 mA DC - 17 W - IP68 NON DIMMERABILE - NOT DIMMABLE


1A1660000	STANDARD	CONNETTORI DRIVER IP68 - 2 PEZZI / DRIVER CONNECTORS IP68 - 2 PIECES



DESIGN 2021
LAMPADA DA ESTERNO - METALLO - VETRO
OUTDOOR LAMP - METAL - GLASS
US VERSION AVAILABLE

CE IP67

OUT 58




1A1551100	INOX LUCIDO / POLISHED STAINLESS STEEL	24 V DC - 7 W LED - 36° - 3000K - 546 lm - CRI>90 KIT INSTALLAZIONE OBBLIGATORIO NON INCLUSO DIMENSIONI TAGLIO Ø 55 mm - SPAZIO MINIMO PER INCASSO 110 mm COMPULSORY INSTALLATION KIT NOT INCLUDED CUT-OUT Ø 55 mm - MINIMUM SPACE FOR MOUNTING 110 mm

KIT INSTALLAZIONE OBBLIGATORI / COMPULSORY INSTALLATION KITS

1A1560000	STANDARD	CASSAFORMA INSTALLAZIONE / INSTALLATION BOX



1Z0240990	STANDARD	DRIVER LED INPUT (110-127 V) 220-240 V - 50/60 Hz - OUTPUT 24 V DC - (15 W) 17 W - IP68 DIMMERABILE 0/1-10 V - 0/1-10 V DIMMABLE

1A1660000	STANDARD	CONNETTORI DRIVER IP68 - 2 PEZZI / DRIVER CONNECTORS IP68 - 2 PIECES



DESIGN 2021
LAMPADA DA ESTERNO - METALLO - VETRO
OUTDOOR LAMP - METAL - GLASS
US VERSION AVAILABLE

CE IP67





1A1571100	INOX LUCIDO / POLISHED STAINLESS STEEL - 10°	MAX 500 mA DC - 20 W LED - 3000K - 2058 lm - CRI >90 KIT INSTALLAZIONE OBBLIGATORIO NON INCLUSO DIMENSIONI TAGLIO Ø 94 mm - SPAZIO MINIMO PER INCASSO 160 mm COMPULSORY INSTALLATION KIT NOT INCLUDED CUT-OUT Ø 94 mm - MINIMUM SPACE FOR MOUNTING 160 mm
1A1581100	INOX LUCIDO / POLISHED STAINLESS STEEL - 23°	

KIT INSTALLAZIONE OBBLIGATORI / COMPULSORY INSTALLATION KITS

1A1590000	STANDARD	CASSAFORMA INSTALLAZIONE / INSTALLATION BOX

1Z0241070	STANDARD	DRIVER LED INPUT 110-240 V - 50/60 Hz - OUTPUT 500 mA DC - 25 W - IP68 NON DIMMERABILE - NOT DIMMABLE

1A1660000	STANDARD	CONNETTORI DRIVER IP68 - 2 PEZZI / DRIVER CONNECTORS IP68 - 2 PIECES




1A1600400	NERO OPACO / MATT BLACK - 10°	MAX 500 mA DC - 2 W LED - 3000K - 133 lm - CRI > 90 KIT INSTALLAZIONE OBBLIGATORIO NON INCLUSO ORIENTABILE ACCESSORI OPZIONALI NON INCLUSI COMPULSORY INSTALLATION KIT NOT INCLUDED ADJUSTABLE OPTIONAL ACCESSORIES NOT INCLUDED
1A1610400	NERO OPACO / MATT BLACK - 25°	

KIT INSTALLAZIONE OBBLIGATORI / COMPULSORY INSTALLATION KITS

1Z0241070	STANDARD	DRIVER LED INPUT 110-240 V - 50/60 Hz - OUTPUT 500 mA DC - 25 W - IP68 NON DIMMERABILE - NOT DIMMABLE

1A1660000	STANDARD	CONNETTORI DRIVER IP68 - 2 PEZZI / DRIVER CONNECTORS IP68 - 2 PIECES

ACCESSORI OPZIONALI / OPTIONAL ACCESSORIES



1A1620000	STANDARD	PICCHETTO / EARTH SPIKE	
1A1630400	NERO OPACO / MATT BLACK	BASSETTA PARETE / WALL BACK PLATE	



DESIGN 2018
LAMPADA DA ESTERNO - METALLO
OUTDOOR LAMP - METAL

CE  IP65

SPOT IP65





19460300	BIANCO OPACO / MATT WHITE	MAX 700 mA DC - 8,4 W LED - 3000K - 639 lm - CRI > 90 ORIENTABILE DRIVER LED INCLUSO INPUT (110-127 V) 220-240 V - 50/60 Hz - IP68 - NON DIMMERABILE ADJUSTABLE INCLUDES LED DRIVER INPUT (110-127 V) 220-240 V - 50/60 Hz - IP68 - NOT DIMMABLE
19460400	NERO OPACO / MATT BLACK	



DESIGN 2011
LAMPADA DA ESTERNO - METALLO - VETRO
OUTDOOR LAMP - METAL - GLASS

CE IP65

CHILLOUT




15860300	BIANCO OPACO / MATT WHITE	100-240 V - 50/60 Hz - MAX 12 W LED - E27
		ORIENTABILE - NON DIMMERABILE
		LAMPADINA NON INCLUSA
		ADJUSTABLE - NOT DIMMABLE
		BULB NOT INCLUDED



DESIGN 2014
LAMPADA DA ESTERNO - METALLO - VETRO
OUTDOOR LAMP - METAL - GLASS

JULIET

CE IP65



17260300	BIANCO OPACO / MATT WHITE - 3000K	220-240 V - 50/60 Hz - 18 W LED - 1000 lm - CRI>80 DIMMERABILE TRIAC / IGBT TRIAC / IGBT DIMMABLE
17260300-27	BIANCO OPACO / MATT WHITE - 2700K	



davidegroppi.com

Le dimensioni sono espresse in millimetri.

La Davide Groppi srl revisiona costantemente i propri prodotti per poter offrire sempre il meglio della tecnologia disponibile.

Per questo motivo i cataloghi e le schede prodotto sono in continua evoluzione.

Le informazioni e i dettagli tecnici più aggiornati sono pubblicati sul nostro sito **www.davidegroppi.com**

The sizes are expressed in millimeters.

Davide Groppi srl is constantly revising its products in order to offer the best and latest technology available.

This is why its catalogues and technical notes are in constant evolution.

You can find the latest information and technical updates on our website **www.davidegroppi.com**

Davide Groppi srl
Via Belizzi 20 / 22
29122 Piacenza - Italia
Ph. +39.0523.571590
info@davidegroppi.com

Davide Groppi srl © 2021
Società soggetta a direzione e coordinamento di Italian Design Brands spa