

04 Angulus

A novelty in our range of lamps is the "Angulus" picture light. The angular shape of the light fits in more harmoniously with corresponding picture frames. As with all our picture lamps, the lighting profile can be rotated in order to have the optimal light level set. This lamp has a duo LED illuminant, which allowed the light output to be doubled. Particularly suitable as display lighting. Application: lighting pictures, menus and music stands.

Material: brass, illuminant: dual LED, LED-EC: F, Ra: 90, ballast unit: 220-240V, secondary voltage: DC 24V, 12W ballast unit: 94 x 36 x 18 mm, 30W ballast unit: 133 x 46 x 24 mm rotatable fluorescent tube: 17 x 17 mm, bracket tube: Ø 8 mm

Scope of delivery: whole lamp with diffuser cover, mounting set and a dimmable ballast unit.

IP20



CE

Design: Horst Lettenmayer © betec



Colour	Article number
Brass polished	04 MO -- -- --
Brass mat	04 MM -- -- --
Chrome	04 CO -- -- --
Nickel polished	04 NO -- -- --
Nickel mat	04 NM -- -- --
Brown	04 BO -- -- --
Black mat	04 SM -- -- --
Gold 24ct polished	04 GO -- -- --
Gold 24ct mat	04 GM -- -- --

Colour	Length	Light output	Article number
Brass	250 mm	6 Watt	04 MO 02 -- --
Brass	500 mm	13 Watt	04 MO 05 -- --
Brass	750 mm	20 Watt	04 MO 07 -- --
Brass	1000 mm	27 Watt	04 MO 10 -- --

LED Duo + Light colour:			-- -- -- D -- --
2400K	Warm tone	RA 80+/1500lm/m	04 -- -- DW --
2700K	Neutral	RA 90+/3280lm/m	04 -- -- DN --
3000K	Daylight	RA 90+/1500lm/m	04 -- -- DT --



Arm Type	Width	Article number
Type 15	150 mm	04 -- -- -- 15
Type 20	200 mm	04 -- -- -- 20
Type 25	250 mm	04 -- -- -- 25
Coupling arm		



Special option touch dimmer	Article number
-----------------------------	----------------



50TD01LD24



