

# focus sb

PLEASE CLICK BELOW TO SEE PRODUCTS AVAILABLE IN EACH STYLE

## AMBASSADOR CLASSIC [P 2-6](#)

Light switches and dimming ..... P 2-4

Power and connection ..... P 5-6

AV & Data ..... P 6

## AMBASSADOR SQUARE [P 7-11](#)

Light switches and dimming ..... P 7-9

Power and connection ..... P 10-11

AV & Data ..... P 11

## HORIZON CLASSIC [P 12-16](#)

Light switches and dimming ..... P 12-14

Power and connection ..... P 15-16

AV & Data ..... P 16

## HORIZON SQUARE [P 17-21](#)

Light switches and dimming ..... P 17-19

Power and connection ..... P 20-21

AV & Data ..... P 21

## PRISM [P 22-24](#)

Light switches and dimming ..... P 22-24

*For other accessories we recommend using metal plates in our primed finish*

## TRUE EDGE [P 25-29](#)

Light switches and dimming ..... P 25-27

Power and connection ..... P 28-29

AV & Data ..... P 29

## MORPHEUS [P 30-34](#)

Light switches and dimming ..... P 30-32

Power and connection ..... P 33-34

AV & Data ..... P 34

## BELGRAVIA [P 35-39](#)

Light switches and dimming ..... P 35-37

Power and connection ..... P 38-39

AV & Data ..... P 39

## SHERATON [P 40-44](#)

Light switches and dimming ..... P 40-42

Power and connection ..... P 43-44

AV & Data ..... P 44

## GEORGIAN [P 45-49](#)

Light switches and dimming ..... P 45-47

Power and connection ..... P 48-49

AV & Data ..... P 49

## VICTORIAN [P 50-54](#)

Light switches and dimming ..... P 50-52

Power and connection ..... P 53-54

AV & Data ..... P 54

## FOCUS SB SMOOTHIE® [P 55](#)

Lighting ..... P 55

Power ..... P 55

## NATURE INSPIRED [P 56-57](#)

Light switches and dimming ..... P 56

Power and connection ..... P 57

AV & Data ..... P 57

## KELLY HOPPEN BY FOCUS SB [P 58-67](#)

### DOT [P 58-59](#)

Light switches and dimming ..... P 58

Power ..... P 59

AV & Data ..... P 59

### PINSTRIPED [P 60-61](#)

Light switches and dimming ..... P 60

Power ..... P 61

AV & Data ..... P 61

### CORNER [P 62-63](#)

Light switches and dimming ..... P 62

Power ..... P 63

AV & Data ..... P 63

### FIFTY FIFTY [P 64-65](#)

Light switches and dimming ..... P 64

Power ..... P 65

AV & Data ..... P 65

### PLANK [P 66-67](#)

Light switches and dimming ..... P 66

Power ..... P 67

AV & Data ..... P 67

## IMPORTANT NOTE

Please check your chosen finish code (shown on page 68).

Part numbers for ordering consist of the style code A, followed by the finish code and then the product code.

For example:












STYLE A












FINISH SS












(for satin stainless steel)

PRODUCT 11.1W

PART NO. ASS11.1W

LIGHT SWITCHES AND DIMMING		PRODUCT CODE		Wallbox Depth (mm)
ROCKER GRID SWITCHES (PLASTIC SWITCHES)		White Insert	Black Insert	
	1 gang 20 amp 2 way rocker switch	10.1W	10.1B	35mm Single
	2 gang 20 amp 2 way rocker switch	10.2W	10.2B	35mm Single
	3 gang 20 amp 2 way rocker switch	10.3W	10.3B	35mm Twin
	4 gang 20 amp 2 way rocker switch	10.4W	10.4B	35mm Twin
	6 gang 20 amp 2 way rocker switch	10.6W	10.6B	133x133x40
	8 gang 20 amp 2 way rocker switch	10.8W	10.8B	133x133x40
	1 gang 20 amp double pole rocker switch	10.1W/2	10.1B/2	35mm Single
	1 gang 20 amp intermediate rocker switch	10.1W/3	10.1B/3	35mm Single
	1 gang 20 amp 2 way and off rocker switch	10.1W/4	10.1B/4	35mm Single
	1 gang 20 amp retractive rocker switch	10.1W/5	10.1B/5	35mm Single
	1 gang 20 amp 2 way and off retractive rocker switch	10.1W/7	10.1B/7	35mm Single

ROCKER GRID SWITCHES (METAL SWITCHES)		PRODUCT CODE		Wallbox Depth (mm)
	1 gang 20 amp 2 way rocker switch	11.1W	11.1B	
	2 gang 20 amp 2 way rocker switch	11.2W	11.2B	35mm Single
	3 gang 20 amp 2 way rocker switch	11.3W	11.3B	35mm Twin
	4 gang 20 amp 2 way rocker switch	11.4W	11.4B	35mm Twin
	6 gang 20 amp 2 way rocker switch	11.6W	11.6B	133x133x40
	8 gang 20 amp 2 way rocker switch	11.8W	11.8B	133x133x40
	1 gang 20 amp double pole rocker switch	11.1W/2	11.1B/2	35mm Single
	1 gang 20 amp intermediate rocker switch	11.1W/3	11.1B/3	35mm Single
	1 gang 20 amp 2 way and off rocker switch	11.1W/4	11.1B/4	35mm Single
	1 gang 20 amp retractive rocker switch	11.1W/5	11.1B/5	35mm Single
	1 gang 20 amp 2 way and off retractive rocker switch	11.1W/7	11.1B/7	35mm Single

TOGGLE SWITCHES		PRODUCT CODE		Wallbox Depth (mm)
	1 gang 20 amp 2 way toggle switch	14.1		
	2 gang 20 amp 2 way toggle switch	14.2		35mm Single
	3 gang 20 amp 2 way toggle switch	14.3		35mm Twin
	4 gang 20 amp 2 way toggle switch	14.4		35mm Twin
	6 gang 20 amp 2 way toggle switch	14.6		133x133x40
	8 gang 20 amp 2 way toggle switch	14.8		133x133x40
	1 gang 20 amp double pole toggle switch	14.1/2		35mm Single
	1 gang 20 amp intermediate toggle switch	14.1/3		35mm Single
	1 gang 20 amp 2 way and off toggle switch	14.1/4		35mm Single
	1 gang 20 amp retractive toggle switch	14.1/5		35mm Single
	1 gang 20 amp 2 way and off retractive toggle switch	14.1/7		35mm Single

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
Single 86mm x 86mm  
Twin 146mm x 86mm

## IMPORTANT NOTE

Please check your chosen finish code (shown on page 68).

Part numbers for ordering consist of the style code A, followed by the finish code and then the product code.

For example:






























STYLE A

FINISH SS

(for satin stainless steel)

PRODUCT 11.1W

PART NO. ASS11.1W

LIGHT SWITCHES AND DIMMING		PRODUCT CODE	Wallbox Depth (mm)
<b>PUSH BUTTON SWITCHES*</b>			
	1 gang 10 amp 2 way latching push button	14.1/8	35mm Single
	2 gang 10 amp 2 way latching push button	14.2/88	35mm Single
	3 gang 10 amp 2 way latching push button	14.3/888	35mm Twin
	4 gang 10 amp 2 way latching push button	14.4/8888	35mm Twin
	1 gang retractive push button	14.1/9	35mm Single
	2 gang retractive push button	14.2/99	35mm Single
	3 gang retractive push button	14.3/999	35mm Twin
	4 gang retractive push button	14.4/9999	35mm Twin
<b>ARCHITRAVE SWITCHES (PLASTIC SWITCHES)</b>		<i>White Insert</i>	<i>Black Insert</i>
	1 gang 20 amp 2 way rocker switch	15.1W	15.1B
	2 gang 20 amp 2 way rocker switch	15.2W	15.2B
<b>ARCHITRAVE SWITCHES (METAL SWITCHES)</b>			
	1 gang 20 amp 2 way rocker switch	16.1W	16.1B
	2 gang 20 amp 2 way rocker switch	16.2W	16.2B
	1 gang 20 amp 2 way toggle switch	44.1	See Notes**
	2 gang 20 amp 2 way toggle switch	44.2	See Notes**
<b>INTELLIGENT ROTARY DIMMERS</b>		PRODUCT CODE	
	1 gang 400W intelligent dimmer	21.1/T	35mm Single
	2 gang 400W intelligent dimmer	21.2/TT	35mm Single
	3 gang 400W intelligent dimmer	21.3/TTT	35mm Twin
	4 gang 400W intelligent dimmer	21.4/TTTT	35mm Twin
<b>ROTARY DIMMERS</b>			
	1 gang 250W dimmer (mains and low voltage)***	21.1	35mm Single
	2 gang 250W dimmer (mains and low voltage)***	21.2	35mm Single
	3 gang 250W dimmer (mains and low voltage)***	21.3	35mm Twin
	4 gang 250W dimmer (mains and low voltage)***	21.4	35mm Twin
	1 gang 400W dimmer (mains and low voltage)†	22.1	35mm Single
	2 gang 400W dimmer (mains and low voltage)†	22.2	35mm Single
	3 gang 400W dimmer (mains and low voltage)†	22.3	35mm Twin
	4 gang 400W dimmer (mains and low voltage)†	22.4	35mm Twin
	1 gang 0-10V dimmer	21.1/6	35mm Single
	1 gang intermediate on/off	21.1/7	35mm Single
	1 gang 2 way push on/off	21.1/1	35mm Single

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
Single 86mm x 86mm  
Twin 146mm x 86mm

\* Matt black and matt white push buttons are supplied with a satin chrome button as standard.

\*\* 1 gang architrave to suit a Wandsworth 1715 wallbox, 2 gang architrave to suit a Wandsworth 1716 wallbox.

\*\*\* Suitable for mains and low voltage filament lamps and many 'leading edge' dimmable mains voltage LED replacement lamps.

† Suitable for mains and low voltage filament lamps and many 'leading edge' dimmable mains voltage LED replacement lamps - features 'trimmer' to set lower dimmed lighting level.

## IMPORTANT NOTE

Please check your chosen finish code (shown on page 68).

Part numbers for ordering consist of the style code A, followed by the finish code and then the product code.

For example:

STYLE **A**  
 FINISH **SS**  
 (for satin stainless steel)  
 PRODUCT **11.1W**  
 PART NO. **ASS11.1W**

LIGHT SWITCHES AND DIMMING		PRODUCT CODE		Wallbox Depth (mm)
COMBINATION DIMMER/ROCKERS		White Insert	Black Insert	
	Single plate cw 1 x 400W intelligent dimmer 1 x 20A 2 way rocker	401.1W/T	401.1B/T	35mm Single
	Single plate cw 1 x 400W dimmer 1 x 20A way rocker	402.1W	402.1B	35mm Single
	Twin plate cw 1 x 400W intelligent dimmer 2 x 20A 2 way rocker	415.1W/T	415.1B/T	35mm Twin
	Twin plate cw 1 x 400W dimmer 2 x 20A way rocker	416.1W	416.1B	35mm Twin
	Twin plate cw 2 x 400W intelligent dimmer 1 x 20A 2 way rocker	427.1W/TT	427.1B/TT	35mm Twin
	Twin plate cw 2 x 400W dimmer 1 x 20A 2 way rocker	428.1W	428.1B	35mm Twin
	Twin plate cw 2 x 400W intelligent dimmer 2 x 20A 2 way rocker	443.1W/TT	443.1B/TT	35mm Twin
	Twin plate cw 2 x 400W dimmer 2 x 20A 2 way rocker	444.1W	444.1B	35mm Twin
	Twin plate cw 3 x 400W intelligent dimmer 1 x 20A 2 way rocker	451.1W/TTT	451.1B/TTT	35mm Twin
	Twin plate cw 3 x 400W dimmer 1 x 20A 2 way rocker	452.1W	452.1B	35mm Twin
	Twin plate cw 1 x 400W intelligent dimmer 3 x 20A 2 way rocker	459.1W/T	459.1B/T	35mm Twin
	Twin plate cw 1 x 400W dimmer 3 x 20A way rocker	460.1W	460.1B	35mm Twin
COMBINATION DIMMER/TOGGLES		PRODUCT CODE		
	Single plate cw 1 x 400W intelligent dimmer 1 x 20A 2 way toggle	501.1/T		35mm Single
	Single plate cw 1 x 400W dimmer 1 x 20A way toggle	502.1		35mm Single
	Twin plate cw 1 x 400W intelligent dimmer 2 x 20A 2 way toggle	515.1/T		35mm Twin
	Twin plate cw 1 x 400W dimmer 2 x 20A way toggle	516.1		35mm Twin
	Twin plate cw 2 x 400W intelligent dimmer 1 x 20A 2 way toggle	527.1/TT		35mm Twin
	Twin plate cw 2 x 400W dimmer 1 x 20A 2 way toggle	528.1		35mm Twin
	Twin plate cw 2 x 400W intelligent dimmer 2 x 20A 2 way toggle	543.1/TT		35mm Twin
	Twin plate cw 2 x 400W dimmer 2 x 20A 2 way toggle	544.1		35mm Twin
	Twin plate cw 3 x 400W intelligent dimmer 1 x 20A 2 way toggle	551.1/TTT		35mm Twin
	Twin plate cw 3 x 400W dimmer 1 x 20A 2 way toggle	552.1		35mm Twin
	Twin plate cw 1 x 400W intelligent dimmer 3 x 20A 2 way toggle	559.1/T		35mm Twin
	Twin plate cw 1 x 400W dimmer 3 x 20A way toggle	560.1		35mm Twin

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
 Single 86mm x 86mm  
 Twin 146mm x 86mm

## IMPORTANT NOTE

Please check your chosen finish code (shown on page 68).

































Part numbers for ordering consist of the style code A, followed by the finish code and then the product code.

For example:

STYLE **A**  
 FINISH **SS**  
 (for satin stainless steel)  
 PRODUCT **11.1W**  
 PART NO. **ASS11.1W**

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
 Single 86mm x 86mm  
 Twin 146mm x 86mm

POWER AND CONNECTION		PRODUCT CODE		Wallbox Depth (mm)
SWITCHED SOCKET OUTLETS (PLASTIC SWITCHES)		White Insert	Black Insert	
	2 gang 13 amp	17.2W	17.2B	35mm Twin
	2 gang 13 amp USB sw/skt (laser marked)**	78.2W	78.2B	SEE NOTES*
	1 gang 13 amp	17.1W	17.1B	35mm Single
	1 gang 13 amp USB sw/skt (laser marked)**	78.1W	78.1B	SEE NOTES*
SWITCHED SOCKET OUTLETS (METAL SWITCHES)				
	2 gang 13 amp	18.2W	18.2B	35mm Twin
	2 gang 13 amp USB sw/skt (laser marked)	68.2W	68.2B	SEE NOTES*
	1 gang 13 amp	18.1W	18.1B	35mm Single
	1 gang 13 amp USB sw/skt (laser marked)	68.1W	68.1B	SEE NOTES*
	Single 13A switched socket + type A & C USB PD module	35.1W	35.1B	SEE NOTES*
UNSWITCHED SOCKET OUTLETS				
	1 gang 5 amp	20.1W	20.1B	35mm Single
	2 gang 5 amp	20.2W	20.2B	35mm Twin
	1 gang 13 amp	17.1W/US	17.1B/US	35mm Single
	2 gang 13 amp	17.2W/US	17.2B/US	35mm Twin
	1 gang 2 amp	19.1W	19.1B	35mm Single
	Shaver socket outlet 110/240 voltage	36.1W	36.1B	47mm Twin***
FUSED CONNECTION UNITS (PLASTIC SWITCHES)				
	13 amp switch fuse spur	86.1W	86.1B	35mm Single
	13 amp switch fuse neon spur	87.1W	87.1B	35mm Single
	13 amp switch fuse cord spur	88.1W	88.1B	35mm Single
	13 amp switch fuse neon cord spur	89.1W	89.1B	35mm Single
FUSED CONNECTION UNITS (METAL SWITCHES)				
	13 amp switch fuse spur	26.1W	26.1B	35mm Single
	13 amp switch fuse neon spur	27.1W	27.1B	35mm Single
	13 amp switch fuse cord spur	28.1W	28.1B	35mm Single
	13 amp switch fuse neon cord spur	29.1W	29.1B	35mm Single
FLEX OUTLET				
	Flex outlet with terminals	69.1W	69.1B	35mm Single
COOKER SWITCHES				
	45 amp cooker control switch small	32.1W/SML	32.1B/SML	35mm Single
	45 amp cooker control switch small c/w neon	33.1W/SML	33.1B/SML	35mm Single
	45 amp cooker control switch large	32.1W/LGE	32.1B/LGE	35mm Twin
	45 amp cooker control switch large c/w neon	33.1W/LGE	33.1B/LGE	35mm Twin
	45 amp cooker switch with single 13 amp switch socket	34.1W	34.1B	35mm Twin
	20 amp DP with neon	30.1		35mm Single
FAN SWITCH (PLASTIC SWITCH)		White Insert	Black Insert	
	Fan switch	56.1W	56.1B	35mm Single
FAN SWITCH (METAL SWITCH)		PRODUCT CODE		
	Fan switch	96.1		35mm Single

\* Will suit a 35mm deep box when using top cable entry, if using rear or bottom cable entry a 47mm deep wallbox will be required.

\*\* Except primed.

\*\*\* Please set wall box back 5mm to allow for the grid.





## IMPORTANT NOTE




Please check your chosen finish code (shown on page 68).





Part numbers for ordering consist of the style code A, followed by the finish code and then the product code.

For example:

STYLE **A**  
 FINISH **SS**  
 (for satin stainless steel)  
 PRODUCT **11.1W**  
 PART NO. **ASS11.1W**

POWER AND CONNECTION		PRODUCT CODE	Wallbox Depth (mm)
<b>SMART HOME INTEGRATION / SECURITY</b>			
	Panic button complete	42.1	35mm Single
	Sounder plate only	40.1	N/A
	Sounder complete	41.1	35mm Single
	Temperature sensor plate with 16.5mm hole	39.1	N/A

KEYPAD FACEPLATE FINISHING (**add finish code)			
	Lutron Seetouch	**~70125	N/A
	Lutron Palladiom single column	LWT-S-P-**	N/A
	Lutron Palladiom dual column	LWT-S-PP-**	N/A










AV & DATA			
EURO MODULE PLATES			
	1 module euro plate	EUR.1	35mm Single
	2 module euro plate	EUR.2	35mm Single
	3 module euro plate	EUR.3	35mm Twin
	4 module euro plate	EUR.4	35mm Twin


SPEAKER SOCKETS			
	1 gang 2 post speaker socket	67.1	35mm Single
	1 gang 4 post speaker socket	67.2	35mm Single





VOLUME CONTROL			
	1 gang 8 ohm 15w volume control	13.1	35mm Single


BRUSH PLATES		White Insert	Black Insert	
	1 gang brush plate	BRUSH.1W	BRUSH.1B	35mm Single
	2 gang brush plate	BRUSH.2W	BRUSH.2B	35mm Twin




BLANK PLATES		PRODUCT CODE		
	1 gang blank plate	37.1		35mm Single
	2 gang blank plate	37.2		35mm Twin

EURO AV MODULES		PRODUCT CODE		Gang Size
		White Insert	Black Insert	
<b>TV/SAT</b>				
	Female non isolated TV outlet module	AV012/W	AV012/B	1
	Female TV outlet screened module	AV004/W	AV004/B	1
	Male TV outlet screened module	AV003/W	AV003/B	1
	Satellite TV outlet module	AV013/W	AV013/B	1
	Satellite TV outlet screened module	AV005/W	AV005/B	1
	TV/SAT outlet module	AV007/W	AV007/B	2
	Diplex (FM DAB/TV) module	AV006/W	AV006/B	2
	Triplex (FM DAB/SAT/TV) module	AV008/W	AV008/B	2
	Quadplex (SAT SAT TV FM DAB) module	AV009/W	AV009/B	2

TELEPHONE				
	BT master module	AV011/W	AV011/B	1
	BT slave module	AV010/W	AV010/B	1

DATA		White Insert	Black Insert	Gang Size
	RJ11 module	AV014/W	AV014/B	1
	RJ45 Cat 5e module	AV015/W	AV015/B	1
	RJ45 Cat6 module	AV016/W	AV016/B	1
	Angled keystone fascia with shutter	AV022/W	AV022/B	1

HDMI				
	HDMI module (tailed)	AV018/W	AV018/B	1

USB				
	USB connector (non-charging tailed)	AV019/W	AV019/B	1
	USB type A and C charger	AV021/W	AV021/B	1
	45W power delivery USB charger	AV023/W	AV023/B	2

BLANK				
	Blank 25mm x 50mm	AV001/W	AV001/B	1
	Blank 12.5mm x 50mm	AV002/W	AV002/B	0.5

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
 Single 86mm x 86mm  
 Twin 146mm x 86mm












## IMPORTANT NOTE

Please check your chosen finish code (shown on page 68).












Part numbers for ordering consist of the style code NA, followed by the finish code and then the product code.

For example:





STYLE NA  
FINISH SS  
(for satin stainless steel)  
PRODUCT 11.1W  
PART NO. NASS11.1W

LIGHT SWITCHES AND DIMMING		PRODUCT CODE		Wallbox Depth (mm)
ROCKER GRID SWITCHES (PLASTIC SWITCHES)		White Insert	Black Insert	
	1 gang 20 amp 2 way rocker switch	10.1W	10.1B	35mm Single
	2 gang 20 amp 2 way rocker switch	10.2W	10.2B	35mm Single
	3 gang 20 amp 2 way rocker switch	10.3W	10.3B	35mm Twin
	4 gang 20 amp 2 way rocker switch	10.4W	10.4B	35mm Twin
	6 gang 20 amp 2 way rocker switch	10.6W	10.6B	133x133x40
	8 gang 20 amp 2 way rocker switch	10.8W	10.8B	133x133x40
	1 gang 20 amp double pole rocker switch	10.1W/2	10.1B/2	35mm Single
	1 gang 20 amp intermediate rocker switch	10.1W/3	10.1B/3	35mm Single
	1 gang 20 amp 2 way and off rocker switch	10.1W/4	10.1B/4	35mm Single
	1 gang 20 amp retractive rocker switch	10.1W/5	10.1B/5	35mm Single
	1 gang 20 amp 2 way and off retractive rocker switch	10.1W/7	10.1B/7	35mm Single

### ROCKER GRID SWITCHES (METAL SWITCHES)

	1 gang 20 amp 2 way rocker switch	11.1W	11.1B	35mm Single
	2 gang 20 amp 2 way rocker switch	11.2W	11.2B	35mm Single
	3 gang 20 amp 2 way rocker switch	11.3W	11.3B	35mm Twin
	4 gang 20 amp 2 way rocker switch	11.4W	11.4B	35mm Twin
	6 gang 20 amp 2 way rocker switch	11.6W	11.6B	133x133x40
	8 gang 20 amp 2 way rocker switch	11.8W	11.8B	133x133x40
	1 gang 20 amp double pole rocker switch	11.1W/2	11.1B/2	35mm Single
	1 gang 20 amp intermediate rocker switch	11.1W/3	11.1B/3	35mm Single
	1 gang 20 amp 2 way and off rocker switch	11.1W/4	11.1B/4	35mm Single
	1 gang 20 amp retractive rocker switch	11.1W/5	11.1B/5	35mm Single
	1 gang 20 amp 2 way and off retractive rocker switch	11.1W/7	11.1B/7	35mm Single

### TOGGLE SWITCHES

		PRODUCT CODE		
	1 gang 20 amp 2 way toggle switch	14.1		35mm Single
	2 gang 20 amp 2 way toggle switch	14.2		35mm Single
	3 gang 20 amp 2 way toggle switch	14.3		35mm Twin
	4 gang 20 amp 2 way toggle switch	14.4		35mm Twin
	6 gang 20 amp 2 way toggle switch	14.6		133x133x40
	8 gang 20 amp 2 way toggle switch	14.8		133x133x40
	1 gang 20 amp double pole toggle switch	14.1/2		35mm Single
	1 gang 20 amp intermediate toggle switch	14.1/3		35mm Single
	1 gang 20 amp 2 way and off toggle switch	14.1/4		35mm Single
	1 gang 20 amp retractive toggle switch	14.1/5		35mm Single
	1 gang 20 amp 2 way and off retractive toggle switch	14.1/7		35mm Single

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
Single 86mm x 86mm  
Twin 146mm x 86mm

## IMPORTANT NOTE

Please check your chosen finish code (shown on page 68).












Part numbers for ordering consist of the style code NA, followed by the finish code and then the product code.

For example:









STYLE NA  
FINISH SS  
(for satin stainless steel)  
PRODUCT 11.1W  
PART NO. NASS11.1W

## LIGHT SWITCHES AND DIMMING



### CONTEMPORARY TOGGLE SWITCHES

	PRODUCT CODE	Wallbox Depth (mm)	
	1 gang 20 amp 2 way contemporary toggle switch	64.1	35mm Single
	2 gang 20 amp 2 way contemporary toggle switch	64.2	35mm Single
	3 gang 20 amp 2 way contemporary toggle switch	64.3	35mm Twin
	4 gang 20 amp 2 way contemporary toggle switch	64.4	35mm Twin
	6 gang 20 amp 2 way contemporary toggle switch	64.6	133x133x40
	8 gang 20 amp 2 way contemporary toggle switch	64.8	133x133x40
	1 gang 20 amp double pole contemporary toggle switch	64.1/2	35mm Single
	1 gang 20 amp intermediate contemporary toggle switch	64.1/3	35mm Single
	1 gang 20 amp 2 way and off contemporary toggle switch	64.1/4	35mm Single
	1 gang 20 amp retractive contemporary toggle switch	64.1/5	35mm Single
	1 gang 20 amp 2 way and off retractive contemporary toggle switch	64.1/7	35mm Single

### PUSH BUTTON SWITCHES\*

	1 gang 10 amp 2 way latching push button	14.1/8	35mm Single
	2 gang 10 amp 2 way latching push button	14.2/88	35mm Single
	3 gang 10 amp 2 way latching push button	14.3/888	35mm Twin
	4 gang 10 amp 2 way latching push button	14.4/8888	35mm Twin
	1 gang retractive push button	14.1/9	35mm Single
	2 gang retractive push button	14.2/99	35mm Single
	3 gang retractive push button	14.3/999	35mm Twin
	4 gang retractive push button	14.4/9999	35mm Twin


### ARCHITRAVE SWITCHES (PLASTIC SWITCHES)

		White Insert	Black Insert	
	1 gang 20 amp 2 way rocker switch	15.1W	15.1B	See Notes**
	2 gang 20 amp 2 way rocker switch	15.2W	15.2B	See Notes**

### ARCHITRAVE SWITCHES (METAL SWITCHES)

	1 gang 20 amp 2 way rocker switch	16.1W	16.1B	See Notes**
	2 gang 20 amp 2 way rocker switch	16.2W	16.2B	See Notes**
	1 gang 20 amp 2 way toggle switch	44.1		See Notes**
	2 gang 20 amp 2 way toggle switch	44.2		See Notes**

### INTELLIGENT ROTARY DIMMERS

	PRODUCT CODE		
	1 gang 400W intelligent dimmer	21.1/T	35mm Single
	2 gang 400W intelligent dimmer	21.2/TT	35mm Single
	3 gang 400W intelligent dimmer	21.3/TTT	35mm Twin
	4 gang 400W intelligent dimmer	21.4/TTTT	35mm Twin

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
Single 86mm x 86mm  
Twin 146mm x 86mm

\* Matt black and matt white push buttons are supplied with a satin chrome button as standard.

\*\* 1 gang architrave to suit a Wandsworth 1715 wallbox, 2 gang architrave to suit a Wandsworth 1716 wallbox.






































## IMPORTANT NOTE

Please check your chosen finish code (shown on page 68).

Part numbers for ordering consist of the style code NA, followed by the finish code and then the product code.

For example:

STYLE NA  
FINISH SS  
(for satin stainless steel)  
PRODUCT 11.1W  
PART NO. NASS11.1W

LIGHT SWITCHES AND DIMMING		PRODUCT CODE	Wallbox Depth (mm)
<b>ROTARY DIMMERS</b>			
	1 gang 250W dimmer (mains and low voltage)***	21.1	35mm Single
	2 gang 250W dimmer (mains and low voltage)***	21.2	35mm Single
	3 gang 250W dimmer (mains and low voltage)***	21.3	35mm Twin
	4 gang 250W dimmer (mains and low voltage)***	21.4	35mm Twin
	1 gang 400W dimmer (mains and low voltage) †	22.1	35mm Single
	2 gang 400W dimmer (mains and low voltage) †	22.2	35mm Single
	3 gang 400W dimmer (mains and low voltage) †	22.3	35mm Twin
	4 gang 400W dimmer (mains and low voltage) †	22.4	35mm Twin
	1 gang 0-10V dimmer	21.1/6	35mm Single
	1 gang intermediate on/off	21.1/7	35mm Single
	1 gang 2 way push on/off	21.1/1	35mm Single
<b>COMBINATION DIMMER/ROCKERS</b>		<i>White Insert</i>	<i>Black Insert</i>
	Single plate cw 1 x 400W intelligent dimmer 1 x 20A 2 way rocker	401.1W/T	401.1B/T
	Single plate cw 1 x 400W dimmer 1 x 20A way rocker	402.1W	402.1B
	Twin plate cw 1 x 400W intelligent dimmer 2 x 20A 2 way rocker	415.1W/T	415.1B/T
	Twin plate cw 1 x 400W dimmer 2 x 20A way rocker	416.1W	416.1B
	Twin plate cw 2 x 400W intelligent dimmer 1 x 20A 2 way rocker	427.1W/TT	427.1B/TT
	Twin plate cw 2 x 400W dimmer 1 x 20A 2 way rocker	428.1W	428.1B
	Twin plate cw 2 x 400W intelligent dimmer 2 x 20A 2 way rocker	443.1W/TT	443.1B/TT
	Twin plate cw 2 x 400W dimmer 2 x 20A 2 way rocker	444.1W	444.1B
	Twin plate cw 3 x 400W intelligent dimmer 1 x 20A 2 way rocker	451.1W/TTT	451.1B/TTT
	Twin plate cw 3 x 400W dimmer 1 x 20A 2 way rocker	452.1W	452.1B
	Twin plate cw 1 x 400W intelligent dimmer 3 x 20A 2 way rocker	459.1W/T	459.1B/T
	Twin plate cw 1 x 400W dimmer 3 x 20A way rocker	460.1W	460.1B
<b>COMBINATION DIMMER/TOGGLES</b>		PRODUCT CODE	
	Single plate cw 1 x 400W intelligent dimmer 1 x 20A 2 way toggle	501.1/T	35mm Single
	Single plate cw 1 x 400W dimmer 1 x 20A way toggle	502.1	35mm Single
	Twin plate cw 1 x 400W intelligent dimmer 2 x 20A 2 way toggle	515.1/T	35mm Twin
	Twin plate cw 1 x 400W dimmer 2 x 20A way toggle	516.1	35mm Twin
	Twin plate cw 2 x 400W intelligent dimmer 1 x 20A 2 way toggle	527.1/TT	35mm Twin
	Twin plate cw 2 x 400W dimmer 1 x 20A 2 way toggle	528.1	35mm Twin
	Twin plate cw 2 x 400W intelligent dimmer 2 x 20A 2 way toggle	543.1/TT	35mm Twin
	Twin plate cw 2 x 400W dimmer 2 x 20A 2 way toggle	544.1	35mm Twin
	Twin plate cw 3 x 400W intelligent dimmer 1 x 20A 2 way toggle	551.1/TTT	35mm Twin
	Twin plate cw 3 x 400W dimmer 1 x 20A 2 way toggle	552.1	35mm Twin
	Twin plate cw 1 x 400W intelligent dimmer 3 x 20A 2 way toggle	559.1/T	35mm Twin
	Twin plate cw 1 x 400W dimmer 3 x 20A way toggle	560.1	35mm Twin

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
Single 86mm x 86mm  
Twin 146mm x 86mm

\*\*\* Suitable for mains and low voltage filament lamps and many 'leading edge' dimmable mains voltage LED replacement lamps.

† Suitable for mains and low voltage filament lamps and many 'leading edge' dimmable mains voltage LED replacement lamps - features 'trimmer' to set lower dimmed lighting level.

































## IMPORTANT NOTE

Please check your chosen finish code (shown on page 68).

Part numbers for ordering consist of the style code NA, followed by the finish code and then the product code.

For example:

STYLE NA  
FINISH SS  
(for satin stainless steel)  
PRODUCT 11.1W  
PART NO. NASS11.1W

POWER AND CONNECTION		PRODUCT CODE		Wallbox Depth (mm)
SWITCHED SOCKET OUTLETS (PLASTIC SWITCHES)		White Insert	Black Insert	
	2 gang 13 amp	17.2W	17.2B	35mm Twin
	2 gang 13 amp USB sw/skt (laser marked)**	78.2W	78.2B	SEE NOTES*
	1 gang 13 amp	17.1W	17.1B	35mm Single
	1 gang 13 amp USB sw/skt (laser marked)**	78.1W	78.1B	SEE NOTES*
SWITCHED SOCKET OUTLETS (METAL SWITCHES)				
	2 gang 13 amp	18.2W	18.2B	35mm Twin
	2 gang 13 amp USB sw/skt (laser marked)	68.2W	68.2B	SEE NOTES*
	1 gang 13 amp	18.1W	18.1B	35mm Single
	1 gang 13 amp USB sw/skt (laser marked)	68.1W	68.1B	SEE NOTES*
	Single 13A switched socket + type A & C USB PD module	35.1W	35.1B	SEE NOTES*
UNSWITCHED SOCKET OUTLETS				
	1 gang 5 amp	20.1W	20.1B	35mm Single
	2 gang 5 amp	20.2W	20.2B	35mm Twin
	1 gang 13 amp	17.1W/US	17.1B/US	35mm Single
	2 gang 13 amp	17.2W/US	17.2B/US	35mm Twin
	1 gang 2 amp	19.1W	19.1B	35mm Single
	Shaver socket outlet 110/240 voltage	36.1W	36.1B	47mm Twin***
FUSED CONNECTION UNITS (PLASTIC SWITCHES)				
	13 amp switch fuse spur	86.1W	86.1B	35mm Single
	13 amp switch fuse neon spur	87.1W	87.1B	35mm Single
	13 amp switch fuse cord spur	88.1W	88.1B	35mm Single
	13 amp switch fuse neon cord spur	89.1W	89.1B	35mm Single
FUSED CONNECTION UNITS (METAL SWITCHES)				
	13 amp switch fuse spur	26.1W	26.1B	35mm Single
	13 amp switch fuse neon spur	27.1W	27.1B	35mm Single
	13 amp switch fuse cord spur	28.1W	28.1B	35mm Single
	13 amp switch fuse neon cord spur	29.1W	29.1B	35mm Single
FLEX OUTLET				
	Flex outlet with terminals	69.1W	69.1B	35mm Single
COOKER SWITCHES				
	45 amp cooker control switch small	32.1W/SML	32.1B/SML	35mm Single
	45 amp cooker control switch small c/w neon	33.1W/SML	33.1B/SML	35mm Single
	45 amp cooker control switch large	32.1W/LGE	32.1B/LGE	35mm Twin
	45 amp cooker control switch large c/w neon	33.1W/LGE	33.1B/LGE	35mm Twin
	45 amp cooker switch with single 13 amp switch socket	34.1W	34.1B	35mm Twin
	20 amp DP with neon	30.1		35mm Single
FAN SWITCH (PLASTIC SWITCH)		White Insert	Black Insert	
	Fan switch	56.1W	56.1B	35mm Single
FAN SWITCH (METAL SWITCH)		PRODUCT CODE		
	Fan switch	96.1		35mm Single

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
Single 86mm x 86mm  
Twin 146mm x 86mm

\* Will suit a 35mm deep box when using top cable entry, if using rear or bottom cable entry a 47mm deep wallbox will be required.

\*\* Except primed.

\*\*\* Please set wall box back 5mm to allow for the grid.





## IMPORTANT NOTE




Please check your chosen finish code (shown on page 68).





Part numbers for ordering consist of the style code NA, followed by the finish code and then the product code.

For example:

STYLE NA  
FINISH SS  
(for satin stainless steel)  
PRODUCT 11.1W  
PART NO. NASS11.1W

POWER AND CONNECTION		PRODUCT CODE	Wallbox Depth (mm)
<b>SMART HOME INTEGRATION / SECURITY</b>			
	Panic button complete	42.1	35mm Single
	Sounder plate only	40.1	N/A
	Sounder complete	41.1	35mm Single
	Temperature sensor plate with 16.5mm hole	39.1	N/A

KEYPAD FACEPLATE FINISHING (**add finish code)			
	Lutron Seetouch	** -70125	N/A
	Lutron Palladiom single column	LWT-S-P-**	N/A
	Lutron Palladiom dual column	LWT-S-PP-**	N/A










AV & DATA			
EURO MODULE PLATES			
	1 module euro plate	EUR.1	35mm Single
	2 module euro plate	EUR.2	35mm Single
	3 module euro plate	EUR.3	35mm Twin
	4 module euro plate	EUR.4	35mm Twin



SPEAKER SOCKETS			
	1 gang 2 post speaker socket	67.1	35mm Single
	1 gang 4 post speaker socket	67.2	35mm Single





VOLUME CONTROL			
	1 gang 8 ohm 15w volume control	13.1	35mm Single


BRUSH PLATES				
		White Insert	Black Insert	
	1 gang brush plate	BRUSH.1W	BRUSH.1B	35mm Single
	2 gang brush plate	BRUSH.2W	BRUSH.2B	35mm Twin




BLANK PLATES			
		PRODUCT CODE	
	1 gang blank plate	37.1	35mm Single
	2 gang blank plate	37.2	35mm Twin

EURO AV MODULES		PRODUCT CODE		Gang Size
		White Insert	Black Insert	
<b>TV/SAT</b>				
	Female non isolated TV outlet module	AV012/W	AV012/B	1
	Female TV outlet screened module	AV004/W	AV004/B	1
	Male TV outlet screened module	AV003/W	AV003/B	1
	Satellite TV outlet module	AV013/W	AV013/B	1
	Satellite TV outlet screened module	AV005/W	AV005/B	1
	TV/SAT outlet module	AV007/W	AV007/B	2
	Diplex (FM DAB/TV) module	AV006/W	AV006/B	2
	Triplex (FM DAB/SAT/TV) module	AV008/W	AV008/B	2
	Quadplex (SAT SAT TV FM DAB) module	AV009/W	AV009/B	2

TELEPHONE				
	BT master module	AV011/W	AV011/B	1
	BT slave module	AV010/W	AV010/B	1

DATA				
		White Insert	Black Insert	Gang Size
	RJ11 module	AV014/W	AV014/B	1
	RJ45 Cat 5e module	AV015/W	AV015/B	1
	RJ45 Cat6 module	AV016/W	AV016/B	1
	Angled keystone fascia with shutter	AV022/W	AV022/B	1

HDMI				
	HDMI module (tailed)	AV018/W	AV018/B	1

USB				
	USB connector (non-charging tailed)	AV019/W	AV019/B	1
	USB type A and C charger	AV021/W	AV021/B	1
	45W power delivery USB charger	AV023/W	AV023/B	2

BLANK				
	Blank 25mm x 50mm	AV001/W	AV001/B	1
	Blank 12.5mm x 50mm	AV002/W	AV002/B	0.5

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
Single 86mm x 86mm  
Twin 146mm x 86mm

## IMPORTANT NOTE

Please check your chosen finish code (shown on page 68).

Part numbers for ordering consist of the style code H, followed by the finish code and then the product code.

For example:


































STYLE H

FINISH SS

(for satin stainless steel)

PRODUCT 11.1

PART NO. HSS11.1

LIGHT SWITCHES AND DIMMING		PRODUCT CODE		Wallbox Depth (mm)
ROCKER GRID SWITCHES (PLASTIC SWITCHES)		White Insert	Black Insert	
	1 gang 20 amp 2 way rocker switch	10.1W	10.1B	35mm Single
	2 gang 20 amp 2 way rocker switch	10.2W	10.2B	35mm Single
	3 gang 20 amp 2 way rocker switch	10.3W	10.3B	35mm Twin
	4 gang 20 amp 2 way rocker switch	10.4W	10.4B	35mm Twin
	6 gang 20 amp 2 way rocker switch	10.6W	10.6B	133x133x40
	8 gang 20 amp 2 way rocker switch	10.8W	10.8B	133x133x40
	1 gang 20 amp double pole rocker switch	10.1W/2	10.1B/2	35mm Single
	1 gang 20 amp intermediate rocker switch	10.1W/3	10.1B/3	35mm Single
	1 gang 20 amp 2 way and off rocker switch	10.1W/4	10.1B/4	35mm Single
	1 gang 20 amp retractive rocker switch	10.1W/5	10.1B/5	35mm Single
	1 gang 20 amp 2 way and off retractive rocker switch	10.1W/7	10.1B/7	35mm Single
ROCKER GRID SWITCHES (METAL SWITCHES)		PRODUCT CODE		
	1 gang 20 amp 2 way rocker switch	11.1		35mm Single
	2 gang 20 amp 2 way rocker switch	11.2		35mm Single
	3 gang 20 amp 2 way rocker switch	11.3		35mm Twin
	4 gang 20 amp 2 way rocker switch	11.4		35mm Twin
	6 gang 20 amp 2 way rocker switch	11.6		133x133x40
	8 gang 20 amp 2 way rocker switch	11.8		133x133x40
	1 gang 20 amp double pole rocker switch	11.1/2		35mm Single
	1 gang 20 amp intermediate rocker switch	11.1/3		35mm Single
	1 gang 20 amp 2 way and off rocker switch	11.1/4		35mm Single
	1 gang 20 amp retractive rocker switch	11.1/5		35mm Single
	1 gang 20 amp 2 way and off retractive rocker switch	11.1/7		35mm Single
TOGGLE SWITCHES				
	1 gang 20 amp 2 way toggle switch	14.1		35mm Single
	2 gang 20 amp 2 way toggle switch	14.2		35mm Single
	3 gang 20 amp 2 way toggle switch	14.3		35mm Twin
	4 gang 20 amp 2 way toggle switch	14.4		35mm Twin
	6 gang 20 amp 2 way toggle switch	14.6		133x133x40
	8 gang 20 amp 2 way toggle switch	14.8		133x133x40
	1 gang 20 amp double pole toggle switch	14.1/2		35mm Single
	1 gang 20 amp intermediate toggle switch	14.1/3		35mm Single
	1 gang 20 amp 2 way and off toggle switch	14.1/4		35mm Single
	1 gang 20 amp retractive toggle switch	14.1/5		35mm Single
	1 gang 20 amp 2 way and off retractive toggle switch	14.1/7		35mm Single

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
Single 86mm x 86mm  
Twin 146mm x 86mm

## IMPORTANT NOTE

Please check your chosen finish code (shown on page 68).

Part numbers for ordering consist of the style code H, followed by the finish code and then the product code.

For example:






























STYLE H

FINISH SS

(for satin stainless steel)

PRODUCT 11.1

PART NO. HSS11.1

LIGHT SWITCHES AND DIMMING		PRODUCT CODE	Wallbox Depth (mm)
<b>PUSH BUTTON SWITCHES*</b>			
	1 gang 10 amp 2 way latching push button	14.1/8	35mm Single
	2 gang 10 amp 2 way latching push button	14.2/88	35mm Single
	3 gang 10 amp 2 way latching push button	14.3/888	35mm Twin
	4 gang 10 amp 2 way latching push button	14.4/8888	35mm Twin
	1 gang retractive push button	14.1/9	35mm Single
	2 gang retractive push button	14.2/99	35mm Single
	3 gang retractive push button	14.3/999	35mm Twin
	4 gang retractive push button	14.4/9999	35mm Twin
<b>ARCHITRAVE SWITCHES (PLASTIC SWITCHES)</b>		<i>White Insert</i>	<i>Black Insert</i>
	1 gang 20 amp 2 way rocker switch	15.1W	15.1B
	2 gang 20 amp 2 way rocker switch	15.2W	15.2B
<b>ARCHITRAVE SWITCHES (METAL SWITCHES)</b>		PRODUCT CODE	
	1 gang 20 amp 2 way rocker switch	16.1	See Notes**
	2 gang 20 amp 2 way rocker switch	16.2	See Notes**
	1 gang 20 amp 2 way toggle switch	44.1	See Notes**
	2 gang 20 amp 2 way toggle switch	44.2	See Notes**
<b>INTELLIGENT ROTARY DIMMERS</b>			
	1 gang 400W intelligent dimmer	21.1/T	35mm Single
	2 gang 400W intelligent dimmer	21.2/TT	35mm Single
	3 gang 400W intelligent dimmer	21.3/TTT	35mm Twin
	4 gang 400W intelligent dimmer	21.4/TTTT	35mm Twin
<b>ROTARY DIMMERS</b>			
	1 gang 250W dimmer (mains and low voltage)***	21.1	35mm Single
	2 gang 250W dimmer (mains and low voltage)***	21.2	35mm Single
	3 gang 250W dimmer (mains and low voltage)***	21.3	35mm Twin
	4 gang 250W dimmer (mains and low voltage)***	21.4	35mm Twin
	1 gang 400W dimmer (mains and low voltage)†	22.1	35mm Single
	2 gang 400W dimmer (mains and low voltage)†	22.2	35mm Single
	3 gang 400W dimmer (mains and low voltage)†	22.3	35mm Twin
	4 gang 400W dimmer (mains and low voltage)†	22.4	35mm Twin
	1 gang 0-10V dimmer	21.1/6	35mm Single
	1 gang intermediate on/off	21.1/7	35mm Single
	1 gang 2 way push on/off	21.1/1	35mm Single

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
Single 86mm x 86mm  
Twin 146mm x 86mm

\* Matt black and matt white push buttons are supplied with a satin chrome button as standard.

\*\* 1 gang architrave to suit a Wandsworth 1715 wallbox, 2 gang architrave to suit a Wandsworth 1716 wallbox.

\*\*\* Suitable for mains and low voltage filament lamps and many 'leading edge' dimmable mains voltage LED replacement lamps.

† Suitable for mains and low voltage filament lamps and many 'leading edge' dimmable mains voltage LED replacement lamps - features 'trimmer' to set lower dimmed lighting level.

## IMPORTANT NOTE

Please check your chosen finish code (shown on page 68).

Part numbers for ordering consist of the style code H, followed by the finish code and then the product code.

For example:

STYLE H

FINISH SS






















(for satin stainless steel)

PRODUCT 11.1

PART NO. HSS11.1

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
Single 86mm x 86mm  
Twin 146mm x 86mm

LIGHT SWITCHES AND DIMMING		PRODUCT CODE	Wallbox Depth (mm)
<b>COMBINATION DIMMER/ROCKERS</b>			
	Single plate cw 1 x 400W intelligent dimmer 1 x 20A 2 way rocker	401.1/T	35mm Single
	Single plate cw 1 x 400W dimmer 1 x 20A way rocker	402.1	35mm Single
	Twin plate cw 1 x 400W intelligent dimmer 2 x 20A 2 way rocker	415.1/T	35mm Twin
	Twin plate cw 1 x 400W dimmer 2 x 20A way rocker	416.1	35mm Twin
	Twin plate cw 2 x 400W intelligent dimmer 1 x 20A 2 way rocker	427.1/TT	35mm Twin
	Twin plate cw 2 x 400W dimmer 1 x 20A 2 way rocker	428.1	35mm Twin
	Twin plate cw 2 x 400W intelligent dimmer 2 x 20A 2 way rocker	443.1/TT	35mm Twin
	Twin plate cw 2 x 400W dimmer 2 x 20A 2 way rocker	444.1	35mm Twin
	Twin plate cw 3 x 400W intelligent dimmer 1 x 20A 2 way rocker	451.1/TTT	35mm Twin
	Twin plate cw 3 x 400W dimmer 1 x 20A 2 way rocker	452.1	35mm Twin
	Twin plate cw 1 x 400W intelligent dimmer 3 x 20A 2 way rocker	459.1/T	35mm Twin
	Twin plate cw 1 x 400W dimmer 3 x 20A way rocker	460.1	35mm Twin
<b>COMBINATION DIMMER/TOGGLES</b>			
	Single plate cw 1 x 400W intelligent dimmer 1 x 20A 2 way toggle	501.1/T	35mm Single
	Single plate cw 1 x 400W dimmer 1 x 20A way toggle	502.1	35mm Single
	Twin plate cw 1 x 400W intelligent dimmer 2 x 20A 2 way toggle	515.1/T	35mm Twin
	Twin plate cw 1 x 400W dimmer 2 x 20A way toggle	516.1	35mm Twin
	Twin plate cw 2 x 400W intelligent dimmer 1 x 20A 2 way toggle	527.1/TT	35mm Twin
	Twin plate cw 2 x 400W dimmer 1 x 20A 2 way toggle	528.1	35mm Twin
	Twin plate cw 2 x 400W intelligent dimmer 2 x 20A 2 way toggle	543.1/TT	35mm Twin
	Twin plate cw 2 x 400W dimmer 2 x 20A 2 way toggle	544.1	35mm Twin
	Twin plate cw 3 x 400W intelligent dimmer 1 x 20A 2 way toggle	551.1/TTT	35mm Twin
	Twin plate cw 3 x 400W dimmer 1 x 20A 2 way toggle	552.1	35mm Twin
	Twin plate cw 1 x 400W intelligent dimmer 3 x 20A 2 way toggle	559.1/T	35mm Twin
	Twin plate cw 1 x 400W dimmer 3 x 20A way toggle	560.1	35mm Twin

































## IMPORTANT NOTE

Please check your chosen finish code (shown on page 68).

Part numbers for ordering consist of the style code H, followed by the finish code and then the product code.

For example:

STYLE **H**  
 FINISH **SS**  
 (for satin stainless steel)  
 PRODUCT **11.1**  
 PART NO. **HSS11.1**

POWER AND CONNECTION		PRODUCT CODE		Wallbox Depth (mm)
SWITCHED SOCKET OUTLETS (PLASTIC SWITCHES)		White Insert	Black Insert	
	2 gang 13 amp	17.2W	17.2B	35mm Twin
	2 gang 13 amp USB sw/skt (laser marked)**	78.2W	78.2B	SEE NOTES*
	1 gang 13 amp	17.1W	17.1B	35mm Single
	1 gang 13 amp USB sw/skt (laser marked)**	78.1W	78.1B	SEE NOTES*
SWITCHED SOCKET OUTLETS (METAL SWITCHES)				
	2 gang 13 amp	18.2W	18.2B	35mm Twin
	2 gang 13 amp USB sw/skt (laser marked)	68.2W	68.2B	SEE NOTES*
	1 gang 13 amp	18.1W	18.1B	35mm Single
	1 gang 13 amp USB sw/skt (laser marked)	68.1W	68.1B	SEE NOTES*
	Single 13A switched socket + type A & C USB PD module	35.1W	35.1B	SEE NOTES*
UNSWITCHED SOCKET OUTLETS				
	1 gang 5 amp	20.1W	20.1B	35mm Single
	2 gang 5 amp	20.2W	20.2B	35mm Twin
	1 gang 13 amp	17.1W/US	17.1B/US	35mm Single
	2 gang 13 amp	17.2W/US	17.2B/US	35mm Twin
	1 gang 2 amp	19.1W	19.1B	35mm Single
	Shaver socket outlet 110/240 voltage	36.1W	36.1B	47mm Twin***
FUSED CONNECTION UNITS (PLASTIC SWITCHES)				
	13 amp switch fuse spur	86.1W	86.1B	35mm Single
	13 amp switch fuse neon spur	87.1W	87.1B	35mm Single
	13 amp switch fuse cord spur	88.1W	88.1B	35mm Single
	13 amp switch fuse neon cord spur	89.1W	89.1B	35mm Single
FUSED CONNECTION UNITS (METAL SWITCHES)				
	13 amp switch fuse spur	26.1W	26.1B	35mm Single
	13 amp switch fuse neon spur	27.1W	27.1B	35mm Single
	13 amp switch fuse cord spur	28.1W	28.1B	35mm Single
	13 amp switch fuse neon cord spur	29.1W	29.1B	35mm Single
FLEX OUTLET				
	Flex outlet with terminals	69.1W	69.1B	35mm Single
COOKER SWITCHES				
	45 amp cooker control switch small	32.1W/SML	32.1B/SML	35mm Single
	45 amp cooker control switch small c/w neon	33.1W/SML	33.1B/SML	35mm Single
	45 amp cooker control switch large	32.1W/LGE	32.1B/LGE	35mm Twin
	45 amp cooker control switch large c/w neon	33.1W/LGE	33.1B/LGE	35mm Twin
	45 amp cooker switch with single 13 amp switch socket	34.1W	34.1B	35mm Twin
	20 amp DP with neon	30.1		35mm Single
FAN SWITCH (PLASTIC SWITCH)		White Insert	Black Insert	
	Fan switch	56.1W	56.1B	35mm Single
FAN SWITCH (METAL SWITCH)		PRODUCT CODE		
	Fan switch	96.1		35mm Single

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
 Single 86mm x 86mm  
 Twin 146mm x 86mm

\* Will suit a 35mm deep box when using top cable entry, if using rear or bottom cable entry a 47mm deep wallbox will be required.

\*\* Except primed.

\*\*\* Please set wall box back 5mm to allow for the grid.





## IMPORTANT NOTE




Please check your chosen finish code (shown on page 68).





Part numbers for ordering consist of the style code H, followed by the finish code and then the product code.

For example:

STYLE **H**  
 FINISH **SS**  
 (for satin stainless steel)  
 PRODUCT **11.1**  
 PART NO. **HSS11.1**


POWER AND CONNECTION		PRODUCT CODE	Wallbox Depth (mm)
<b>SMART HOME INTEGRATION / SECURITY</b>			
	Panic button complete	42.1	35mm Single
	Sounder plate only	40.1	N/A
	Sounder complete	41.1	35mm Single
	Temperature sensor plate with 16.5mm hole	39.1	N/A

KEYPAD FACEPLATE FINISHING (**add finish code)			
	Lutron Seetouch	**~70125	N/A
	Lutron Palladiom single column	LWT-S-P-~	N/A
	Lutron Palladiom dual column	LWT-S-PP-~	N/A










AV & DATA			
<b>EURO MODULE PLATES</b>			
	1 module euro plate	EUR.1	35mm Single
	2 module euro plate	EUR.2	35mm Single
	3 module euro plate	EUR.3	35mm Twin
	4 module euro plate	EUR.4	35mm Twin


SPEAKER SOCKETS			
	1 gang 2 post speaker socket	67.1	35mm Single
	1 gang 4 post speaker socket	67.2	35mm Single





VOLUME CONTROL			
	1 gang 8 ohm 15w volume control	13.1	35mm Single


BRUSH PLATES				
	1 gang brush plate	BRUSH.1W	BRUSH.1B	35mm Single
	2 gang brush plate	BRUSH.2W	BRUSH.2B	35mm Twin




BLANK PLATES			
	1 gang blank plate	37.1	35mm Single
	2 gang blank plate	37.2	35mm Twin



	EURO AV MODULES	PRODUCT CODE		Gang Size
		White Insert	Black Insert	
<b>TV/SAT</b>				
	Female non isolated TV outlet module	AV012/W	AV012/B	1
	Female TV outlet screened module	AV004/W	AV004/B	1
	Male TV outlet screened module	AV003/W	AV003/B	1
	Satellite TV outlet module	AV013/W	AV013/B	1
	Satellite TV outlet screened module	AV005/W	AV005/B	1
	TV/SAT outlet module	AV007/W	AV007/B	2
	Diplex (FM DAB/TV) module	AV006/W	AV006/B	2
	Triplex (FM DAB/SAT/TV) module	AV008/W	AV008/B	2
	Quadplex (SAT SAT TV FM DAB) module	AV009/W	AV009/B	2

TELEPHONE				
	BT master module	AV011/W	AV011/B	1
	BT slave module	AV010/W	AV010/B	1

	DATA	White Insert	Black Insert	Gang Size
	RJ11 module	AV014/W	AV014/B	1
	RJ45 Cat 5e module	AV015/W	AV015/B	1
	RJ45 Cat6 module	AV016/W	AV016/B	1
	Angled keystone fascia with shutter	AV022/W	AV022/B	1

HDMI				
	HDMI module (tailed)	AV018/W	AV018/B	1

USB				
	USB connector (non-charging tailed)	AV019/W	AV019/B	1
	USB type A and C charger	AV021/W	AV021/B	1
	45W power delivery USB charger	AV023/W	AV023/B	2

BLANK				
	Blank 25mm x 50mm	AV001/W	AV001/B	1
	Blank 12.5mm x 50mm	AV002/W	AV002/B	0.5

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
 Single 86mm x 86mm  
 Twin 146mm x 86mm



## IMPORTANT NOTE

Please check your chosen finish code (shown on page 68).

Part numbers for ordering consist of the style code NH, followed by the finish code and then the product code.

For example:


































STYLE NH

FINISH SS

(for satin stainless steel)

PRODUCT 11.1

PART NO. NHSS11.1

LIGHT SWITCHES AND DIMMING		PRODUCT CODE		Wallbox Depth (mm)
ROCKER GRID SWITCHES (PLASTIC SWITCHES)		White Insert	Black Insert	
	1 gang 20 amp 2 way rocker switch	10.1W	10.1B	35mm Single
	2 gang 20 amp 2 way rocker switch	10.2W	10.2B	35mm Single
	3 gang 20 amp 2 way rocker switch	10.3W	10.3B	35mm Twin
	4 gang 20 amp 2 way rocker switch	10.4W	10.4B	35mm Twin
	6 gang 20 amp 2 way rocker switch	10.6W	10.6B	133x133x40
	8 gang 20 amp 2 way rocker switch	10.8W	10.8B	133x133x40
	1 gang 20 amp double pole rocker switch	10.1W/2	10.1B/2	35mm Single
	1 gang 20 amp intermediate rocker switch	10.1W/3	10.1B/3	35mm Single
	1 gang 20 amp 2 way and off rocker switch	10.1W/4	10.1B/4	35mm Single
	1 gang 20 amp retractive rocker switch	10.1W/5	10.1B/5	35mm Single
	1 gang 20 amp 2 way and off retractive rocker switch	10.1W/7	10.1B/7	35mm Single
ROCKER GRID SWITCHES (METAL SWITCHES)		PRODUCT CODE		
	1 gang 20 amp 2 way rocker switch	11.1		35mm Single
	2 gang 20 amp 2 way rocker switch	11.2		35mm Single
	3 gang 20 amp 2 way rocker switch	11.3		35mm Twin
	4 gang 20 amp 2 way rocker switch	11.4		35mm Twin
	6 gang 20 amp 2 way rocker switch	11.6		133x133x40
	8 gang 20 amp 2 way rocker switch	11.8		133x133x40
	1 gang 20 amp double pole rocker switch	11.1/2		35mm Single
	1 gang 20 amp intermediate rocker switch	11.1/3		35mm Single
	1 gang 20 amp 2 way and off rocker switch	11.1/4		35mm Single
	1 gang 20 amp retractive rocker switch	11.1/5		35mm Single
	1 gang 20 amp 2 way and off retractive rocker switch	11.1/7		35mm Single
TOGGLE SWITCHES				
	1 gang 20 amp 2 way toggle switch	14.1		35mm Single
	2 gang 20 amp 2 way toggle switch	14.2		35mm Single
	3 gang 20 amp 2 way toggle switch	14.3		35mm Twin
	4 gang 20 amp 2 way toggle switch	14.4		35mm Twin
	6 gang 20 amp 2 way toggle switch	14.6		133x133x40
	8 gang 20 amp 2 way toggle switch	14.8		133x133x40
	1 gang 20 amp double pole toggle switch	14.1/2		35mm Single
	1 gang 20 amp intermediate toggle switch	14.1/3		35mm Single
	1 gang 20 amp 2 way and off toggle switch	14.1/4		35mm Single
	1 gang 20 amp retractive toggle switch	14.1/5		35mm Single
	1 gang 20 amp 2 way and off retractive toggle switch	14.1/7		35mm Single

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
Single 86mm x 86mm  
Twin 146mm x 86mm

## IMPORTANT NOTE

Please check your chosen finish code (shown on page 68).

Part numbers for ordering consist of the style code NH, followed by the finish code and then the product code.

For example:

STYLE NH

FINISH SS












(for satin stainless steel)

PRODUCT 11.1









PART NO. NHSS11.1

## LIGHT SWITCHES AND DIMMING



### CONTEMPORARY TOGGLE SWITCHES

		PRODUCT CODE	Wallbox Depth (mm)
	1 gang 20 amp 2 way contemporary toggle switch	64.1	35mm Single
	2 gang 20 amp 2 way contemporary toggle switch	64.2	35mm Single
	3 gang 20 amp 2 way contemporary toggle switch	64.3	35mm Twin
	4 gang 20 amp 2 way contemporary toggle switch	64.4	35mm Twin
	6 gang 20 amp 2 way contemporary toggle switch	64.6	133x133x40
	8 gang 20 amp 2 way contemporary toggle switch	64.8	133x133x40
	1 gang 20 amp double pole contemporary toggle switch	64.1/2	35mm Single
	1 gang 20 amp intermediate contemporary toggle switch	64.1/3	35mm Single
	1 gang 20 amp 2 way and off contemporary toggle switch	64.1/4	35mm Single
	1 gang 20 amp retractive contemporary toggle switch	64.1/5	35mm Single
	1 gang 20 amp 2 way and off retractive contemporary toggle switch	64.1/7	35mm Single

### PUSH BUTTON SWITCHES\*

	1 gang 10 amp 2 way latching push button	14.1/8	35mm Single
	2 gang 10 amp 2 way latching push button	14.2/88	35mm Single
	3 gang 10 amp 2 way latching push button	14.3/888	35mm Twin
	4 gang 10 amp 2 way latching push button	14.4/8888	35mm Twin
	1 gang retractive push button	14.1/9	35mm Single
	2 gang retractive push button	14.2/99	35mm Single
	3 gang retractive push button	14.3/999	35mm Twin
	4 gang retractive push button	14.4/9999	35mm Twin

### ARCHITRAVE SWITCHES (PLASTIC SWITCHES)

		White Insert	Black Insert	
	1 gang 20 amp 2 way rocker switch	15.1W	15.1B	See Notes**
	2 gang 20 amp 2 way rocker switch	15.2W	15.2B	See Notes**

### ARCHITRAVE SWITCHES (METAL SWITCHES)

		PRODUCT CODE	
	1 gang 20 amp 2 way rocker switch	16.1	See Notes**
	2 gang 20 amp 2 way rocker switch	16.2	See Notes**
	1 gang 20 amp 2 way toggle switch	44.1	See Notes**
	2 gang 20 amp 2 way toggle switch	44.2	See Notes**

### INTELLIGENT ROTARY DIMMERS

	1 gang 400W intelligent dimmer	21.1/T	35mm Single
	2 gang 400W intelligent dimmer	21.2/TT	35mm Single
	3 gang 400W intelligent dimmer	21.3/TTT	35mm Twin
	4 gang 400W intelligent dimmer	21.4/TTTT	35mm Twin

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
Single 86mm x 86mm  
Twin 146mm x 86mm

\* Matt black and matt white push buttons are supplied with a satin chrome button as standard.

\*\* 1 gang architrave to suit a Wandsworth 1715 wallbox, 2 gang architrave to suit a Wandsworth 1716 wallbox.




































## IMPORTANT NOTE

Please check your chosen finish code (shown on page 68).

Part numbers for ordering consist of the style code NH, followed by the finish code and then the product code.

For example:

STYLE NH  
FINISH SS  
(for satin stainless steel)  
PRODUCT 11.1  
PART NO. NHSS11.1

LIGHT SWITCHES AND DIMMING		PRODUCT CODE	Wallbox Depth (mm)
<b>ROTARY DIMMERS</b>			
	1 gang 250W dimmer (mains and low voltage)***	21.1	35mm Single
	2 gang 250W dimmer (mains and low voltage)***	21.2	35mm Single
	3 gang 250W dimmer (mains and low voltage)***	21.3	35mm Twin
	4 gang 250W dimmer (mains and low voltage)***	21.4	35mm Twin
	1 gang 400W dimmer (mains and low voltage) †	22.1	35mm Single
	2 gang 400W dimmer (mains and low voltage) †	22.2	35mm Single
	3 gang 400W dimmer (mains and low voltage) †	22.3	35mm Twin
	4 gang 400W dimmer (mains and low voltage) †	22.4	35mm Twin
	1 gang 0-10V dimmer	21.1/6	35mm Single
	1 gang intermediate on/off	21.1/7	35mm Single
	1 gang 2 way push on/off	21.1/1	35mm Single
<b>COMBINATION DIMMER/ROCKERS</b>			
	Single plate cw 1 x 400W intelligent dimmer 1 x 20A 2 way rocker	401.1/T	35mm Single
	Single plate cw 1 x 400W dimmer 1 x 20A way rocker	402.1	35mm Single
	Twin plate cw 1 x 400W intelligent dimmer 2 x 20A 2 way rocker	415.1/T	35mm Twin
	Twin plate cw 1 x 400W dimmer 2 x 20A way rocker	416.1	35mm Twin
	Twin plate cw 2 x 400W intelligent dimmer 1 x 20A 2 way rocker	427.1/TT	35mm Twin
	Twin plate cw 2 x 400W dimmer 1 x 20A 2 way rocker	428.1	35mm Twin
	Twin plate cw 2 x 400W intelligent dimmer 2 x 20A 2 way rocker	443.1/TT	35mm Twin
	Twin plate cw 2 x 400W dimmer 2 x 20A 2 way rocker	444.1	35mm Twin
	Twin plate cw 3 x 400W intelligent dimmer 1 x 20A 2 way rocker	451.1/TTT	35mm Twin
	Twin plate cw 3 x 400W dimmer 1 x 20A 2 way rocker	452.1	35mm Twin
	Twin plate cw 1 x 400W intelligent dimmer 3 x 20A 2 way rocker	459.1/T	35mm Twin
	Twin plate cw 1 x 400W dimmer 3 x 20A way rocker	460.1	35mm Twin
<b>COMBINATION DIMMER/TOGGLES</b>			
	Single plate cw 1 x 400W intelligent dimmer 1 x 20A 2 way toggle	501.1/T	35mm Single
	Single plate cw 1 x 400W dimmer 1 x 20A way toggle	502.1	35mm Single
	Twin plate cw 1 x 400W intelligent dimmer 2 x 20A 2 way toggle	515.1/T	35mm Twin
	Twin plate cw 1 x 400W dimmer 2 x 20A way toggle	516.1	35mm Twin
	Twin plate cw 2 x 400W intelligent dimmer 1 x 20A 2 way toggle	527.1/TT	35mm Twin
	Twin plate cw 2 x 400W dimmer 1 x 20A 2 way toggle	528.1	35mm Twin
	Twin plate cw 2 x 400W intelligent dimmer 2 x 20A 2 way toggle	543.1/TT	35mm Twin
	Twin plate cw 2 x 400W dimmer 2 x 20A 2 way toggle	544.1	35mm Twin
	Twin plate cw 3 x 400W intelligent dimmer 1 x 20A 2 way toggle	551.1/TTT	35mm Twin
	Twin plate cw 3 x 400W dimmer 1 x 20A 2 way toggle	552.1	35mm Twin
	Twin plate cw 1 x 400W intelligent dimmer 3 x 20A 2 way toggle	559.1/T	35mm Twin
	Twin plate cw 1 x 400W dimmer 3 x 20A way toggle	560.1	35mm Twin

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
Single 86mm x 86mm  
Twin 146mm x 86mm

\*\*\* Suitable for mains and low voltage filament lamps and many 'leading edge' dimmable mains voltage LED replacement lamps.

† Suitable for mains and low voltage filament lamps and many 'leading edge' dimmable mains voltage LED replacement lamps - features 'trimmer' to set lower dimmed lighting level.

































## IMPORTANT NOTE

Please check your chosen finish code (shown on page 68).

Part numbers for ordering consist of the style code NH, followed by the finish code and then the product code.

For example:

STYLE NH  
FINISH SS  
(for satin stainless steel)  
PRODUCT 11.1  
PART NO. NHSS11.1

POWER AND CONNECTION		PRODUCT CODE		Wallbox Depth (mm)
SWITCHED SOCKET OUTLETS (PLASTIC SWITCHES)		White Insert	Black Insert	
	2 gang 13 amp	17.2W	17.2B	35mm Twin
	2 gang 13 amp USB sw/skt (laser marked)**	78.2W	78.2B	SEE NOTES*
	1 gang 13 amp	17.1W	17.1B	35mm Single
	1 gang 13 amp USB sw/skt (laser marked)**	78.1W	78.1B	SEE NOTES*
SWITCHED SOCKET OUTLETS (METAL SWITCHES)				
	2 gang 13 amp	18.2W	18.2B	35mm Twin
	2 gang 13 amp USB sw/skt (laser marked)	68.2W	68.2B	SEE NOTES*
	1 gang 13 amp	18.1W	18.1B	35mm Single
	1 gang 13 amp USB sw/skt (laser marked)	68.1W	68.1B	SEE NOTES*
	Single 13A switched socket + type A & C USB PD module	35.1W	35.1B	SEE NOTES*
UNSWITCHED SOCKET OUTLETS				
	1 gang 5 amp	20.1W	20.1B	35mm Single
	2 gang 5 amp	20.2W	20.2B	35mm Twin
	1 gang 13 amp	17.1W/US	17.1B/US	35mm Single
	2 gang 13 amp	17.2W/US	17.2B/US	35mm Twin
	1 gang 2 amp	19.1W	19.1B	35mm Single
	Shaver socket outlet 110/240 voltage	36.1W	36.1B	47mm Twin***
FUSED CONNECTION UNITS (PLASTIC SWITCHES)				
	13 amp switch fuse spur	86.1W	86.1B	35mm Single
	13 amp switch fuse neon spur	87.1W	87.1B	35mm Single
	13 amp switch fuse cord spur	88.1W	88.1B	35mm Single
	13 amp switch fuse neon cord spur	89.1W	89.1B	35mm Single
FUSED CONNECTION UNITS (METAL SWITCHES)				
	13 amp switch fuse spur	26.1W	26.1B	35mm Single
	13 amp switch fuse neon spur	27.1W	27.1B	35mm Single
	13 amp switch fuse cord spur	28.1W	28.1B	35mm Single
	13 amp switch fuse neon cord spur	29.1W	29.1B	35mm Single
FLEX OUTLET				
	Flex outlet with terminals	69.1W	69.1B	35mm Single
COOKER SWITCHES				
	45 amp cooker control switch small	32.1W/SML	32.1B/SML	35mm Single
	45 amp cooker control switch small c/w neon	33.1W/SML	33.1B/SML	35mm Single
	45 amp cooker control switch large	32.1W/LGE	32.1B/LGE	35mm Twin
	45 amp cooker control switch large c/w neon	33.1W/LGE	33.1B/LGE	35mm Twin
	45 amp cooker switch with single 13 amp switch socket	34.1W	34.1B	35mm Twin
	20 amp DP with neon	30.1		35mm Single
FAN SWITCH (PLASTIC SWITCH)		White Insert	Black Insert	
	Fan switch	56.1W	56.1B	35mm Single
FAN SWITCH (METAL SWITCH)		PRODUCT CODE		
	Fan switch	96.1		35mm Single

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
Single 86mm x 86mm  
Twin 146mm x 86mm

\* Will suit a 35mm deep box when using top cable entry, if using rear or bottom cable entry a 47mm deep wallbox will be required.

\*\* Except primed.

\*\*\* Please set wall box back 5mm to allow for the grid.





## IMPORTANT NOTE




Please check your chosen finish code (shown on page 68).





Part numbers for ordering consist of the style code NH, followed by the finish code and then the product code.

For example:

STYLE NH  
FINISH SS  
(for satin stainless steel)  
PRODUCT 11.1  
PART NO. NHSS11.1

POWER AND CONNECTION		PRODUCT CODE	Wallbox Depth (mm)
<b>SMART HOME INTEGRATION / SECURITY</b>			
	Panic button complete	42.1	35mm Single
	Sounder plate only	40.1	N/A
	Sounder complete	41.1	35mm Single
	Temperature sensor plate with 16.5mm hole	39.1	N/A

KEYPAD FACEPLATE FINISHING (**add finish code)			
	Lutron Seetouch	** -70125	N/A
	Lutron Palladiom single column	LWT-S-P-*	N/A
	Lutron Palladiom dual column	LWT-S-PP-*	N/A










AV & DATA			
EURO MODULE PLATES			
	1 module euro plate	EUR.1	35mm Single
	2 module euro plate	EUR.2	35mm Single
	3 module euro plate	EUR.3	35mm Twin
	4 module euro plate	EUR.4	35mm Twin


SPEAKER SOCKETS			
	1 gang 2 post speaker socket	67.1	35mm Single
	1 gang 4 post speaker socket	67.2	35mm Single





VOLUME CONTROL			
	1 gang 8 ohm 15w volume control	13.1	35mm Single

BRUSH PLATES		White Insert	Black Insert	
	1 gang brush plate	BRUSH.1W	BRUSH.1B	35mm Single
	2 gang brush plate	BRUSH.2W	BRUSH.2B	35mm Twin




BLANK PLATES		PRODUCT CODE	
	1 gang blank plate	37.1	35mm Single
	2 gang blank plate	37.2	35mm Twin

EURO AV MODULES		PRODUCT CODE		Gang Size
		White Insert	Black Insert	
<b>TV/SAT</b>				
	Female non isolated TV outlet module	AV012/W	AV012/B	1
	Female TV outlet screened module	AV004/W	AV004/B	1
	Male TV outlet screened module	AV003/W	AV003/B	1
	Satellite TV outlet module	AV013/W	AV013/B	1
	Satellite TV outlet screened module	AV005/W	AV005/B	1
	TV/SAT outlet module	AV007/W	AV007/B	2
	Diplex (FM DAB/TV) module	AV006/W	AV006/B	2
	Triplex (FM DAB/SAT/TV) module	AV008/W	AV008/B	2
	Quadplex (SAT SAT TV FM DAB) module	AV009/W	AV009/B	2

TELEPHONE				
	BT master module	AV011/W	AV011/B	1
	BT slave module	AV010/W	AV010/B	1

DATA		White Insert	Black Insert	Gang Size
	RJ11 module	AV014/W	AV014/B	1
	RJ45 Cat 5e module	AV015/W	AV015/B	1
	RJ45 Cat6 module	AV016/W	AV016/B	1
	Angled keystone fascia with shutter	AV022/W	AV022/B	1

HDMI				
	HDMI module (tailed)	AV018/W	AV018/B	1

USB				
	USB connector (non-charging tailed)	AV019/W	AV019/B	1
	USB type A and C charger	AV021/W	AV021/B	1
	45W power delivery USB charger	AV023/W	AV023/B	2

BLANK				
	Blank 25mm x 50mm	AV001/W	AV001/B	1
	Blank 12.5mm x 50mm	AV002/W	AV002/B	0.5

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
Single 86mm x 86mm  
Twin 146mm x 86mm

**IMPORTANT NOTE**

Please check your chosen switch finish (shown on page 68).































Part numbers for ordering consist of the style code P, followed by the product code and then the switch finish code.

For example:

STYLE P  
 PRODUCT 11.1B  
 SWITCH  
 FINISH PB  
 (for polished brass)  
 PART NO. P11.1B/PB

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
 Single 86mm x 86mm  
 Twin 146mm x 86mm

LIGHT SWITCHES AND DIMMING		PRODUCT CODE		Wallbox Depth (mm)
ROCKER GRID SWITCHES (PLASTIC SWITCHES)		White Insert	Black Insert	
	1 gang 20 amp 2 way rocker switch	10.1W	10.1B	35mm Single
	2 gang 20 amp 2 way rocker switch	10.2W	10.2B	35mm Single
	3 gang 20 amp 2 way rocker switch	10.3W	10.3B	35mm Twin
	4 gang 20 amp 2 way rocker switch	10.4W	10.4B	35mm Twin
	6 gang 20 amp 2 way rocker switch	10.6W	10.6B	133x133x40
	1 gang 20 amp double pole rocker switch	10.1W/2	10.1B/2	35mm Single
	1 gang 20 amp intermediate rocker switch	10.1W/3	10.1B/3	35mm Single
	1 gang 20 amp 2 way and off rocker switch	10.1W/4	10.1B/4	35mm Single
	1 gang 20 amp retractive rocker switch	10.1W/5	10.1B/5	35mm Single
	1 gang 20 amp 2 way and off retractive rocker switch	10.1W/7	10.1B/7	35mm Single
ROCKER GRID SWITCHES (METAL SWITCHES)		PRODUCT CODE		
	1 gang 20 amp 2 way rocker switch	11.1W	11.1B	35mm Single
	2 gang 20 amp 2 way rocker switch	11.2W	11.2B	35mm Single
	3 gang 20 amp 2 way rocker switch	11.3W	11.3B	35mm Twin
	4 gang 20 amp 2 way rocker switch	11.4W	11.4B	35mm Twin
	6 gang 20 amp 2 way rocker switch	11.6W	11.6B	133x133x40
	1 gang 20 amp double pole rocker switch	11.1W/2	11.1B/2	35mm Single
	1 gang 20 amp intermediate rocker switch	11.1W/3	11.1B/3	35mm Single
	1 gang 20 amp 2 way and off rocker switch	11.1W/4	11.1B/4	35mm Single
	1 gang 20 amp retractive rocker switch	11.1W/5	11.1B/5	35mm Single
	1 gang 20 amp 2 way and off retractive rocker switch	11.1W/7	11.1B/7	35mm Single
TOGGLE SWITCHES		PRODUCT CODE		
	1 gang 20 amp 2 way toggle switch	14.1		35mm Single
	2 gang 20 amp 2 way toggle switch	14.2		35mm Single
	3 gang 20 amp 2 way toggle switch	14.3		35mm Twin
	4 gang 20 amp 2 way toggle switch	14.4		35mm Twin
	6 gang 20 amp 2 way toggle switch	14.6		133x133x40
	1 gang 20 amp double pole toggle switch	14.1/2		35mm Single
	1 gang 20 amp intermediate toggle switch	14.1/3		35mm Single
	1 gang 20 amp 2 way and off toggle switch	14.1/4		35mm Single
	1 gang 20 amp retractive toggle switch	14.1/5		35mm Single
	1 gang 20 amp 2 way and off retractive toggle switch	14.1/7		35mm Single

FOR OTHER ACCESSORIES WE RECOMMEND USING METAL PLATES IN OUR PRIMED FINISH AS SHOWN ON PAGE 24





























**IMPORTANT NOTE**

Please check your chosen switch finish (shown on page 68).

Part numbers for ordering consist of the style code P, followed by the product code and then the switch finish code.

For example:

STYLE P  
 PRODUCT 11.1B  
 SWITCH  
 FINISH PB  
 (for polished brass)  
 PART NO. P11.1B/PB

LIGHT SWITCHES AND DIMMING		PRODUCT CODE	Wallbox Depth (mm)	
<b>CONTEMPORARY TOGGLE SWITCHES</b>				
	1 gang 20 amp 2 way contemporary toggle switch	64.1	35mm Single	
	2 gang 20 amp 2 way contemporary toggle switch	64.2	35mm Single	
	3 gang 20 amp 2 way contemporary toggle switch	64.3	35mm Twin	
	4 gang 20 amp 2 way contemporary toggle switch	64.4	35mm Twin	
	6 gang 20 amp 2 way contemporary toggle switch	64.6	133x133x40	
	1 gang 20 amp double pole contemporary toggle switch	64.1/2	35mm Single	
	1 gang 20 amp intermediate contemporary toggle switch	64.1/3	35mm Single	
	1 gang 20 amp 2 way and off contemporary toggle switch	64.1/4	35mm Single	
	1 gang 20 amp retractive contemporary toggle switch	64.1/5	35mm Single	
	1 gang 20 amp 2 way and off retractive contemporary toggle switch	64.1/7	35mm Single	
<b>PUSH BUTTON SWITCHES*</b>				
	1 gang 10 amp 2 way latching push button	14.1/8	35mm Single	
	2 gang 10 amp 2 way latching push button	14.2/88	35mm Single	
	3 gang 10 amp 2 way latching push button	14.3/888	35mm Twin	
	4 gang 10 amp 2 way latching push button	14.4/8888	35mm Twin	
	1 gang retractive push button	14.1/9	35mm Single	
	2 gang retractive push button	14.2/99	35mm Single	
	3 gang retractive push button	14.3/999	35mm Twin	
	4 gang retractive push button	14.4/9999	35mm Twin	
<b>ARCHITRAVE SWITCHES (PLASTIC SWITCHES)</b>		<i>White Insert</i>	<i>Black Insert</i>	
	1 gang 20 amp 2 way rocker switch	15.1W	15.1B	See Notes**
	2 gang 20 amp 2 way rocker switch	15.2W	15.2B	See Notes**
<b>ARCHITRAVE SWITCHES (METAL SWITCHES)</b>				
	1 gang 20 amp 2 way rocker switch	16.1W	16.1B	See Notes**
	2 gang 20 amp 2 way rocker switch	16.2W	16.2B	See Notes**
	1 gang 20 amp 2 way toggle switch	44.1		See Notes**
	2 gang 20 amp 2 way toggle switch	44.2		See Notes**
<b>INTELLIGENT ROTARY DIMMERS</b>		PRODUCT CODE		
	1 gang 400W intelligent dimmer	21.1/T	35mm Single	
	2 gang 400W intelligent dimmer	21.2/TT	35mm Single	
	3 gang 400W intelligent dimmer	21.3/TTT	35mm Twin	
	4 gang 400W intelligent dimmer	21.4/TTTT	35mm Twin	

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
 Single 86mm x 86mm  
 Twin 146mm x 86mm

\* Matt black and matt white push buttons are supplied with a satin chrome button as standard.

\*\* 1 gang architrave to suit a Wandsworth 1715 wallbox, 2 gang architrave to suit a Wandsworth 1716 wallbox. Please set wall box back 2mm to allow for the grid.

**IMPORTANT NOTE**

Please check your chosen switch finish (shown on page 68).

Part numbers for ordering consist of the style code P, followed by the product code and then the switch finish code.

For example:

STYLE P  
 PRODUCT 11.1B  
 SWITCH  
 FINISH PB  
 (for polished brass)  
 PART NO. P11.1B/PB

LIGHT SWITCHES AND DIMMING		PRODUCT CODE	Wallbox Depth (mm)	
<b>ROTARY DIMMERS</b>				
	1 gang 250W dimmer (mains and low voltage)***	21.1	35mm Single	
	2 gang 250W dimmer (mains and low voltage)***	21.2	35mm Single	
	3 gang 250W dimmer (mains and low voltage)***	21.3	35mm Twin	
	4 gang 250W dimmer (mains and low voltage)***	21.4	35mm Twin	
	1 gang 400W dimmer (mains and low voltage) †	22.1	35mm Single	
	2 gang 400W dimmer (mains and low voltage) †	22.2	35mm Single	
	3 gang 400W dimmer (mains and low voltage) †	22.3	35mm Twin	
	4 gang 400W dimmer (mains and low voltage) †	22.4	35mm Twin	
	1 gang 0-10V dimmer	21.1/6	35mm Single	
	1 gang intermediate on/off	21.1/7	35mm Single	
	1 gang 2 way push on/off	21.1/1	35mm Single	
<b>COMBINATION DIMMER/ROCKERS</b>		<b>White Insert</b>	<b>Black Insert</b>	
	Single plate cw 1 x 400W intelligent dimmer 1 x 20A 2 way rocker	401.1W/T	401.1B/T	35mm Single
	Single plate cw 1 x 400W dimmer 1 x 20A way rocker	402.1W	402.1B	35mm Single
	Twin plate cw 1 x 400W intelligent dimmer 2 x 20A 2 way rocker	415.1W/T	415.1B/T	35mm Twin
	Twin plate cw 1 x 400W dimmer 2 x 20A way rocker	416.1W	416.1B	35mm Twin
	Twin plate cw 2 x 400W intelligent dimmer 1 x 20A 2 way rocker	427.1W/TT	427.1B/TT	35mm Twin
	Twin plate cw 2 x 400W dimmer 1 x 20A 2 way rocker	428.1W	428.1B	35mm Twin
	Twin plate cw 2 x 400W intelligent dimmer 2 x 20A 2 way rocker	443.1W/TT	443.1B/TT	35mm Twin
	Twin plate cw 2 x 400W dimmer 2 x 20A 2 way rocker	444.1W	444.1B	35mm Twin
	Twin plate cw 3 x 400W intelligent dimmer 1 x 20A 2 way rocker	451.1W/TTT	451.1B/TTT	35mm Twin
	Twin plate cw 3 x 400W dimmer 1 x 20A 2 way rocker	452.1W	452.1B	35mm Twin
	Twin plate cw 1 x 400W intelligent dimmer 3 x 20A 2 way rocker	459.1W/T	459.1B/T	35mm Twin
	Twin plate cw 1 x 400W dimmer 3 x 20A way rocker	460.1W	460.1B	35mm Twin
<b>COMBINATION DIMMER/TOGGLES</b>		<b>PRODUCT CODE</b>		
	Single plate cw 1 x 400W intelligent dimmer 1 x 20A 2 way toggle	501.1/T	35mm Single	
	Single plate cw 1 x 400W dimmer 1 x 20A way toggle	502.1	35mm Single	
	Twin plate cw 1 x 400W intelligent dimmer 2 x 20A 2 way toggle	515.1/T	35mm Twin	
	Twin plate cw 1 x 400W dimmer 2 x 20A way toggle	516.1	35mm Twin	
	Twin plate cw 2 x 400W intelligent dimmer 1 x 20A 2 way toggle	527.1/TT	35mm Twin	
	Twin plate cw 2 x 400W dimmer 1 x 20A 2 way toggle	528.1	35mm Twin	
	Twin plate cw 2 x 400W intelligent dimmer 2 x 20A 2 way toggle	543.1/TT	35mm Twin	
	Twin plate cw 2 x 400W dimmer 2 x 20A 2 way toggle	544.1	35mm Twin	
	Twin plate cw 3 x 400W intelligent dimmer 1 x 20A 2 way toggle	551.1/TTT	35mm Twin	
	Twin plate cw 3 x 400W dimmer 1 x 20A 2 way toggle	552.1	35mm Twin	
	Twin plate cw 1 x 400W intelligent dimmer 3 x 20A 2 way toggle	559.1/T	35mm Twin	
	Twin plate cw 1 x 400W dimmer 3 x 20A way toggle	560.1	35mm Twin	

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
 Single 86mm x 86mm  
 Twin 146mm x 86mm

NOT SUITABLE FOR DRY LINING WALL BOXES. PLATE SIZES: Single 86mm x 86mm, Twin 146mm x 86mm

\*\*\* Suitable for mains and low voltage filament lamps and many 'leading edge' dimmable mains voltage LED replacement lamps.

† Suitable for mains and low voltage filament lamps and many 'leading edge' dimmable mains voltage LED replacement lamps - features 'trimmer' to set lower dimmed lighting level.

FOR OTHER ACCESSORIES WE RECOMMEND USING METAL PLATES IN OUR PRIMED FINISH AS SHOWN BELOW





**IMPORTANT NOTE**

Please check your chosen finish code (shown on page 68).

Part numbers for ordering consist of the style code TEA, followed by the finish code and then the product code.

For example:












STYLE TEA












FINISH SS












(for satin stainless steel)

PRODUCT 11.1W

PART NO. TEASS11.1W

LIGHT SWITCHES AND DIMMING		PRODUCT CODE		Wallbox Depth (mm)
ROCKER GRID SWITCHES (PLASTIC SWITCHES)		White Insert	Black Insert	
	1 gang 20 amp 2 way rocker switch	10.1W	10.1B	35mm Single
	2 gang 20 amp 2 way rocker switch	10.2W	10.2B	35mm Single
	3 gang 20 amp 2 way rocker switch	10.3W	10.3B	35mm Twin
	4 gang 20 amp 2 way rocker switch	10.4W	10.4B	35mm Twin
	6 gang 20 amp 2 way rocker switch	10.6W	10.6B	133x133x40
	8 gang 20 amp 2 way rocker switch	10.8W	10.8B	133x133x40
	1 gang 20 amp double pole rocker switch	10.1W/2	10.1B/2	35mm Single
	1 gang 20 amp intermediate rocker switch	10.1W/3	10.1B/3	35mm Single
	1 gang 20 amp 2 way and off rocker switch	10.1W/4	10.1B/4	35mm Single
	1 gang 20 amp retractive rocker switch	10.1W/5	10.1B/5	35mm Single
	1 gang 20 amp 2 way and off retractive rocker switch	10.1W/7	10.1B/7	35mm Single

ROCKER GRID SWITCHES (METAL SWITCHES)		PRODUCT CODE		Wallbox Depth (mm)
	1 gang 20 amp 2 way rocker switch	11.1W	11.1B	
	2 gang 20 amp 2 way rocker switch	11.2W	11.2B	35mm Single
	3 gang 20 amp 2 way rocker switch	11.3W	11.3B	35mm Twin
	4 gang 20 amp 2 way rocker switch	11.4W	11.4B	35mm Twin
	6 gang 20 amp 2 way rocker switch	11.6W	11.6B	133x133x40
	8 gang 20 amp 2 way rocker switch	11.8W	11.8B	133x133x40
	1 gang 20 amp double pole rocker switch	11.1W/2	11.1B/2	35mm Single
	1 gang 20 amp intermediate rocker switch	11.1W/3	11.1B/3	35mm Single
	1 gang 20 amp 2 way and off rocker switch	11.1W/4	11.1B/4	35mm Single
	1 gang 20 amp retractive rocker switch	11.1W/5	11.1B/5	35mm Single
	1 gang 20 amp 2 way and off retractive rocker switch	11.1W/7	11.1B/7	35mm Single

TOGGLE SWITCHES		PRODUCT CODE		Wallbox Depth (mm)
	1 gang 20 amp 2 way toggle switch	14.1		
	2 gang 20 amp 2 way toggle switch	14.2		35mm Single
	3 gang 20 amp 2 way toggle switch	14.3		35mm Twin
	4 gang 20 amp 2 way toggle switch	14.4		35mm Twin
	6 gang 20 amp 2 way toggle switch	14.6		133x133x40
	8 gang 20 amp 2 way toggle switch	14.8		133x133x40
	1 gang 20 amp double pole toggle switch	14.1/2		35mm Single
	1 gang 20 amp intermediate toggle switch	14.1/3		35mm Single
	1 gang 20 amp 2 way and off toggle switch	14.1/4		35mm Single
	1 gang 20 amp retractive toggle switch	14.1/5		35mm Single
	1 gang 20 amp 2 way and off retractive toggle switch	14.1/7		35mm Single

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
Single 86mm x 86mm  
Twin 146mm x 86mm

**IMPORTANT NOTE**

Please check your chosen finish code (shown on page 68).

Part numbers for ordering consist of the style code TEA, followed by the finish code and then the product code.

For example:

STYLE TEA

FINISH SS












(for satin stainless steel)

PRODUCT 11.1W









PART NO. TEASS11.1W

**LIGHT SWITCHES AND DIMMING**



**CONTEMPORARY TOGGLE SWITCHES**

		PRODUCT CODE	Wallbox Depth (mm)
	1 gang 20 amp 2 way contemporary toggle switch	64.1	35mm Single
	2 gang 20 amp 2 way contemporary toggle switch	64.2	35mm Single
	3 gang 20 amp 2 way contemporary toggle switch	64.3	35mm Twin
	4 gang 20 amp 2 way contemporary toggle switch	64.4	35mm Twin
	6 gang 20 amp 2 way contemporary toggle switch	64.6	133x133x40
	8 gang 20 amp 2 way contemporary toggle switch	64.8	133x133x40
	1 gang 20 amp double pole contemporary toggle switch	64.1/2	35mm Single
	1 gang 20 amp intermediate contemporary toggle switch	64.1/3	35mm Single
	1 gang 20 amp 2 way and off contemporary toggle switch	64.1/4	35mm Single
	1 gang 20 amp retractive contemporary toggle switch	64.1/5	35mm Single
	1 gang 20 amp 2 way and off retractive contemporary toggle switch	64.1/7	35mm Single

**PUSH BUTTON SWITCHES\***

	1 gang 10 amp 2 way latching push button	14.1/8	35mm Single
	2 gang 10 amp 2 way latching push button	14.2/88	35mm Single
	3 gang 10 amp 2 way latching push button	14.3/888	35mm Twin
	4 gang 10 amp 2 way latching push button	14.4/8888	35mm Twin
	1 gang retractive push button	14.1/9	35mm Single
	2 gang retractive push button	14.2/99	35mm Single
	3 gang retractive push button	14.3/999	35mm Twin
	4 gang retractive push button	14.4/9999	35mm Twin

**ARCHITRAVE SWITCHES (PLASTIC SWITCHES)**

		White Insert	Black Insert	
	1 gang 20 amp 2 way rocker switch	15.1W	15.1B	See Notes**
	2 gang 20 amp 2 way rocker switch	15.2W	15.2B	See Notes**

**ARCHITRAVE SWITCHES (METAL SWITCHES)**

	1 gang 20 amp 2 way rocker switch	16.1W	16.1B	See Notes**
	2 gang 20 amp 2 way rocker switch	16.2W	16.2B	See Notes**
	1 gang 20 amp 2 way toggle switch	44.1		See Notes**
	2 gang 20 amp 2 way toggle switch	44.2		See Notes**

**INTELLIGENT ROTARY DIMMERS**

		PRODUCT CODE	
	1 gang 400W intelligent dimmer	21.1/T	35mm Single
	2 gang 400W intelligent dimmer	21.2/TT	35mm Single
	3 gang 400W intelligent dimmer	21.3/TTT	35mm Twin
	4 gang 400W intelligent dimmer	21.4/TTTT	35mm Twin

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
Single 86mm x 86mm  
Twin 146mm x 86mm

\* Matt black and matt white push buttons are supplied with a satin chrome button as standard.

\*\* 1 gang architrave to suit a Wandsworth 1715 wallbox, 2 gang architrave to suit a Wandsworth 1716 wallbox.




































**IMPORTANT NOTE**

Please check your chosen finish code (shown on page 68).

Part numbers for ordering consist of the style code TEA, followed by the finish code and then the product code.

For example:

STYLE TEA  
FINISH SS  
(for satin stainless steel)  
PRODUCT 11.1W  
PART NO. TEASS11.1W

LIGHT SWITCHES AND DIMMING		PRODUCT CODE	Wallbox Depth (mm)
<b>ROTARY DIMMERS</b>			
	1 gang 250W dimmer (mains and low voltage)***	21.1	35mm Single
	2 gang 250W dimmer (mains and low voltage)***	21.2	35mm Single
	3 gang 250W dimmer (mains and low voltage)***	21.3	35mm Twin
	4 gang 250W dimmer (mains and low voltage)***	21.4	35mm Twin
	1 gang 400W dimmer (mains and low voltage) †	22.1	35mm Single
	2 gang 400W dimmer (mains and low voltage) †	22.2	35mm Single
	3 gang 400W dimmer (mains and low voltage) †	22.3	35mm Twin
	4 gang 400W dimmer (mains and low voltage) †	22.4	35mm Twin
	1 gang 0-10V dimmer	21.1/6	35mm Single
	1 gang intermediate on/off	21.1/7	35mm Single
	1 gang 2 way push on/off	21.1/1	35mm Single
<b>COMBINATION DIMMER/ROCKERS</b>		<i>White Insert</i>	<i>Black Insert</i>
	Single plate cw 1 x 400W intelligent dimmer 1 x 20A 2 way rocker	401.1W/T	401.1B/T
	Single plate cw 1 x 400W dimmer 1 x 20A way rocker	402.1W	402.1B
	Twin plate cw 1 x 400W intelligent dimmer 2 x 20A 2 way rocker	415.1W/T	415.1B/T
	Twin plate cw 1 x 400W dimmer 2 x 20A way rocker	416.1W	416.1B
	Twin plate cw 2 x 400W intelligent dimmer 1 x 20A 2 way rocker	427.1W/TT	427.1B/TT
	Twin plate cw 2 x 400W dimmer 1 x 20A 2 way rocker	428.1W	428.1B
	Twin plate cw 2 x 400W intelligent dimmer 2 x 20A 2 way rocker	443.1W/TT	443.1B/TT
	Twin plate cw 2 x 400W dimmer 2 x 20A 2 way rocker	444.1W	444.1B
	Twin plate cw 3 x 400W intelligent dimmer 1 x 20A 2 way rocker	451.1W/TTT	451.1B/TTT
	Twin plate cw 3 x 400W dimmer 1 x 20A 2 way rocker	452.1W	452.1B
	Twin plate cw 1 x 400W intelligent dimmer 3 x 20A 2 way rocker	459.1W/T	459.1B/T
	Twin plate cw 1 x 400W dimmer 3 x 20A way rocker	460.1W	460.1B
<b>COMBINATION DIMMER/TOGGLES</b>		PRODUCT CODE	
	Single plate cw 1 x 400W intelligent dimmer 1 x 20A 2 way toggle	501.1/T	35mm Single
	Single plate cw 1 x 400W dimmer 1 x 20A way toggle	502.1	35mm Single
	Twin plate cw 1 x 400W intelligent dimmer 2 x 20A 2 way toggle	515.1/T	35mm Twin
	Twin plate cw 1 x 400W dimmer 2 x 20A way toggle	516.1	35mm Twin
	Twin plate cw 2 x 400W intelligent dimmer 1 x 20A 2 way toggle	527.1/TT	35mm Twin
	Twin plate cw 2 x 400W dimmer 1 x 20A 2 way toggle	528.1	35mm Twin
	Twin plate cw 2 x 400W intelligent dimmer 2 x 20A 2 way toggle	543.1/TT	35mm Twin
	Twin plate cw 2 x 400W dimmer 2 x 20A 2 way toggle	544.1	35mm Twin
	Twin plate cw 3 x 400W intelligent dimmer 1 x 20A 2 way toggle	551.1/TTT	35mm Twin
	Twin plate cw 3 x 400W dimmer 1 x 20A 2 way toggle	552.1	35mm Twin
	Twin plate cw 1 x 400W intelligent dimmer 3 x 20A 2 way toggle	559.1/T	35mm Twin
	Twin plate cw 1 x 400W dimmer 3 x 20A way toggle	560.1	35mm Twin

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
Single 86mm x 86mm  
Twin 146mm x 86mm

\*\*\* Suitable for mains and low voltage filament lamps and many 'leading edge' dimmable mains voltage LED replacement lamps.

† Suitable for mains and low voltage filament lamps and many 'leading edge' dimmable mains voltage LED replacement lamps - features 'trimmer' to set lower dimmed lighting level.

































**IMPORTANT NOTE**

Please check your chosen finish code (shown on page 68).

Part numbers for ordering consist of the style code TEA, followed by the finish code and then the product code.

For example:

STYLE TEA  
FINISH SS  
(for satin stainless steel)  
PRODUCT 11.1W  
PART NO. TEASS11.1W

POWER AND CONNECTION		PRODUCT CODE		Wallbox Depth (mm)
SWITCHED SOCKET OUTLETS (PLASTIC SWITCHES)		White Insert	Black Insert	
	2 gang 13 amp	17.2W	17.2B	35mm Twin
	2 gang 13 amp USB sw/skt (laser marked)**	78.2W	78.2B	SEE NOTES*
	1 gang 13 amp	17.1W	17.1B	35mm Single
	1 gang 13 amp USB sw/skt (laser marked)**	78.1W	78.1B	SEE NOTES*
SWITCHED SOCKET OUTLETS (METAL SWITCHES)				
	2 gang 13 amp	18.2W	18.2B	35mm Twin
	2 gang 13 amp USB sw/skt (laser marked)	68.2W	68.2B	SEE NOTES*
	1 gang 13 amp	18.1W	18.1B	35mm Single
	1 gang 13 amp USB sw/skt (laser marked)	68.1W	68.1B	SEE NOTES*
	Single 13A switched socket + type A & C USB PD module	35.1W	35.1B	SEE NOTES*
UNSWITCHED SOCKET OUTLETS				
	1 gang 5 amp	20.1W	20.1B	35mm Single
	2 gang 5 amp	20.2W	20.2B	35mm Twin
	1 gang 13 amp	17.1W/US	17.1B/US	35mm Single
	2 gang 13 amp	17.2W/US	17.2B/US	35mm Twin
	1 gang 2 amp	19.1W	19.1B	35mm Single
	Shaver socket outlet 110/240 voltage	36.1W	36.1B	47mm Twin***
FUSED CONNECTION UNITS (PLASTIC SWITCHES)				
	13 amp switch fuse spur	86.1W	86.1B	35mm Single
	13 amp switch fuse neon spur	87.1W	87.1B	35mm Single
	13 amp switch fuse cord spur	88.1W	88.1B	35mm Single
	13 amp switch fuse neon cord spur	89.1W	89.1B	35mm Single
FUSED CONNECTION UNITS (METAL SWITCHES)				
	13 amp switch fuse spur	26.1W	26.1B	35mm Single
	13 amp switch fuse neon spur	27.1W	27.1B	35mm Single
	13 amp switch fuse cord spur	28.1W	28.1B	35mm Single
	13 amp switch fuse neon cord spur	29.1W	29.1B	35mm Single
FLEX OUTLET				
	Flex outlet with terminals	69.1W	69.1B	35mm Single
COOKER SWITCHES				
	45 amp cooker control switch small	32.1W/SML	32.1B/SML	35mm Single
	45 amp cooker control switch small c/w neon	33.1W/SML	33.1B/SML	35mm Single
	45 amp cooker control switch large	32.1W/LGE	32.1B/LGE	35mm Twin
	45 amp cooker control switch large c/w neon	33.1W/LGE	33.1B/LGE	35mm Twin
	45 amp cooker switch with single 13 amp switch socket	34.1W	34.1B	35mm Twin
	20 amp DP with neon	30.1		35mm Single
FAN SWITCH (PLASTIC SWITCH)		White Insert	Black Insert	
	Fan switch	56.1W	56.1B	35mm Single
FAN SWITCH (METAL SWITCH)		PRODUCT CODE		
	Fan switch	96.1		35mm Single

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
Single 86mm x 86mm  
Twin 146mm x 86mm

\* Will suit a 35mm deep box when using top cable entry, if using rear or bottom cable entry a 47mm deep wallbox will be required.

\*\* Except primed.

\*\*\* Please set wall box back 5mm to allow for the grid.





**IMPORTANT NOTE**




Please check your chosen finish code (shown on page 68).





Part numbers for ordering consist of the style code TEA, followed by the finish code and then the product code.

For example:

STYLE TEA  
 FINISH SS  
 (for satin stainless steel)  
 PRODUCT 11.1W  
 PART NO. TEASS11.1W

POWER AND CONNECTION		PRODUCT CODE	Wallbox Depth (mm)
<b>SMART HOME INTEGRATION / SECURITY</b>			
	Panic button complete	42.1	35mm Single
	Sounder plate only	40.1	N/A
	Sounder complete	41.1	35mm Single
	Temperature sensor plate with 16.5mm hole	39.1	N/A

KEYPAD FACEPLATE FINISHING (**add finish code)			
	Lutron Seetouch	** -70125	N/A
	Lutron Palladiom single column	LWT-S-P- **	N/A
	Lutron Palladiom dual column	LWT-S-PP- **	N/A










AV & DATA			
<b>EURO MODULE PLATES</b>			
	1 module euro plate	EUR.1	35mm Single
	2 module euro plate	EUR.2	35mm Single
	3 module euro plate	EUR.3	35mm Twin
	4 module euro plate	EUR.4	35mm Twin

<b>SPEAKER SOCKETS</b>			
	1 gang 2 post speaker socket	67.1	35mm Single
	1 gang 4 post speaker socket	67.2	35mm Single





<b>VOLUME CONTROL</b>			
	1 gang 8 ohm 15w volume control	13.1	35mm Single

<b>BRUSH PLATES</b>		White Insert	Black Insert	Gang Size
	1 gang brush plate	BRUSH.1W	BRUSH.1B	35mm Single
	2 gang brush plate	BRUSH.2W	BRUSH.2B	35mm Twin




<b>BLANK PLATES</b>		PRODUCT CODE	Gang Size
	1 gang blank plate	37.1	35mm Single
	2 gang blank plate	37.2	35mm Twin

<b>EURO AV MODULES</b>		PRODUCT CODE		Gang Size
		White Insert	Black Insert	
<b>TV/SAT</b>				
	Female non isolated TV outlet module	AV012/W	AV012/B	1
	Female TV outlet screened module	AV004/W	AV004/B	1
	Male TV outlet screened module	AV003/W	AV003/B	1
	Satellite TV outlet module	AV013/W	AV013/B	1
	Satellite TV outlet screened module	AV005/W	AV005/B	1
	TV/SAT outlet module	AV007/W	AV007/B	2
	Diplex (FM DAB/TV) module	AV006/W	AV006/B	2
	Triplex (FM DAB/SAT/TV) module	AV008/W	AV008/B	2
	Quadplex (SAT SAT TV FM DAB) module	AV009/W	AV009/B	2

<b>TELEPHONE</b>				
	BT master module	AV011/W	AV011/B	1
	BT slave module	AV010/W	AV010/B	1

<b>DATA</b>		White Insert	Black Insert	Gang Size
	RJ11 module	AV014/W	AV014/B	1
	RJ45 Cat 5e module	AV015/W	AV015/B	1
	RJ45 Cat6 module	AV016/W	AV016/B	1
	Angled keystone fascia with shutter	AV022/W	AV022/B	1

<b>HDMI</b>				
	HDMI module (tailed)	AV018/W	AV018/B	1

<b>USB</b>				
	USB connector (non-charging tailed)	AV019/W	AV019/B	1
	USB type A and C charger	AV021/W	AV021/B	1
	45W power delivery USB charger	AV023/W	AV023/B	2

<b>BLANK</b>				
	Blank 25mm x 50mm	AV001/W	AV001/B	1
	Blank 12.5mm x 50mm	AV002/W	AV002/B	0.5

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
 Single 86mm x 86mm  
 Twin 146mm x 86mm










## IMPORTANT NOTE










Please check your chosen finish code (shown on [page 68](#)).










Part numbers for ordering consist of the style code M, followed by the finish code and then the product code.

For example:

STYLE **M**  
 FINISH **SS**  
 (for satin stainless steel)  
 PRODUCT **11.1W**  
 PART NO. **MSS11.1W**

LIGHT SWITCHES AND DIMMING		PRODUCT CODE		Wallbox Depth (mm)
ROCKER GRID SWITCHES (PLASTIC SWITCHES)		White Insert	Black Insert	
	1 gang 20 amp 2 way rocker switch	10.1W	10.1B	35mm Single
	2 gang 20 amp 2 way rocker switch	10.2W	10.2B	35mm Single
	3 gang 20 amp 2 way rocker switch	10.3W	10.3B	35mm Twin
	4 gang 20 amp 2 way rocker switch	10.4W	10.4B	35mm Twin
	1 gang 20 amp double pole rocker switch	10.1W/2	10.1B/2	35mm Single
	1 gang 20 amp intermediate rocker switch	10.1W/3	10.1B/3	35mm Single
	1 gang 20 amp 2 way and off rocker switch	10.1W/4	10.1B/4	35mm Single
	1 gang 20 amp retractive rocker switch	10.1W/5	10.1B/5	35mm Single
	1 gang 20 amp 2 way and off retractive rocker switch	10.1W/7	10.1B/7	35mm Single

ROCKER GRID SWITCHES (METAL SWITCHES)		PRODUCT CODE		Wallbox Depth (mm)
	1 gang 20 amp 2 way rocker switch	11.1W	11.1B	
	2 gang 20 amp 2 way rocker switch	11.2W	11.2B	35mm Single
	3 gang 20 amp 2 way rocker switch	11.3W	11.3B	35mm Twin
	4 gang 20 amp 2 way rocker switch	11.4W	11.4B	35mm Twin
	1 gang 20 amp double pole rocker switch	11.1W/2	11.1B/2	35mm Single
	1 gang 20 amp intermediate rocker switch	11.1W/3	11.1B/3	35mm Single
	1 gang 20 amp 2 way and off rocker switch	11.1W/4	11.1B/4	35mm Single
	1 gang 20 amp retractive rocker switch	11.1W/5	11.1B/5	35mm Single
	1 gang 20 amp 2 way and off retractive rocker switch	11.1W/7	11.1B/7	35mm Single

TOGGLE SWITCHES		PRODUCT CODE		Wallbox Depth (mm)
	1 gang 20 amp 2 way toggle switch	14.1		
	2 gang 20 amp 2 way toggle switch	14.2		35mm Single
	3 gang 20 amp 2 way toggle switch	14.3		35mm Twin
	4 gang 20 amp 2 way toggle switch	14.4		35mm Twin
	1 gang 20 amp double pole toggle switch	14.1/2		35mm Single
	1 gang 20 amp intermediate toggle switch	14.1/3		35mm Single
	1 gang 20 amp 2 way and off toggle switch	14.1/4		35mm Single
	1 gang 20 amp retractive toggle switch	14.1/5		35mm Single
	1 gang 20 amp 2 way and off retractive toggle switch	14.1/7		35mm Single

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
 Single 86mm x 86mm  
 Twin 146mm x 86mm

## IMPORTANT NOTE

Please check your chosen finish code (shown on page 68).

Part numbers for ordering consist of the style code M, followed by the finish code and then the product code.

For example:









STYLE M

FINISH SS


(for satin stainless steel)

PRODUCT 11.1W












PART NO. MSS11.1W

LIGHT SWITCHES AND DIMMING		PRODUCT CODE	Wallbox Depth (mm)
<b>PUSH BUTTON SWITCHES*</b>			
	1 gang 10 amp 2 way latching push button	14.1/8	35mm Single
	2 gang 10 amp 2 way latching push button	14.2/88	35mm Single
	3 gang 10 amp 2 way latching push button	14.3/888	35mm Twin
	4 gang 10 amp 2 way latching push button	14.4/8888	35mm Twin
	1 gang retractive push button	14.1/9	35mm Single
	2 gang retractive push button	14.2/99	35mm Single
	3 gang retractive push button	14.3/999	35mm Twin
	4 gang retractive push button	14.4/9999	35mm Twin

## INTELLIGENT ROTARY DIMMERS

	1 gang 400W intelligent dimmer	21.1/T	35mm Single
	2 gang 400W intelligent dimmer	21.2/TT	35mm Single
	3 gang 400W intelligent dimmer	21.3/TTT	35mm Twin
	4 gang 400W intelligent dimmer	21.4/TTTT	35mm Twin

## ROTARY DIMMERS

	1 gang 250W dimmer (mains and low voltage)**	21.1	35mm Single
	2 gang 250W dimmer (mains and low voltage)**	21.2	35mm Single
	3 gang 250W dimmer (mains and low voltage)**	21.3	35mm Twin
	4 gang 250W dimmer (mains and low voltage)**	21.4	35mm Twin
	1 gang 400W dimmer (mains and low voltage) †	22.1	35mm Single
	2 gang 400W dimmer (mains and low voltage) †	22.2	35mm Single
	3 gang 400W dimmer (mains and low voltage) †	22.3	35mm Twin
	4 gang 400W dimmer (mains and low voltage) †	22.4	35mm Twin
	1 gang 0-10V dimmer	21.1/6	35mm Single
	1 gang intermediate on/off	21.1/7	35mm Single
	1 gang 2 way push on/off	21.1/1	35mm Single

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
Single 86mm x 86mm  
Twin 146mm x 86mm

\* Matt black and matt white push buttons are supplied with a satin chrome button as standard.

\*\* Suitable for mains and low voltage filament lamps and many 'leading edge' dimmable mains voltage LED replacement lamps.

† Suitable for mains and low voltage filament lamps and many 'leading edge' dimmable mains voltage LED replacement lamps - features 'trimmer' to set lower dimmed lighting level.

























## IMPORTANT NOTE

Please check your chosen finish code (shown on page 68).

Part numbers for ordering consist of the style code M, followed by the finish code and then the product code.

For example:

STYLE M  
FINISH SS  
(for satin stainless steel)  
PRODUCT 11.1W  
PART NO. MSS11.1W

LIGHT SWITCHES AND DIMMING		PRODUCT CODE		Wallbox Depth (mm)
COMBINATION DIMMER/ROCKERS		White Insert	Black Insert	
	Single plate cw 1 x 400W intelligent dimmer 1 x 20A 2 way rocker	401.1W/T	401.1B/T	35mm Single
	Single plate cw 1 x 400W dimmer 1 x 20A way rocker	402.1W	402.1B	35mm Single
	Twin plate cw 1 x 400W intelligent dimmer 2 x 20A 2 way rocker	415.1W/T	415.1B/T	35mm Twin
	Twin plate cw 1 x 400W dimmer 2 x 20A way rocker	416.1W	416.1B	35mm Twin
	Twin plate cw 2 x 400W intelligent dimmer 1 x 20A 2 way rocker	427.1W/TT	427.1B/TT	35mm Twin
	Twin plate cw 2 x 400W dimmer 1 x 20A 2 way rocker	428.1W	428.1B	35mm Twin
	Twin plate cw 2 x 400W intelligent dimmer 2 x 20A 2 way rocker	443.1W/TT	443.1B/TT	35mm Twin
	Twin plate cw 2 x 400W dimmer 2 x 20A 2 way rocker	444.1W	444.1B	35mm Twin
	Twin plate cw 3 x 400W intelligent dimmer 1 x 20A 2 way rocker	451.1W/TTT	451.1B/TTT	35mm Twin
	Twin plate cw 3 x 400W dimmer 1 x 20A 2 way rocker	452.1W	452.1B	35mm Twin
	Twin plate cw 1 x 400W intelligent dimmer 3 x 20A 2 way rocker	459.1W/T	459.1B/T	35mm Twin
	Twin plate cw 1 x 400W dimmer 3 x 20A way rocker	460.1W	460.1B	35mm Twin
COMBINATION DIMMER/TOGGLES		PRODUCT CODE		
	Single plate cw 1 x 400W intelligent dimmer 1 x 20A 2 way toggle	501.1/T		35mm Single
	Single plate cw 1 x 400W dimmer 1 x 20A way toggle	502.1		35mm Single
	Twin plate cw 1 x 400W intelligent dimmer 2 x 20A 2 way toggle	515.1/T		35mm Twin
	Twin plate cw 1 x 400W dimmer 2 x 20A way toggle	516.1		35mm Twin
	Twin plate cw 2 x 400W intelligent dimmer 1 x 20A 2 way toggle	527.1/TT		35mm Twin
	Twin plate cw 2 x 400W dimmer 1 x 20A 2 way toggle	528.1		35mm Twin
	Twin plate cw 2 x 400W intelligent dimmer 2 x 20A 2 way toggle	543.1/TT		35mm Twin
	Twin plate cw 2 x 400W dimmer 2 x 20A 2 way toggle	544.1		35mm Twin
	Twin plate cw 3 x 400W intelligent dimmer 1 x 20A 2 way toggle	551.1/TTT		35mm Twin
	Twin plate cw 3 x 400W dimmer 1 x 20A 2 way toggle	552.1		35mm Twin
	Twin plate cw 1 x 400W intelligent dimmer 3 x 20A 2 way toggle	559.1/T		35mm Twin
	Twin plate cw 1 x 400W dimmer 3 x 20A way toggle	560.1		35mm Twin

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
Single 86mm x 86mm  
Twin 146mm x 86mm
































## IMPORTANT NOTE

Please check your chosen finish code (shown on page 68).

Part numbers for ordering consist of the style code M, followed by the finish code and then the product code.

For example:

STYLE M  
FINISH SS  
(for satin stainless steel)  
PRODUCT 11.1W  
PART NO. MSS11.1W

POWER AND CONNECTION		PRODUCT CODE		Wallbox Depth (mm)
SWITCHED SOCKET OUTLETS (PLASTIC SWITCHES)		White Insert	Black Insert	
	2 gang 13 amp	17.2W	17.2B	35mm Twin
	2 gang 13 amp USB sw/skt (laser marked)**	78.2W	78.2B	SEE NOTES*
	1 gang 13 amp	17.1W	17.1B	35mm Single
	1 gang 13 amp USB sw/skt (laser marked)**	78.1W	78.1B	SEE NOTES*
SWITCHED SOCKET OUTLETS (METAL SWITCHES)				
	2 gang 13 amp	18.2W	18.2B	35mm Twin
	2 gang 13 amp USB sw/skt (laser marked)	68.2W	68.2B	SEE NOTES*
	1 gang 13 amp	18.1W	18.1B	35mm Single
	1 gang 13 amp USB sw/skt (laser marked)	68.1W	68.1B	SEE NOTES*
UNSWITCHED SOCKET OUTLETS				
	1 gang 5 amp	20.1W	20.1B	35mm Single
	2 gang 5 amp	20.2W	20.2B	35mm Twin
	1 gang 13 amp	17.1W/US	17.1B/US	35mm Single
	2 gang 13 amp	17.2W/US	17.2B/US	35mm Twin
	1 gang 2 amp	19.1W	19.1B	35mm Single
FUSED CONNECTION UNITS (PLASTIC SWITCHES)				
	13 amp switch fuse spur	86.1W	86.1B	35mm Single
	13 amp switch fuse neon spur	87.1W	87.1B	35mm Single
	13 amp switch fuse cord spur	88.1W	88.1B	35mm Single
	13 amp switch fuse neon cord spur	89.1W	89.1B	35mm Single
FUSED CONNECTION UNITS (METAL SWITCHES)				
	13 amp switch fuse spur	26.1W	26.1B	35mm Single
	13 amp switch fuse neon spur	27.1W	27.1B	35mm Single
	13 amp switch fuse cord spur	28.1W	28.1B	35mm Single
	13 amp switch fuse neon cord spur	29.1W	29.1B	35mm Single
FLEX OUTLET				
	Flex outlet with terminals	69.1W	69.1B	35mm Single
COOKER SWITCHES				
	45 amp cooker control switch small	32.1W/SML	32.1B/SML	35mm Single
	45 amp cooker control switch small c/w neon	33.1W/SML	33.1B/SML	35mm Single
	45 amp cooker control switch large	32.1W/LGE	32.1B/LGE	35mm Twin
	45 amp cooker control switch large c/w neon	33.1W/LGE	33.1B/LGE	35mm Twin
	20 amp DP with neon	30.1		35mm Single
FAN SWITCH (PLASTIC SWITCH)		White Insert	Black Insert	
	Fan switch	56.1W	56.1B	35mm Single
FAN SWITCH (METAL SWITCH)		PRODUCT CODE		
	Fan switch	96.1		35mm Single

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
Single 86mm x 86mm  
Twin 146mm x 86mm

\* Will suit a 35mm deep box when using top cable entry, if using rear or bottom cable entry a 47mm deep wallbox will be required.

\*\* Except primed.

## IMPORTANT NOTE

Please check your chosen finish code (shown on page 68).

Part numbers for ordering consist of the style code M, followed by the finish code and then the product code.

For example:






STYLE M









FINISH SS










(for satin stainless steel)

PRODUCT 11.1W











PART NO. MSS11.1W

POWER AND CONNECTION		PRODUCT CODE	Wallbox Depth (mm)
<b>SMART HOME INTEGRATION / SECURITY</b>			
	Sounder plate only	40.1	N/A
	Sounder complete	41.1	35mm Single
<b>KEYPAD FACEPLATE FINISHING (**add finish code)</b>			
	Lutron Seetouch	**70125	N/A
	Lutron Palladiom single column	LWT-S-P-**	N/A
	Lutron Palladiom dual column	LWT-S-PP-**	N/A

AV & DATA		PRODUCT CODE	
<b>EURO MODULE PLATES</b>			
	1 module euro plate	EUR.1	35mm Single
	2 module euro plate	EUR.2	35mm Single
	3 module euro plate	EUR.3	35mm Twin
	4 module euro plate	EUR.4	35mm Twin
<b>SPEAKER SOCKETS</b>			
	1 gang 2 post speaker socket	67.1	35mm Single
	1 gang 4 post speaker socket	67.2	35mm Single
<b>BLANK PLATES</b>			
	1 gang blank plate	37.1	35mm Single
	2 gang blank plate	37.2	35mm Twin

	EURO AV MODULES	PRODUCT CODE		Gang Size
		White Insert	Black Insert	
<b>TV/SAT</b>				
	Female non isolated TV outlet module	AV012/W	AV012/B	1
	Female TV outlet screened module	AV004/W	AV004/B	1
	Male TV outlet screened module	AV003/W	AV003/B	1
	Satellite TV outlet module	AV013/W	AV013/B	1
	Satellite TV outlet screened module	AV005/W	AV005/B	1
	TV/SAT outlet module	AV007/W	AV007/B	2
	Diplex (FM DAB/TV) module	AV006/W	AV006/B	2
	Triplex (FM DAB/SAT/TV) module	AV008/W	AV008/B	2
	Quadplex (SAT SAT TV FM DAB) module	AV009/W	AV009/B	2

<b>TELEPHONE</b>				
	BT master module	AV011/W	AV011/B	1
	BT slave module	AV010/W	AV010/B	1

	DATA	White Insert	Black Insert	Gang Size
	RJ11 module	AV014/W	AV014/B	1
	RJ45 Cat 5e module	AV015/W	AV015/B	1
	RJ45 Cat 6 module	AV016/W	AV016/B	1
	Angled keystone fascia with shutter	AV022/W	AV022/B	1
<b>HDMI</b>				
	HDMI module (tailed)	AV018/W	AV018/B	1
<b>USB</b>				
	USB connector (non-charging tailed)	AV019/W	AV019/B	1
	USB type A and C charger	AV021/W	AV021/B	1
	45W power delivery USB charger	AV023/W	AV023/B	2
<b>BLANK</b>				
	Blank 25mm x 50mm	AV001/W	AV001/B	1
	Blank 12.5mm x 50mm	AV002/W	AV002/B	0.5

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
Single 86mm x 86mm  
Twin 146mm x 86mm




























## IMPORTANT NOTE

Please check your chosen finish code (shown on [page 68](#)).

Part numbers for ordering consist of the style code B, followed by the finish code and then the product code.

For example:

STYLE **B**  
 FINISH **SC**  
 (for satin chrome)  
 PRODUCT **11.1**  
 PART NO. **BSC11.1**

LIGHT SWITCHES AND DIMMING		PRODUCT CODE		Wallbox Depth (mm)
ROCKER GRID SWITCHES (PLASTIC SWITCHES)		White Insert	Black Insert	
	1 gang 20 amp 2 way rocker switch	10.1W	10.1B	35mm Single
	2 gang 20 amp 2 way rocker switch	10.2W	10.2B	35mm Single
	3 gang 20 amp 2 way rocker switch	10.3W	10.3B	35mm Twin
	4 gang 20 amp 2 way rocker switch	10.4W	10.4B	35mm Twin
	1 gang 20 amp double pole rocker switch	10.1W/2	10.1B/2	35mm Single
	1 gang 20 amp intermediate rocker switch	10.1W/3	10.1B/3	35mm Single
	1 gang 20 amp 2 way and off rocker switch	10.1W/4	10.1B/4	35mm Single
	1 gang 20 amp retractive rocker switch	10.1W/5	10.1B/5	35mm Single
	1 gang 20 amp 2 way and off retractive rocker switch	10.1W/7	10.1B/7	35mm Single
ROCKER GRID SWITCHES (METAL SWITCHES)		PRODUCT CODE		
	1 gang 20 amp 2 way rocker switch	11.1		35mm Single
	2 gang 20 amp 2 way rocker switch	11.2		35mm Single
	3 gang 20 amp 2 way rocker switch	11.3		35mm Twin
	4 gang 20 amp 2 way rocker switch	11.4		35mm Twin
	1 gang 20 amp double pole rocker switch	11.1/2		35mm Single
	1 gang 20 amp intermediate rocker switch	11.1/3		35mm Single
	1 gang 20 amp 2 way and off rocker switch	11.1/4		35mm Single
	1 gang 20 amp retractive rocker switch	11.1/5		35mm Single
	1 gang 20 amp 2 way and off retractive rocker switch	11.1/7		35mm Single
TOGGLE SWITCHES				
	1 gang 20 amp 2 way toggle switch	14.1		35mm Single
	2 gang 20 amp 2 way toggle switch	14.2		35mm Single
	3 gang 20 amp 2 way toggle switch	14.3		35mm Twin
	4 gang 20 amp 2 way toggle switch	14.4		35mm Twin
	1 gang 20 amp double pole toggle switch	14.1/2		35mm Single
	1 gang 20 amp intermediate toggle switch	14.1/3		35mm Single
	1 gang 20 amp 2 way and off toggle switch	14.1/4		35mm Single
	1 gang 20 amp retractive toggle switch	14.1/5		35mm Single
	1 gang 20 amp 2 way and off retractive toggle switch	14.1/7		35mm Single

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
 Single 86mm x 86mm  
 Twin 146mm x 86mm









**IMPORTANT NOTE**

Please check your chosen finish code (shown on page 68).


Part numbers for ordering consist of the style code B, followed by the finish code and then the product code.

For example:












STYLE **B**  
 FINISH **SC**  
 (for satin chrome)  
 PRODUCT **11.1**  
 PART NO. **BSC11.1**

LIGHT SWITCHES AND DIMMING		PRODUCT CODE	Wallbox Depth (mm)
<b>PUSH BUTTON SWITCHES*</b>			
	1 gang 10 amp 2 way latching push button	14.1/8	35mm Single
	2 gang 10 amp 2 way latching push button	14.2/88	35mm Single
	3 gang 10 amp 2 way latching push button	14.3/888	35mm Twin
	4 gang 10 amp 2 way latching push button	14.4/8888	35mm Twin
	1 gang retractive push button	14.1/9	35mm Single
	2 gang retractive push button	14.2/99	35mm Single
	3 gang retractive push button	14.3/999	35mm Twin
	4 gang retractive push button	14.4/9999	35mm Twin

**INTELLIGENT ROTARY DIMMERS**

	1 gang 400W intelligent dimmer	21.1/T	35mm Single
	2 gang 400W intelligent dimmer	21.2/TT	35mm Single
	3 gang 400W intelligent dimmer	21.3/TTT	35mm Twin
	4 gang 400W intelligent dimmer	21.4/TTTT	35mm Twin

**ROTARY DIMMERS**

	1 gang 250W dimmer (mains and low voltage)**	21.1	35mm Single
	2 gang 250W dimmer (mains and low voltage)**	21.2	35mm Single
	3 gang 250W dimmer (mains and low voltage)**	21.3	35mm Twin
	4 gang 250W dimmer (mains and low voltage)**	21.4	35mm Twin
	1 gang 400W dimmer (mains and low voltage) †	22.1	35mm Single
	2 gang 400W dimmer (mains and low voltage) †	22.2	35mm Single
	3 gang 400W dimmer (mains and low voltage) †	22.3	35mm Twin
	4 gang 400W dimmer (mains and low voltage) †	22.4	35mm Twin
	1 gang 0-10V dimmer	21.1/6	35mm Single
	1 gang intermediate on/off	21.1/7	35mm Single
	1 gang 2 way push on/off	21.1/1	35mm Single

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
 Single 86mm x 86mm  
 Twin 146mm x 86mm

\* Matt black and matt white push buttons are supplied with a satin chrome button as standard.

\*\* Suitable for mains and low voltage filament lamps and many 'leading edge' dimmable mains voltage LED replacement lamps.

† Suitable for mains and low voltage filament lamps and many 'leading edge' dimmable mains voltage LED replacement lamps - features 'trimmer' to set lower dimmed lighting level.













**IMPORTANT NOTE**













Please check your chosen finish code (shown on page 68).

Part numbers for ordering consist of the style code B, followed by the finish code and then the product code.

For example:

STYLE **B**  
 FINISH **SC**  
 (for satin chrome)  
 PRODUCT **11.1**  
 PART NO. **BSC11.1**

LIGHT SWITCHES AND DIMMING		PRODUCT CODE	Wallbox Depth (mm)
<b>COMBINATION DIMMER/ROCKERS</b>			
	Single plate cw 1 x 400W intelligent dimmer 1 x 20A 2 way rocker	401.1/T	35mm Single
	Single plate cw 1 x 400W dimmer 1 x 20A way rocker	402.1	35mm Single
	Twin plate cw 1 x 400W intelligent dimmer 2 x 20A 2 way rocker	415.1/T	35mm Twin
	Twin plate cw 1 x 400W dimmer 2 x 20A way rocker	416.1	35mm Twin
	Twin plate cw 2 x 400W intelligent dimmer 1 x 20A 2 way rocker	427.1/TT	35mm Twin
	Twin plate cw 2 x 400W dimmer 1 x 20A 2 way rocker	428.1	35mm Twin
	Twin plate cw 2 x 400W intelligent dimmer 2 x 20A 2 way rocker	443.1/TT	35mm Twin
	Twin plate cw 2 x 400W dimmer 2 x 20A 2 way rocker	444.1	35mm Twin
	Twin plate cw 3 x 400W intelligent dimmer 1 x 20A 2 way rocker	451.1/TTT	35mm Twin
	Twin plate cw 3 x 400W dimmer 1 x 20A 2 way rocker	452.1	35mm Twin
	Twin plate cw 1 x 400W intelligent dimmer 3 x 20A 2 way rocker	459.1/T	35mm Twin
	Twin plate cw 1 x 400W dimmer 3 x 20A way rocker	460.1	35mm Twin

<b>COMBINATION DIMMER/TOGGLES</b>			
	Single plate cw 1 x 400W intelligent dimmer 1 x 20A 2 way toggle	501.1/T	35mm Single
	Single plate cw 1 x 400W dimmer 1 x 20A way toggle	502.1	35mm Single
	Twin plate cw 1 x 400W intelligent dimmer 2 x 20A 2 way toggle	515.1/T	35mm Twin
	Twin plate cw 1 x 400W dimmer 2 x 20A way toggle	516.1	35mm Twin
	Twin plate cw 2 x 400W intelligent dimmer 1 x 20A 2 way toggle	527.1/TT	35mm Twin
	Twin plate cw 2 x 400W dimmer 1 x 20A 2 way toggle	528.1	35mm Twin
	Twin plate cw 2 x 400W intelligent dimmer 2 x 20A 2 way toggle	543.1/TT	35mm Twin
	Twin plate cw 2 x 400W dimmer 2 x 20A 2 way toggle	544.1	35mm Twin
	Twin plate cw 3 x 400W intelligent dimmer 1 x 20A 2 way toggle	551.1/TTT	35mm Twin
	Twin plate cw 3 x 400W dimmer 1 x 20A 2 way toggle	552.1	35mm Twin
	Twin plate cw 1 x 400W intelligent dimmer 3 x 20A 2 way toggle	559.1/T	35mm Twin
	Twin plate cw 1 x 400W dimmer 3 x 20A way toggle	560.1	35mm Twin

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
 Single 86mm x 86mm  
 Twin 146mm x 86mm

**IMPORTANT NOTE**

Please check your chosen finish code (shown on page 68).































Part numbers for ordering consist of the style code B, followed by the finish code and then the product code.

For example:

STYLE **B**  
 FINISH **SC**  
 (for satin chrome)  
 PRODUCT **11.1**  
 PART NO. **BSC11.1**

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
 Single 86mm x 86mm  
 Twin 146mm x 86mm

POWER AND CONNECTION		PRODUCT CODE		Wallbox Depth (mm)
SWITCHED SOCKET OUTLETS (PLASTIC SWITCHES)		White Insert	Black Insert	
	2 gang 13 amp	17.2W	17.2B	35mm Twin
	2 gang 13 amp USB sw/skt (laser marked)	78.2W	78.2B	SEE NOTES*
	1 gang 13 amp	17.1W	17.1B	35mm Single
	1 gang 13 amp USB sw/skt (laser marked)	78.1W	78.1B	SEE NOTES*
SWITCHED SOCKET OUTLETS (METAL SWITCHES)				
	2 gang 13 amp	18.2W	18.2B	35mm Twin
	2 gang 13 amp USB sw/skt (laser marked)	68.2W	68.2B	SEE NOTES*
	1 gang 13 amp	18.1W	18.1B	35mm Single
	1 gang 13 amp USB sw/skt (laser marked)	68.1W	68.1B	SEE NOTES*
UNSWITCHED SOCKET OUTLETS				
	1 gang 5 amp	20.1W	20.1B	35mm Single
	2 gang 5 amp	20.2W	20.2B	35mm Twin
	1 gang 13 amp	17.1W/US	17.1B/US	35mm Single
	2 gang 13 amp	17.2W/US	17.2B/US	35mm Twin
	1 gang 2 amp	19.1W	19.1B	35mm Single
	Shaver socket outlet 110/240 voltage	36.1W	36.1B	47mm Twin**
FUSED CONNECTION UNITS (PLASTIC SWITCHES)				
	13 amp switch fuse spur	86.1W	86.1B	35mm Single
	13 amp switch fuse neon spur	87.1W	87.1B	35mm Single
	13 amp switch fuse cord spur	88.1W	88.1B	35mm Single
	13 amp switch fuse neon cord spur	89.1W	89.1B	35mm Single
FUSED CONNECTION UNITS (METAL SWITCHES)				
	13 amp switch fuse spur	26.1W	26.1B	35mm Single
	13 amp switch fuse neon spur	27.1W	27.1B	35mm Single
	13 amp switch fuse cord spur	28.1W	28.1B	35mm Single
	13 amp switch fuse neon cord spur	29.1W	29.1B	35mm Single
FLEX OUTLET				
	Flex outlet with terminals	69.1W	69.1B	35mm Single
COOKER SWITCHES				
	45 amp cooker control switch small	32.1W/SML	32.1B/SML	35mm Single
	45 amp cooker control switch small c/w neon	33.1W/SML	33.1B/SML	35mm Single
	45 amp cooker control switch large	32.1W/LGE	32.1B/LGE	35mm Twin
	45 amp cooker control switch large c/w neon	33.1W/LGE	33.1B/LGE	35mm Twin
	20 amp DP with neon	30.1		35mm Single
FAN SWITCH (PLASTIC SWITCH)		White Insert	Black Insert	
	Fan switch	56.1W	56.1B	35mm Single
FAN SWITCH (METAL SWITCH)		PRODUCT CODE		
	Fan switch	96.1		35mm Single

\* Will suit a 35mm deep box when using top cable entry, if using rear or bottom cable entry a 47mm deep wallbox will be required.

\*\* Please set wall box back 5mm to allow for the grid.






**IMPORTANT NOTE**










Please check your chosen finish code (shown on page 68).










Part numbers for ordering consist of the style code B, followed by the finish code and then the product code.



For example:





STYLE **B**  
 FINISH **SC**  
 (for satin chrome)  
 PRODUCT **11.1**  
 PART NO. **BSC11.1**


POWER AND CONNECTION		PRODUCT CODE	Wallbox Depth (mm)
<b>SMART HOME INTEGRATION / SECURITY</b>			
	Sounder plate only	40.1	N/A
	Sounder complete	41.1	35mm Single
<b>KEYPAD FACEPLATE FINISHING (**add finish code)</b>			
	Lutron Seetouch	**-70125	N/A
	Lutron Palladiom single column	LWT-S-P-**	N/A
	Lutron Palladiom dual column	LWT-S-PP-**	N/A




AV & DATA		PRODUCT CODE	
<b>EURO MODULE PLATES</b>			
	1 module euro plate	EUR.1	35mm Single
	2 module euro plate	EUR.2	35mm Single
	3 module euro plate	EUR.3	35mm Twin
	4 module euro plate	EUR.4	35mm Twin
<b>SPEAKER SOCKETS</b>			
	1 gang 2 post speaker socket	67.1	35mm Single
	1 gang 4 post speaker socket	67.2	35mm Single
<b>VOLUME CONTROL</b>			
	Volume control	13.1	35mm Single
<b>BLANK PLATES</b>			
	1 gang blank plate	37.1	35mm Single
	2 gang blank plate	37.2	35mm Twin

	EURO AV MODULES		Gang Size
	White Insert	Black Insert	
<b>TV/SAT</b>			
	Female non isolated TV outlet module	AV012/W AV012/B	1
	Female TV outlet screened module	AV004/W AV004/B	1
	Male TV outlet screened module	AV003/W AV003/B	1
	Satellite TV outlet module	AV013/W AV013/B	1
	Satellite TV outlet screened module	AV005/W AV005/B	1
	TV/SAT outlet module	AV007/W AV007/B	2
	Diplex (FM DAB/TV) module	AV006/W AV006/B	2
	Triplex (FM DAB/SAT/TV) module	AV008/W AV008/B	2
	Quadplex (SAT SAT TV FM DAB) module	AV009/W AV009/B	2

<b>TELEPHONE</b>			
	BT master module	AV011/W AV011/B	1
	BT slave module	AV010/W AV010/B	1

	DATA		Gang Size
	White Insert	Black Insert	
	RJ11 module	AV014/W AV014/B	1
	RJ45 Cat 5e module	AV015/W AV015/B	1
	RJ45 Cat6 module	AV016/W AV016/B	1
	Angled keystone fascia with shutter	AV022/W AV022/B	1

<b>HDMI</b>			
	HDMI module (tailed)	AV018/W AV018/B	1

<b>USB</b>			
	USB connector (non-charging tailed)	AV019/W AV019/B	1
	USB type A and C charger	AV021/W AV021/B	1
	45W power delivery USB charger	AV023/W AV023/B	2

<b>BLANK</b>			
	Blank 25mm x 50mm	AV001/W AV001/B	1
	Blank 12.5mm x 50mm	AV002/W AV002/B	0.5

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
 Single 86mm x 86mm  
 Twin 146mm x 86mm




























**IMPORTANT NOTE**

Please check your chosen finish code (shown on page 68).

Part numbers for ordering consist of the style code S, followed by the finish code and then the product code.

For example:

STYLE S  
FINISH SC  
(for satin chrome)  
PRODUCT 11.1  
PART NO. SSC11.1

LIGHT SWITCHES AND DIMMING		PRODUCT CODE		Wallbox Depth (mm)
ROCKER GRID SWITCHES (PLASTIC SWITCHES)		White Insert	Black Insert	
	1 gang 20 amp 2 way rocker switch	10.1W	10.1B	35mm Single
	2 gang 20 amp 2 way rocker switch	10.2W	10.2B	35mm Single
	3 gang 20 amp 2 way rocker switch	10.3W	10.3B	35mm Twin
	4 gang 20 amp 2 way rocker switch	10.4W	10.4B	35mm Twin
	1 gang 20 amp double pole rocker switch	10.1W/2	10.1B/2	35mm Single
	1 gang 20 amp intermediate rocker switch	10.1W/3	10.1B/3	35mm Single
	1 gang 20 amp 2 way and off rocker switch	10.1W/4	10.1B/4	35mm Single
	1 gang 20 amp retractive rocker switch	10.1W/5	10.1B/5	35mm Single
	1 gang 20 amp 2 way and off retractive rocker switch	10.1W/7	10.1B/7	35mm Single
ROCKER GRID SWITCHES (METAL SWITCHES)		PRODUCT CODE		
	1 gang 20 amp 2 way rocker switch	11.1		35mm Single
	2 gang 20 amp 2 way rocker switch	11.2		35mm Single
	3 gang 20 amp 2 way rocker switch	11.3		35mm Twin
	4 gang 20 amp 2 way rocker switch	11.4		35mm Twin
	1 gang 20 amp double pole rocker switch	11.1/2		35mm Single
	1 gang 20 amp intermediate rocker switch	11.1/3		35mm Single
	1 gang 20 amp 2 way and off rocker switch	11.1/4		35mm Single
	1 gang 20 amp retractive rocker switch	11.1/5		35mm Single
	1 gang 20 amp 2 way and off retractive rocker switch	11.1/7		35mm Single
TOGGLE SWITCHES				
	1 gang 20 amp 2 way toggle switch	14.1		35mm Single
	2 gang 20 amp 2 way toggle switch	14.2		35mm Single
	3 gang 20 amp 2 way toggle switch	14.3		35mm Twin
	4 gang 20 amp 2 way toggle switch	14.4		35mm Twin
	1 gang 20 amp double pole toggle switch	14.1/2		35mm Single
	1 gang 20 amp intermediate toggle switch	14.1/3		35mm Single
	1 gang 20 amp 2 way and off toggle switch	14.1/4		35mm Single
	1 gang 20 amp retractive toggle switch	14.1/5		35mm Single
	1 gang 20 amp 2 way and off retractive toggle switch	14.1/7		35mm Single

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
Single 92mm x 92mm  
Twin 152mm x 92mm











**IMPORTANT NOTE**





Please check your chosen finish code (shown on page 68).


Part numbers for ordering consist of the style code S, followed by the finish code and then the product code.

For example:

STYLE S  
FINISH SC  
(for satin chrome)  
PRODUCT 11.1  
PART NO. SSC11.1

LIGHT SWITCHES AND DIMMING		PRODUCT CODE	Wallbox Depth (mm)
<b>PUSH BUTTON SWITCHES*</b>			
	1 gang 10 amp 2 way latching push button	14.1/8	35mm Single
	2 gang 10 amp 2 way latching push button	14.2/88	35mm Single
	3 gang 10 amp 2 way latching push button	14.3/888	35mm Twin
	4 gang 10 amp 2 way latching push button	14.4/8888	35mm Twin
	1 gang retractive push button	14.1/9	35mm Single
	2 gang retractive push button	14.2/99	35mm Single
	3 gang retractive push button	14.3/999	35mm Twin
	4 gang retractive push button	14.4/9999	35mm Twin

<b>INTELLIGENT ROTARY DIMMERS</b>			
	1 gang 400W intelligent dimmer	21.1/T	35mm Single
	2 gang 400W intelligent dimmer	21.2/TT	35mm Single
	3 gang 400W intelligent dimmer	21.3/TTT	35mm Twin
	4 gang 400w intelligent dimmer	21.4/TTTT	35mm Twin

<b>ROTARY DIMMERS</b>			
	1 gang 250W dimmer (mains and low voltage)**	21.1	35mm Single
	2 gang 250W dimmer (mains and low voltage)**	21.2	35mm Single
	3 gang 250W dimmer (mains and low voltage)**	21.3	35mm Twin
	4 gang 250W dimmer (mains and low voltage)**	21.4	35mm Twin
	1 gang 400W dimmer (mains and low voltage) †	22.1	35mm Single
	2 gang 400W dimmer (mains and low voltage) †	22.2	35mm Single
	3 gang 400W dimmer (mains and low voltage) †	22.3	35mm Twin
	4 gang 400W dimmer (mains and low voltage) †	22.4	35mm Twin
	1 gang 0-10V dimmer	21.1/6	35mm Single
	1 gang intermediate on/off	21.1/7	35mm Single
	1 gang 2 way push on/off	21.1/1	35mm Single

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
Single 92mm x 92mm  
Twin 152mm x 92mm

\* Matt black and matt white push buttons are supplied with a satin chrome button as standard.

\*\* Suitable for mains and low voltage filament lamps and many 'leading edge' dimmable mains voltage LED replacement lamps.

† Suitable for mains and low voltage filament lamps and many 'leading edge' dimmable mains voltage LED replacement lamps - features 'trimmer' to set lower dimmed lighting level.

**IMPORTANT NOTE**

Please check your chosen finish code (shown on page 68).













Part numbers for ordering consist of the style code S, followed by the finish code and then the product code.

For example:

STYLE S  
FINISH SC  
(for satin chrome)  
PRODUCT 11.1  
PART NO. SSC11.1

**LIGHT SWITCHES AND DIMMING**

**COMBINATION DIMMER/ROCKERS**

	PRODUCT CODE	Wallbox Depth (mm)
 Single plate cw 1 x 400W intelligent dimmer 1 x 20A 2 way rocker	401.1/T	35mm Single
 Single plate cw 1 x 400W dimmer 1 x 20A way rocker	402.1	35mm Single
 Twin plate cw 1 x 400W intelligent dimmer 2 x 20A 2 way rocker	415.1/T	35mm Twin
 Twin plate cw 1 x 400W dimmer 2 x 20A way rocker	416.1	35mm Twin
 Twin plate cw 2 x 400W intelligent dimmer 1 x 20A 2 way rocker	427.1/TT	35mm Twin
 Twin plate cw 2 x 400W dimmer 1 x 20A 2 way rocker	428.1	35mm Twin
 Twin plate cw 2 x 400W intelligent dimmer 2 x 20A 2 way rocker	443.1/TT	35mm Twin
 Twin plate cw 2 x 400W dimmer 2 x 20A 2 way rocker	444.1	35mm Twin
 Twin plate cw 3 x 400W intelligent dimmer 1 x 20A 2 way rocker	451.1/TTT	35mm Twin
 Twin plate cw 3 x 400W dimmer 1 x 20A 2 way rocker	452.1	35mm Twin
 Twin plate cw 1 x 400W intelligent dimmer 3 x 20A 2 way rocker	459.1/T	35mm Twin
 Twin plate cw 1 x 400W dimmer 3 x 20A way rocker	460.1	35mm Twin

**COMBINATION DIMMER/TOGGLES**

 Single plate cw 1 x 400W intelligent dimmer 1 x 20A 2 way toggle	501.1/T	35mm Single
 Single plate cw 1 x 400W dimmer 1 x 20A way toggle	502.1	35mm Single
 Twin plate cw 1 x 400W intelligent dimmer 2 x 20A 2 way toggle	515.1/T	35mm Twin
 Twin plate cw 1 x 400W dimmer 2 x 20A way toggle	516.1	35mm Twin
 Twin plate cw 2 x 400W intelligent dimmer 1 x 20A 2 way toggle	527.1/TT	35mm Twin
 Twin plate cw 2 x 400W dimmer 1 x 20A 2 way toggle	528.1	35mm Twin
 Twin plate cw 2 x 400W intelligent dimmer 2 x 20A 2 way toggle	543.1/TT	35mm Twin
 Twin plate cw 2 x 400W dimmer 2 x 20A 2 way toggle	544.1	35mm Twin
 Twin plate cw 3 x 400W intelligent dimmer 1 x 20A 2 way toggle	551.1/TTT	35mm Twin
 Twin plate cw 3 x 400W dimmer 1 x 20A 2 way toggle	552.1	35mm Twin
 Twin plate cw 1 x 400W intelligent dimmer 3 x 20A 2 way toggle	559.1/T	35mm Twin
 Twin plate cw 1 x 400W dimmer 3 x 20A way toggle	560.1	35mm Twin

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
Single 92mm x 92mm  
Twin 152mm x 92mm































**IMPORTANT NOTE**

Please check your chosen finish code (shown on page 68).

Part numbers for ordering consist of the style code S, followed by the finish code and then the product code.

For example:

STYLE S  
FINISH SC  
(for satin chrome)  
PRODUCT 11.1  
PART NO. SSC11.1

POWER AND CONNECTION		PRODUCT CODE		Wallbox Depth (mm)
SWITCHED SOCKET OUTLETS (PLASTIC SWITCHES)		White insert	Black insert	
	2 gang 13 amp	17.2W	17.2B	35mm Twin
	2 gang 13 amp USB sw/skt (laser marked)	78.2W	78.2B	SEE NOTES*
	1 gang 13 amp	17.1W	17.1B	35mm Single
	1 gang 13 amp USB sw/skt (laser marked)	78.1W	78.1B	SEE NOTES*
SWITCHED SOCKET OUTLETS (METAL SWITCHES)				
	2 gang 13 amp	18.2W	18.2B	35mm Twin
	2 gang 13 amp USB sw/skt (laser marked)	68.2W	68.2B	SEE NOTES*
	1 gang 13 amp	18.1W	18.1B	35mm Single
	1 gang 13 amp USB sw/skt (laser marked)	68.1W	68.1B	SEE NOTES*
UNSWITCHED SOCKET OUTLETS				
	1 gang 5 amp	20.1W	20.1B	35mm Single
	2 gang 5 amp	20.2W	20.2B	35mm Twin
	1 gang 13 amp	17.1W/US	17.1B/US	35mm Single
	2 gang 13 amp	17.2W/US	17.2B/US	35mm Twin
	1 gang 2 amp	19.1W	19.1B	35mm Single
	Shaver socket outlet 110/240 voltage	36.1W	36.1B	47mm Twin**
FUSED CONNECTION UNITS (PLASTIC SWITCHES)				
	13 amp switch fuse spur	86.1W	86.1B	35mm Single
	13 amp switch fuse neon spur	87.1W	87.1B	35mm Single
	13 amp switch fuse cord spur	88.1W	88.1B	35mm Single
	13 amp switch fuse neon cord spur	89.1W	89.1B	35mm Single
FUSED CONNECTION UNITS (METAL SWITCHES)				
	13 amp switch fuse spur	26.1W	26.1B	35mm Single
	13 amp switch fuse neon spur	27.1W	27.1B	35mm Single
	13 amp switch fuse cord spur	28.1W	28.1B	35mm Single
	13 amp switch fuse neon cord spur	29.1W	29.1B	35mm Single
FLEX OUTLET				
	Flex outlet with terminals	69.1W	69.1B	35mm Single
COOKER SWITCHES				
	45 amp cooker control switch small	32.1W/SML	32.1B/SML	35mm Single
	45 amp cooker control switch small c/w neon	33.1W/SML	33.1B/SML	35mm Single
	45 amp cooker control switch large	32.1W/LGE	32.1B/LGE	35mm Twin
	45 amp cooker control switch large c/w neon	33.1W/LGE	33.1B/LGE	35mm Twin
	20 amp DP with neon	30.1		35mm Single
FAN SWITCH (PLASTIC SWITCH)		White insert	Black insert	
	Fan switch	56.1W	56.1B	35mm Single
FAN SWITCH (METAL SWITCH)		PRODUCT CODE		
	Fan switch	96.1		35mm Single

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
Single 92mm x 92mm  
Twin 152mm x 92mm

\* Will suit a 35mm deep box when using top cable entry, if using rear or bottom cable entry a 47mm deep wallbox will be required.  
\*\* Please set wall box back 5mm to allow for the grid.






**IMPORTANT NOTE**










Please check your chosen finish code (shown on page 68).










Part numbers for ordering consist of the style code S, followed by the finish code and then the product code.

For example:





STYLE S  
FINISH SC  
(for satin chrome)  
PRODUCT 11.1  
PART NO. SSC11.1

POWER AND CONNECTION		PRODUCT CODE	Wallbox Depth (mm)
<b>SMART HOME INTEGRATION / SECURITY</b>			
	Sounder plate only	40.1	N/A
	Sounder complete	41.1	35mm Single
<b>KEYPAD FACEPLATE FINISHING (**add finish code)</b>			
	Lutron Seetouch	**70125	N/A
	Lutron Palladiom single column	LWT-S-P-**	N/A
	Lutron Palladiom dual column	LWT-S-PP-**	N/A




AV & DATA		PRODUCT CODE	Wallbox Depth (mm)
<b>EURO MODULE PLATES</b>			
	1 module euro plate	EUR.1	35mm Single
	2 module euro plate	EUR.2	35mm Single
	3 module euro plate	EUR.3	35mm Twin
	4 module euro plate	EUR.4	35mm Twin
<b>SPEAKER SOCKETS</b>			
	1 gang 2 post speaker socket	67.1	35mm Single
	1 gang 4 post speaker socket	67.2	35mm Single
<b>VOLUME CONTROL</b>			
	1 gang 8 ohm 15w volume control	13.1	35mm Single
<b>BLANK PLATES</b>			
	1 gang blank plate	37.1	35mm Single
	2 gang blank plate	37.2	35mm Twin



	EURO AV MODULES		Gang Size
	White Insert	Black Insert	
<b>TV/SAT</b>			
	Female non isolated TV outlet module	AV012/W AV012/B	1
	Female TV outlet screened module	AV004/W AV004/B	1
	Male TV outlet screened module	AV003/W AV003/B	1
	Satellite TV outlet module	AV013/W AV013/B	1
	Satellite TV outlet screened module	AV005/W AV005/B	1
	TV/SAT outlet module	AV007/W AV007/B	2
	Diplex (FM DAB/TV) module	AV006/W AV006/B	2
	Triplex (FM DAB/SAT/TV) module	AV008/W AV008/B	2
	Quadplex (SAT SAT TV FM DAB) module	AV009/W AV009/B	2

<b>TELEPHONE</b>			
	BT master module	AV011/W AV011/B	1
	BT slave module	AV010/W AV010/B	1

	DATA		Gang Size
	White Insert	Black Insert	
	RJ11 module	AV014/W AV014/B	1
	RJ45 Cat 5e module	AV015/W AV015/B	1
	RJ45 Cat6 module	AV016/W AV016/B	1
	Angled keystone fascia with shutter	AV022/W AV022/B	1

<b>HDMI</b>			
	HDMI module (tailed)	AV018/W AV018/B	1

<b>USB</b>			
	USB connector (non-charging tailed)	AV019/W AV019/B	1
	USB type A and C charger	AV021/W AV021/B	1
	45W power delivery USB charger	AV023/W AV023/B	2

<b>BLANK</b>			
	Blank 25mm x 50mm	AV001/W AV001/B	1
	Blank 12.5mm x 50mm	AV002/W AV002/B	0.5

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
Single 92mm x 92mm  
Twin 152mm x 92mm










## IMPORTANT NOTE










Please check your chosen finish code (shown on page 68).










Part numbers for ordering consist of the style code G, followed by the finish code and then the product code.

For example:

STYLE **G**  
 FINISH **SC**  
 (for satin chrome)  
 PRODUCT **11.1**  
 PART NO. **GSC11.1**

LIGHT SWITCHES AND DIMMING		PRODUCT CODE		Wallbox Depth (mm)
ROCKER GRID SWITCHES (PLASTIC SWITCHES)		White Insert	Black Insert	
	1 gang 20 amp 2 way rocker switch	10.1W	10.1B	35mm Single
	2 gang 20 amp 2 way rocker switch	10.2W	10.2B	35mm Single
	3 gang 20 amp 2 way rocker switch	10.3W	10.3B	35mm Twin
	4 gang 20 amp 2 way rocker switch	10.4W	10.4B	35mm Twin
	1 gang 20 amp double pole rocker switch	10.1W/2	10.1B/2	35mm Single
	1 gang 20 amp intermediate rocker switch	10.1W/3	10.1B/3	35mm Single
	1 gang 20 amp 2 way and off rocker switch	10.1W/4	10.1B/4	35mm Single
	1 gang 20 amp retractive rocker switch	10.1W/5	10.1B/5	35mm Single
	1 gang 20 amp 2 way and off retractive rocker switch	10.1W/7	10.1B/7	35mm Single

ROCKER GRID SWITCHES (METAL SWITCHES)		PRODUCT CODE		Wallbox Depth (mm)
	1 gang 20 amp 2 way rocker switch	11.1		
	2 gang 20 amp 2 way rocker switch	11.2		35mm Single
	3 gang 20 amp 2 way rocker switch	11.3		35mm Twin
	4 gang 20 amp 2 way rocker switch	11.4		35mm Twin
	1 gang 20 amp double pole rocker switch	11.1/2		35mm Single
	1 gang 20 amp intermediate rocker switch	11.1/3		35mm Single
	1 gang 20 amp 2 way and off rocker switch	11.1/4		35mm Single
	1 gang 20 amp retractive rocker switch	11.1/5		35mm Single
	1 gang 20 amp 2 way and off retractive rocker switch	11.1/7		35mm Single

TOGGLE SWITCHES		PRODUCT CODE		Wallbox Depth (mm)
	1 gang 20 amp 2 way toggle switch	14.1		
	2 gang 20 amp 2 way toggle switch	14.2		35mm Single
	3 gang 20 amp 2 way toggle switch	14.3		35mm Twin
	4 gang 20 amp 2 way toggle switch	14.4		35mm Twin
	1 gang 20 amp double pole toggle switch	14.1/2		35mm Single
	1 gang 20 amp intermediate toggle switch	14.1/3		35mm Single
	1 gang 20 amp 2 way and off toggle switch	14.1/4		35mm Single
	1 gang 20 amp retractive toggle switch	14.1/5		35mm Single
	1 gang 20 amp 2 way and off retractive toggle switch	14.1/7		35mm Single

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
 Single 94mm x 94mm  
 Twin 154mm x 94mm

## IMPORTANT NOTE

Please check your chosen finish code (shown on page 68).









Part numbers for ordering consist of the style code G, followed by the finish code and then the product code.

For example:

STYLE G  
FINISH SC  
(for satin chrome)  
PRODUCT 11.1  
PART NO. GSC11.1

### LIGHT SWITCHES AND DIMMING












#### PUSH BUTTON SWITCHES\*

	PRODUCT CODE	Wallbox Depth (mm)	
	1 gang 10 amp 2 way latching push button	14.1/8	35mm Single
	2 gang 10 amp 2 way latching push button	14.2/88	35mm Single
	3 gang 10 amp 2 way latching push button	14.3/888	35mm Twin
	4 gang 10 amp 2 way latching push button	14.4/8888	35mm Twin
	1 gang retractive push button	14.1/9	35mm Single
	2 gang retractive push button	14.2/99	35mm Single
	3 gang retractive push button	14.3/999	35mm Twin
	4 gang retractive push button	14.4/9999	35mm Twin

#### INTELLIGENT ROTARY DIMMERS

	1 gang 400W intelligent dimmer	21.1/T	35mm Single
	2 gang 400W intelligent dimmer	21.2/TT	35mm Single
	3 gang 400W intelligent dimmer	21.3/TTT	35mm Twin
	4 gang 400w intelligent dimmer	21.4/TTTT	35mm Twin

#### ROTARY DIMMERS

	1 gang 250W dimmer (mains and low voltage)**	21.1	35mm Single
	2 gang 250W dimmer (mains and low voltage)**	21.2	35mm Single
	3 gang 250W dimmer (mains and low voltage)**	21.3	35mm Twin
	4 gang 250W dimmer (mains and low voltage)**	21.4	35mm Twin
	1 gang 400W dimmer (mains and low voltage) †	22.1	35mm Single
	2 gang 400W dimmer (mains and low voltage) †	22.2	35mm Single
	3 gang 400W dimmer (mains and low voltage) †	22.3	35mm Twin
	4 gang 400W dimmer (mains and low voltage) †	22.4	35mm Twin
	1 gang 0-10V dimmer	21.1/6	35mm Single
	1 gang intermediate on/off	21.1/7	35mm Single
	1 gang 2 way push on/off	21.1/1	35mm Single

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
Single 94mm x 94mm  
Twin 154mm x 94mm

\* Matt black and matt white push buttons are supplied with a satin chrome button as standard.

\*\* Suitable for mains and low voltage filament lamps and many 'leading edge' dimmable mains voltage LED replacement lamps.

† Suitable for mains and low voltage filament lamps and many 'leading edge' dimmable mains voltage LED replacement lamps - features 'trimmer' to set lower dimmed lighting level.

## IMPORTANT NOTE

Please check your chosen finish code (shown on page 68).













Part numbers for ordering consist of the style code G, followed by the finish code and then the product code.

For example:

STYLE **G**  
 FINISH **SC**  
 (for satin chrome)  
 PRODUCT **11.1**  
 PART NO. **GSC11.1**

### LIGHT SWITCHES AND DIMMING

#### COMBINATION DIMMER/ROCKERS

	PRODUCT CODE	Wallbox Depth (mm)
 Single plate cw 1 x 400W intelligent dimmer 1 x 20A 2 way rocker	401.1/T	35mm Single
 Single plate cw 1 x 400W dimmer 1 x 20A way rocker	402.1	35mm Single
 Twin plate cw 1 x 400W intelligent dimmer 2 x 20A 2 way rocker	415.1/T	35mm Twin
 Twin plate cw 1 x 400W dimmer 2 x 20A way rocker	416.1	35mm Twin
 Twin plate cw 2 x 400W intelligent dimmer 1 x 20A 2 way rocker	427.1/TT	35mm Twin
 Twin plate cw 2 x 400W dimmer 1 x 20A 2 way rocker	428.1	35mm Twin
 Twin plate cw 2 x 400W intelligent dimmer 2 x 20A 2 way rocker	443.1/TT	35mm Twin
 Twin plate cw 2 x 400W dimmer 2 x 20A 2 way rocker	444.1	35mm Twin
 Twin plate cw 3 x 400W intelligent dimmer 1 x 20A 2 way rocker	451.1/TTT	35mm Twin
 Twin plate cw 3 x 400W dimmer 1 x 20A 2 way rocker	452.1	35mm Twin
 Twin plate cw 1 x 400W intelligent dimmer 3 x 20A 2 way rocker	459.1/T	35mm Twin
 Twin plate cw 1 x 400W dimmer 3 x 20A way rocker	460.1	35mm Twin

#### COMBINATION DIMMER/TOGGLES

 Single plate cw 1 x 400W intelligent dimmer 1 x 20A 2 way toggle	501.1/T	35mm Single
 Single plate cw 1 x 400W dimmer 1 x 20A way toggle	502.1	35mm Single
 Twin plate cw 1 x 400W intelligent dimmer 2 x 20A 2 way toggle	515.1/T	35mm Twin
 Twin plate cw 1 x 400W dimmer 2 x 20A way toggle	516.1	35mm Twin
 Twin plate cw 2 x 400W intelligent dimmer 1 x 20A 2 way toggle	527.1/TT	35mm Twin
 Twin plate cw 2 x 400W dimmer 1 x 20A 2 way toggle	528.1	35mm Twin
 Twin plate cw 2 x 400W intelligent dimmer 2 x 20A 2 way toggle	543.1/TT	35mm Twin
 Twin plate cw 2 x 400W dimmer 2 x 20A 2 way toggle	544.1	35mm Twin
 Twin plate cw 3 x 400W intelligent dimmer 1 x 20A 2 way toggle	551.1/TTT	35mm Twin
 Twin plate cw 3 x 400W dimmer 1 x 20A 2 way toggle	552.1	35mm Twin
 Twin plate cw 1 x 400W intelligent dimmer 3 x 20A 2 way toggle	559.1/T	35mm Twin
 Twin plate cw 1 x 400W dimmer 3 x 20A way toggle	560.1	35mm Twin

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
 Single 94mm x 94mm  
 Twin 154mm x 94mm































## IMPORTANT NOTE

Please check your chosen finish code (shown on page 68).

Part numbers for ordering consist of the style code G, followed by the finish code and then the product code.

For example:

STYLE **G**  
 FINISH **SC**  
 (for satin chrome)  
 PRODUCT **11.1**  
 PART NO. **GSC11.1**

POWER AND CONNECTION		PRODUCT CODE		Wallbox Depth (mm)
SWITCHED SOCKET OUTLETS (PLASTIC SWITCHES)		White insert	Black insert	
	2 gang 13 amp	17.2W	17.2B	35mm Twin
	2 gang 13 amp USB sw/skt (laser marked)	78.2W	78.2B	SEE NOTES*
	1 gang 13 amp	17.1W	17.1B	35mm Single
	1 gang 13 amp USB sw/skt (laser marked)	78.1W	78.1B	SEE NOTES*
SWITCHED SOCKET OUTLETS (METAL SWITCHES)				
	2 gang 13 amp	18.2W	18.2B	35mm Twin
	2 gang 13 amp USB sw/skt (laser marked)	68.2W	68.2B	SEE NOTES*
	1 gang 13 amp	18.1W	18.1B	35mm Single
	1 gang 13 amp USB sw/skt (laser marked)	68.1W	68.1B	SEE NOTES*
UNSWITCHED SOCKET OUTLETS				
	1 gang 5 amp	20.1W	20.1B	35mm Single
	2 gang 5 amp	20.2W	20.2B	35mm Twin
	1 gang 13 amp	17.1W/US	17.1B/US	35mm Single
	2 gang 13 amp	17.2W/US	17.2B/US	35mm Twin
	1 gang 2 amp	19.1W	19.1B	35mm Single
	Shaver socket outlet 110/240 voltage	36.1W	36.1B	47mm Twin**
FUSED CONNECTION UNITS (PLASTIC SWITCHES)				
	13 amp switch fuse spur	86.1W	86.1B	35mm Single
	13 amp switch fuse neon spur	87.1W	87.1B	35mm Single
	13 amp switch fuse cord spur	88.1W	88.1B	35mm Single
	13 amp switch fuse neon cord spur	89.1W	89.1B	35mm Single
FUSED CONNECTION UNITS (METAL SWITCHES)				
	13 amp switch fuse spur	26.1W	26.1B	35mm Single
	13 amp switch fuse neon spur	27.1W	27.1B	35mm Single
	13 amp switch fuse cord spur	28.1W	28.1B	35mm Single
	13 amp switch fuse neon cord spur	29.1W	29.1B	35mm Single
FLEX OUTLET				
	Flex outlet with terminals	69.1W	69.1B	35mm Single
COOKER SWITCHES				
	45 amp cooker control switch small	32.1W/SML	32.1B/SML	35mm Single
	45 amp cooker control switch small c/w neon	33.1W/SML	33.1B/SML	35mm Single
	45 amp cooker control switch large	32.1W/LGE	32.1B/LGE	35mm Twin
	45 amp cooker control switch large c/w neon	33.1W/LGE	33.1B/LGE	35mm Twin
	20 amp DP with neon	30.1		35mm Single
FAN SWITCH (PLASTIC SWITCH)		White insert	Black insert	
	Fan switch	56.1W	56.1B	35mm Single
FAN SWITCH (METAL SWITCH)		PRODUCT CODE		
	Fan switch	96.1		35mm Single

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
 Single 94mm x 94mm  
 Twin 154mm x 94mm

\* Will suit a 35mm deep box when using top cable entry, if using rear or bottom cable entry a 47mm deep wallbox will be required.

\*\* Please set wall box back 5mm to allow for the grid.








## IMPORTANT NOTE










Please check your chosen finish code (shown on page 68).










Part numbers for ordering consist of the style code G, followed by the finish code and then the product code.

For example:





STYLE **G**  
 FINISH **SC**  
 (for satin chrome)  
 PRODUCT **11.1**  
 PART NO. **GSC11.1**


POWER AND CONNECTION		PRODUCT CODE	Wallbox Depth (mm)
<b>SMART HOME INTEGRATION / SECURITY</b>			
	Sounder plate only	40.1	N/A
	Sounder complete	41.1	35mm Single
<b>KEYPAD FACEPLATE FINISHING (**add finish code)</b>			
	Lutron Seetouch	**70125	N/A
	Lutron Palladiom single column	LWT-S-P-**	N/A
	Lutron Palladiom dual column	LWT-S-PP-**	N/A




AV & DATA		PRODUCT CODE	Wallbox Depth (mm)
<b>EURO MODULE PLATES</b>			
	1 module euro plate	EUR.1	35mm Single
	2 module euro plate	EUR.2	35mm Single
	3 module euro plate	EUR.3	35mm Twin
	4 module euro plate	EUR.4	35mm Twin
<b>SPEAKER SOCKETS</b>			
	1 gang 2 post speaker socket	67.1	35mm Single
	1 gang 4 post speaker socket	67.2	35mm Single
<b>VOLUME CONTROL</b>			
	1 gang 8 ohm 15w volume control	13.1	35mm Single
<b>BLANK PLATES</b>			
	1 gang blank plate	37.1	35mm Single
	2 gang blank plate	37.2	35mm Twin



	EURO AV MODULES		Gang Size
	White Insert	Black Insert	
<b>TV/SAT</b>			
	Female non isolated TV outlet module	AV012/W AV012/B	1
	Female TV outlet screened module	AV004/W AV004/B	1
	Male TV outlet screened module	AV003/W AV003/B	1
	Satellite TV outlet module	AV013/W AV013/B	1
	Satellite TV outlet screened module	AV005/W AV005/B	1
	TV/SAT outlet module	AV007/W AV007/B	2
	Diplex (FM DAB/TV) module	AV006/W AV006/B	2
	Triplex (FM DAB/SAT/TV) module	AV008/W AV008/B	2
	Quadplex (SAT SAT TV FM DAB) module	AV009/W AV009/B	2

<b>TELEPHONE</b>			
	BT master module	AV011/W AV011/B	1
	BT slave module	AV010/W AV010/B	1

	White Insert	Black Insert	Gang Size
	RJ11 module	AV014/W AV014/B	1
	RJ45 Cat 5e module	AV015/W AV015/B	1
	RJ45 Cat6 module	AV016/W AV016/B	1
	Angled keystone fascia with shutter	AV022/W AV022/B	1

<b>HDMI</b>			
	HDMI module (tailed)	AV018/W AV018/B	1

<b>USB</b>			
	USB connector (non-charging tailed)	AV019/W AV019/B	1
	USB type A and C charger	AV021/W AV021/B	1
	45W power delivery USB charger	AV023/W AV023/B	2

<b>BLANK</b>			
	Blank 25mm x 50mm	AV001/W AV001/B	1
	Blank 12.5mm x 50mm	AV002/W AV002/B	0.5

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
 Single 94mm x 94mm  
 Twin 154mm x 94mm




























## IMPORTANT NOTE

Please check your chosen finish code (shown on page 68).

Part numbers for ordering consist of the style code V, followed by the finish code and then the product code.

For example:

STYLE V  
FINISH SC  
(for satin chrome)  
PRODUCT 11.1  
PART NO. VSC11.1

LIGHT SWITCHES AND DIMMING		PRODUCT CODE		Wallbox Depth (mm)
ROCKER GRID SWITCHES (PLASTIC SWITCHES)		White Insert	Black Insert	
	1 gang 20 amp 2 way rocker switch	10.1W	10.1B	35mm Single
	2 gang 20 amp 2 way rocker switch	10.2W	10.2B	35mm Single
	3 gang 20 amp 2 way rocker switch	10.3W	10.3B	35mm Twin
	4 gang 20 amp 2 way rocker switch	10.4W	10.4B	35mm Twin
	1 gang 20 amp double pole rocker switch	10.1W/2	10.1B/2	35mm Single
	1 gang 20 amp intermediate rocker switch	10.1W/3	10.1B/3	35mm Single
	1 gang 20 amp 2 way and off rocker switch	10.1W/4	10.1B/4	35mm Single
	1 gang 20 amp retractive rocker switch	10.1W/5	10.1B/5	35mm Single
	1 gang 20 amp 2 way and off retractive rocker switch	10.1W/7	10.1B/7	35mm Single
ROCKER GRID SWITCHES (METAL SWITCHES)		PRODUCT CODE		
	1 gang 20 amp 2 way rocker switch	11.1		35mm Single
	2 gang 20 amp 2 way rocker switch	11.2		35mm Single
	3 gang 20 amp 2 way rocker switch	11.3		35mm Twin
	4 gang 20 amp 2 way rocker switch	11.4		35mm Twin
	1 gang 20 amp double pole rocker switch	11.1/2		35mm Single
	1 gang 20 amp intermediate rocker switch	11.1/3		35mm Single
	1 gang 20 amp 2 way and off rocker switch	11.1/4		35mm Single
	1 gang 20 amp retractive rocker switch	11.1/5		35mm Single
	1 gang 20 amp 2 way and off retractive rocker switch	11.1/7		35mm Single
TOGGLE SWITCHES				
	1 gang 20 amp 2 way toggle switch	14.1		35mm Single
	2 gang 20 amp 2 way toggle switch	14.2		35mm Single
	3 gang 20 amp 2 way toggle switch	14.3		35mm Twin
	4 gang 20 amp 2 way toggle switch	14.4		35mm Twin
	1 gang 20 amp double pole toggle switch	14.1/2		35mm Single
	1 gang 20 amp intermediate toggle switch	14.1/3		35mm Single
	1 gang 20 amp 2 way and off toggle switch	14.1/4		35mm Single
	1 gang 20 amp retractive toggle switch	14.1/5		35mm Single
	1 gang 20 amp 2 way and off retractive toggle switch	14.1/7		35mm Single

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
Single 86mm x 86mm  
Twin 146mm x 86mm









## IMPORTANT NOTE

Please check your chosen finish code (shown on page 68).

Part numbers for ordering consist of the style code V, followed by the finish code and then the product code.

For example:












STYLE V  
FINISH SC  
(for satin chrome)  
PRODUCT 11.1  
PART NO. VSC11.1

LIGHT SWITCHES AND DIMMING		PRODUCT CODE	Wallbox Depth (mm)
<b>PUSH BUTTON SWITCHES*</b>			
	1 gang 10 amp 2 way latching push button	14.1/8	35mm Single
	2 gang 10 amp 2 way latching push button	14.2/88	35mm Single
	3 gang 10 amp 2 way latching push button	14.3/888	35mm Twin
	4 gang 10 amp 2 way latching push button	14.4/8888	35mm Twin
	1 gang retractive push button	14.1/9	35mm Single
	2 gang retractive push button	14.2/99	35mm Single
	3 gang retractive push button	14.3/999	35mm Twin
	4 gang retractive push button	14.4/9999	35mm Twin

## INTELLIGENT ROTARY DIMMERS

	1 gang 400W intelligent dimmer	21.1/T	35mm Single
	2 gang 400W intelligent dimmer	21.2/TT	35mm Single
	3 gang 400W intelligent dimmer	21.3/TTT	35mm Twin
	4 gang 400w intelligent dimmer	21.4/TTTT	35mm Twin

## ROTARY DIMMERS

	1 gang 250W dimmer (mains and low voltage)**	21.1	35mm Single
	2 gang 250W dimmer (mains and low voltage)**	21.2	35mm Single
	3 gang 250W dimmer (mains and low voltage)**	21.3	35mm Twin
	4 gang 250W dimmer (mains and low voltage)**	21.4	35mm Twin
	1 gang 400W dimmer (mains and low voltage) †	22.1	35mm Single
	2 gang 400W dimmer (mains and low voltage) †	22.2	35mm Single
	3 gang 400W dimmer (mains and low voltage) †	22.3	35mm Twin
	4 gang 400W dimmer (mains and low voltage) †	22.4	35mm Twin
	1 gang 0-10V dimmer	21.1/6	35mm Single
	1 gang intermediate on/off	21.1/7	35mm Single
	1 gang 2 way push on/off	21.1/1	35mm Single

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
Single 86mm x 86mm  
Twin 146mm x 86mm

\* Matt black and matt white push buttons are supplied with a satin chrome button as standard.

\*\* Suitable for mains and low voltage filament lamps and many 'leading edge' dimmable mains voltage LED replacement lamps.

† Suitable for mains and low voltage filament lamps and many 'leading edge' dimmable mains voltage LED replacement lamps - features 'trimmer' to set lower dimmed lighting level.

**IMPORTANT NOTE**

Please check your chosen finish code (shown on page 68).













Part numbers for ordering consist of the style code V, followed by the finish code and then the product code.

For example:

STYLE V  
FINISH SC  
(for satin chrome)  
PRODUCT 11.1  
PART NO. VSC11.1

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
Single 86mm x 86mm  
Twin 146mm x 86mm

LIGHT SWITCHES AND DIMMING		PRODUCT CODE	Wallbox Depth (mm)
<b>COMBINATION DIMMER/ROCKERS</b>			
	Single plate cw 1 x 400W intelligent dimmer 1 x 20A 2 way rocker	401.1/T	35mm Single
	Single plate cw 1 x 400W dimmer 1 x 20A way rocker	402.1	35mm Single
	Twin plate cw 1 x 400W intelligent dimmer 2 x 20A 2 way rocker	415.1/T	35mm Twin
	Twin plate cw 1 x 400W dimmer 2 x 20A way rocker	416.1	35mm Twin
	Twin plate cw 2 x 400W intelligent dimmer 1 x 20A 2 way rocker	427.1/TT	35mm Twin
	Twin plate cw 2 x 400W dimmer 1 x 20A 2 way rocker	428.1	35mm Twin
	Twin plate cw 2 x 400W intelligent dimmer 2 x 20A 2 way rocker	443.1/TT	35mm Twin
	Twin plate cw 2 x 400W dimmer 2 x 20A 2 way rocker	444.1	35mm Twin
	Twin plate cw 3 x 400W intelligent dimmer 1 x 20A 2 way rocker	451.1/TTT	35mm Twin
	Twin plate cw 3 x 400W dimmer 1 x 20A 2 way rocker	452.1	35mm Twin
	Twin plate cw 1 x 400W intelligent dimmer 3 x 20A 2 way rocker	459.1/T	35mm Twin
	Twin plate cw 1 x 400W dimmer 3 x 20A way rocker	460.1	35mm Twin

<b>COMBINATION DIMMER/TOGGLES</b>			
	Single plate cw 1 x 400W intelligent dimmer 1 x 20A 2 way toggle	501.1/T	35mm Single
	Single plate cw 1 x 400W dimmer 1 x 20A way toggle	502.1	35mm Single
	Twin plate cw 1 x 400W intelligent dimmer 2 x 20A 2 way toggle	515.1/T	35mm Twin
	Twin plate cw 1 x 400W dimmer 2 x 20A way toggle	516.1	35mm Twin
	Twin plate cw 2 x 400W intelligent dimmer 1 x 20A 2 way toggle	527.1/TT	35mm Twin
	Twin plate cw 2 x 400W dimmer 1 x 20A 2 way toggle	528.1	35mm Twin
	Twin plate cw 2 x 400W intelligent dimmer 2 x 20A 2 way toggle	543.1/TT	35mm Twin
	Twin plate cw 2 x 400W dimmer 2 x 20A 2 way toggle	544.1	35mm Twin
	Twin plate cw 3 x 400W intelligent dimmer 1 x 20A 2 way toggle	551.1/TTT	35mm Twin
	Twin plate cw 3 x 400W dimmer 1 x 20A 2 way toggle	552.1	35mm Twin
	Twin plate cw 1 x 400W intelligent dimmer 3 x 20A 2 way toggle	559.1/T	35mm Twin
	Twin plate cw 1 x 400W dimmer 3 x 20A way toggle	560.1	35mm Twin

**IMPORTANT NOTE**

Please check your chosen finish code (shown on page 68).































Part numbers for ordering consist of the style code V, followed by the finish code and then the product code.

For example:

STYLE V  
FINISH SC  
(for satin chrome)  
PRODUCT 11.1  
PART NO. VSC11.1

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
Single 86mm x 86mm  
Twin 146mm x 86mm

POWER AND CONNECTION		PRODUCT CODE		Wallbox Depth (mm)
SWITCHED SOCKET OUTLETS (PLASTIC SWITCHES)		White insert	Black insert	
	2 gang 13 amp	17.2W	17.2B	35mm Twin
	2 gang 13 amp USB sw/skt (laser marked)	78.2W	78.2B	SEE NOTES*
	1 gang 13 amp	17.1W	17.1B	35mm Single
	1 gang 13 amp USB sw/skt (laser marked)	78.1W	78.1B	SEE NOTES*
SWITCHED SOCKET OUTLETS (METAL SWITCHES)				
	2 gang 13 amp	18.2W	18.2B	35mm Twin
	2 gang 13 amp USB sw/skt (laser marked)	68.2W	68.2B	SEE NOTES*
	1 gang 13 amp	18.1W	18.1B	35mm Single
	1 gang 13 amp USB sw/skt (laser marked)	68.1W	68.1B	SEE NOTES*
UNSWITCHED SOCKET OUTLETS				
	1 gang 5 amp	20.1W	20.1B	35mm Single
	2 gang 5 amp	20.2W	20.2B	35mm Twin
	1 gang 13 amp	17.1W/US	17.1B/US	35mm Single
	2 gang 13 amp	17.2W/US	17.2B/US	35mm Twin
	1 gang 2 amp	19.1W	19.1B	35mm Single
	Shaver socket outlet 110/240 voltage	36.1W	36.1B	47mm Twin**
FUSED CONNECTION UNITS (PLASTIC SWITCHES)				
	13 amp switch fuse spur	86.1W	86.1B	35mm Single
	13 amp switch fuse neon spur	87.1W	87.1B	35mm Single
	13 amp switch fuse cord spur	88.1W	88.1B	35mm Single
	13 amp switch fuse neon cord spur	89.1W	89.1B	35mm Single
FUSED CONNECTION UNITS (METAL SWITCHES)				
	13 amp switch fuse spur	26.1W	26.1B	35mm Single
	13 amp switch fuse neon spur	27.1W	27.1B	35mm Single
	13 amp switch fuse cord spur	28.1W	28.1B	35mm Single
	13 amp switch fuse neon cord spur	29.1W	29.1B	35mm Single
FLEX OUTLET				
	Flex outlet with terminals	69.1W	69.1B	35mm Single
COOKER SWITCHES				
	45 amp cooker control switch small	32.1W/SML	32.1B/SML	35mm Single
	45 amp cooker control switch small c/w neon	33.1W/SML	33.1B/SML	35mm Single
	45 amp cooker control switch large	32.1W/LGE	32.1B/LGE	35mm Twin
	45 amp cooker control switch large c/w neon	33.1W/LGE	33.1B/LGE	35mm Twin
	20 amp DP with neon	30.1		35mm Single
FAN SWITCH (PLASTIC SWITCH)		White insert	Black insert	
	Fan switch	56.1W	56.1B	35mm Single
FAN SWITCH (METAL SWITCH)		PRODUCT CODE		
	Fan switch	96.1		35mm Single

\* Will suit a 35mm deep box when using top cable entry, if using rear or bottom cable entry a 47mm deep wallbox will be required.

\*\* Please set wall box back 5mm to allow for the grid.






**IMPORTANT NOTE**










Please check your chosen finish code (shown on page 68).










Part numbers for ordering consist of the style code V, followed by the finish code and then the product code.

For example:





STYLE V  
FINISH SC  
(for satin chrome)  
PRODUCT 11.1  
PART NO. VSC11.1


POWER AND CONNECTION		PRODUCT CODE	Wallbox Depth (mm)
<b>SMART HOME INTEGRATION / SECURITY</b>			
	Sounder plate only	40.1	N/A
	Sounder complete	41.1	35mm Single
<b>KEYPAD FACEPLATE FINISHING (**add finish code)</b>			
	Lutron Seetouch	**70125	N/A
	Lutron Palladiom single column	LWT-S-P-**	N/A
	Lutron Palladiom dual column	LWT-S-PP-**	N/A




AV & DATA		PRODUCT CODE	Wallbox Depth (mm)
<b>EURO MODULE PLATES</b>			
	1 module euro plate	EUR.1	35mm Single
	2 module euro plate	EUR.2	35mm Single
	3 module euro plate	EUR.3	35mm Twin
	4 module euro plate	EUR.4	35mm Twin
<b>SPEAKER SOCKETS</b>			
	1 gang 2 post speaker socket	67.1	35mm Single
	1 gang 4 post speaker socket	67.2	35mm Single
<b>VOLUME CONTROL</b>			
	1 gang 8 ohm 15w volume control	13.1	35mm Single
<b>BLANK PLATES</b>			
	1 gang blank plate	37.1	35mm Single
	2 gang blank plate	37.2	35mm Twin



	EURO AV MODULES		Gang Size
	White Insert	Black Insert	
<b>TV/SAT</b>			
	Female non isolated TV outlet module	AV012/W AV012/B	1
	Female TV outlet screened module	AV004/W AV004/B	1
	Male TV outlet screened module	AV003/W AV003/B	1
	Satellite TV outlet module	AV013/W AV013/B	1
	Satellite TV outlet screened module	AV005/W AV005/B	1
	TV/SAT outlet module	AV007/W AV007/B	2
	Diplex (FM DAB/TV) module	AV006/W AV006/B	2
	Triplex (FM DAB/SAT/TV) module	AV008/W AV008/B	2
	Quadplex (SAT SAT TV FM DAB) module	AV009/W AV009/B	2

<b>TELEPHONE</b>			
	BT master module	AV011/W AV011/B	1
	BT slave module	AV010/W AV010/B	1

	White Insert	Black Insert	Gang Size
	RJ11 module	AV014/W AV014/B	1
	RJ45 Cat 5e module	AV015/W AV015/B	1
	RJ45 Cat6 module	AV016/W AV016/B	1
	Angled keystone fascia with shutter	AV022/W AV022/B	1

<b>HDMI</b>			
	HDMI module (tailed)	AV018/W AV018/B	1










<b>USB</b>			
	USB connector (non-charging tailed)	AV019/W AV019/B	1
	USB type A and C charger	AV021/W AV021/B	1
	45W power delivery USB charger	AV023/W AV023/B	2




<b>BLANK</b>			
	Blank 25mm x 50mm	AV001/W AV001/B	1
	Blank 12.5mm x 50mm	AV002/W AV002/B	0.5



NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
Single 86mm x 86mm  
Twin 146mm x 86mm

Please choose your metal switch finishes from the finishes shown on [page 68](#).

LIGHTING		PRODUCT CODE		Wallbox
ROCKER GRID SWITCHES		White Insert	Black Insert	
	1 gang 20 amp 2 way rocker switch	10.1W	10.1B	Included
	2 gang 20 amp 2 way rocker switch	10.2W	10.2B	Included
	3 gang 20 amp 2 way rocker switch	10.3W	10.3B	Included
	4 gang 20 amp 2 way rocker switch	10.4W	10.4B	Included
	1 gang 20 amp double pole rocker switch	10.1W/2	10.1B/2	Included
	1 gang 20 amp intermediate rocker switch	10.1W/3	10.1B/3	Included
	1 gang 20 amp 2 way and off rocker switch	10.1W/4	10.1B/4	Included
	1 gang 20 amp retractive rocker switch	10.1W/5	10.1B/5	Included
	1 gang 20 amp 2 way and off retractive rocker switch	10.1W/7	10.1B/7	Included

POWER		PRODUCT CODE		Price	Included
UNSWITCHED SOCKET OUTLETS		White Insert	Black Insert		
	1 gang 13 amp	17.1W/US	17.1B/US	310.00	Included
	2 gang 13 amp	17.2W/US	17.2B/US	350.00	Included
	1 gang 5 amp	20.1W	20.1B	310.00	Included


AV & DATA		PRODUCT CODE		Price	Included
BLANK PLATES		White Insert	Black Insert		
	1 gang blank plate	37.1	37.1	310.00	Included
	2 gang blank plate	37.2	37.2	350.00	Included

REQUIRES SPECIALIST INSTALLATION

**IMPORTANT NOTE**  
Part numbers for ordering consist of the style and finish code followed by the product code.

For example:  
STYLE LM  
FINISH E  
(for aged bronze tree bark)  
PRODUCT 11.1  
PART NO. LME11.1

## NATURE INSPIRED STYLE AND FINISH CODES




Aged brass tree bark  
Code: LMB




Aged bronze tree bark  
Code: LME



Antique nickel silver  
Code: LMD



Brompton black bronze  
Code: LMF



Pitted gold brass  
Code: LMG

LIGHT SWITCHES AND DIMMING		PRODUCT CODE	Wallbox Depth (mm)
<b>ROCKER GRID SWITCHES</b>			
	1 gang 20 amp 2 way rocker switch	11.1	35mm Single
	2 gang 20 amp 2 way rocker switch	11.2	35mm Single
	3 gang 20 amp 2 way rocker switch	11.3	35mm Twin
	4 gang 20 amp 2 way rocker switch	11.4	35mm Twin
	1 gang 20 amp double pole rocker switch	11.1/2	35mm Single
	1 gang 20 amp intermediate rocker switch	11.1/3	35mm Single
	1 gang 20 amp 2 way and off rocker switch	11.1/4	35mm Single
	1 gang 20 amp retractive rocker switch	11.1/5	35mm Single
	1 gang 20 amp 2 way and off retractive rocker switch	11.1/7	35mm Single
<b>TOGGLE SWITCHES</b>			
	1 gang 20 amp 2 way toggle switch	14.1	35mm Single
	2 gang 20 amp 2 way toggle switch	14.2	35mm Single
	3 gang 20 amp 2 way toggle switch	14.3	35mm Twin
	4 gang 20 amp 2 way toggle switch	14.4	35mm Twin
	1 gang 20 amp double pole toggle switch	14.1/2	35mm Single
	1 gang 20 amp intermediate toggle switch	14.1/3	35mm Single
	1 gang 20 amp 2 way and off toggle switch	14.1/4	35mm Single
	1 gang 20 amp retractive toggle switch	14.1/5	35mm Single
	1 gang 20 amp 2 way and off retractive toggle switch	14.1/7	35mm Single
<b>INTELLIGENT ROTARY DIMMERS</b>			
	1 gang 400W intelligent dimmer	21.1/T	35mm Single
	2 gang 400W intelligent dimmer	21.2/TT	35mm Single
	3 gang 400W intelligent dimmer	21.3/TTT	35mm Twin
	4 gang 400W intelligent dimmer	21.4/TTTT	35mm Twin
<b>ROTARY DIMMERS</b>			
	1 gang 400W dimmer (mains and low voltage) †	22.1	35mm Single
	2 gang 400W dimmer (mains and low voltage) †	22.2	35mm Single
	3 gang 400W dimmer (mains and low voltage) †	22.3	35mm Twin
	4 gang 400W dimmer (mains and low voltage) †	22.4	35mm Twin

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
Single 86mm x 86mm  
Twin 146mm x 86mm

Minimum order cost.

† Suitable for mains and low voltage filament lamps and many 'leading edge' dimmable mains voltage LED replacement lamps - features 'trimmer' to set lower dimmed lighting level.



## IMPORTANT NOTE

Part numbers for ordering consist of the style and finish code (shown on page 56) followed by the product code.

For example:









STYLE LM





FINISH E












(for aged bronze tree bark)











PRODUCT 11.1

PART NO. LME11.1

POWER		PRODUCT CODE	Wallbox Depth (mm)
<b>SWITCHED SOCKET OUTLETS</b>			
	2 gang 13 amp switched socket	18.2B	35mm Twin
	1 gang 13 amp switched socket	18.1B	35mm Single
	2 gang 13 amp USB sw/skt (silk screened)	68.2B	SEE NOTES**
	1 gang 13 amp USB sw/skt (silk screened)	68.1B	SEE NOTES**
<b>UNSWITCHED SOCKET OUTLETS</b>			
	1 gang 5 amp unswitched socket	20.1	35mm Single
	1 gang 13 amp unswitched socket	17.1/US	35mm Single
	shaver socket outlet 110/240 voltage	36.1	47mm Twin
<b>FUSED CONNECTION UNIT</b>			
	13 amp switch fuse spur	26.1B	35mm Single

AV & DATA			
<b>EURO MODULE PLATES</b>			
	1 module euro plate	EUR.1	35mm Single
	2 module euro plate	EUR.2	35mm Single
	3 module euro plate	EUR.3	35mm Twin
	4 module euro plate	EUR.4	35mm Twin

EURO AV MODULES		PRODUCT CODE		Gang Size
		White Insert	Black Insert	
<b>TV/SAT</b>				
	Female non isolated TV outlet module	AV012/W	AV012/B	1
	Female TV outlet screened module	AV004/W	AV004/B	1
	Male TV outlet screened module	AV003/W	AV003/B	1
	Satellite TV outlet module	AV013/W	AV013/B	1
	Satellite TV outlet screened module	AV005/W	AV005/B	1
	TV/SAT outlet module	AV007/W	AV007/B	2
	Diplex (FM DAB/TV) module	AV006/W	AV006/B	2
	Triplex (FM DAB/SAT/TV) module	AV008/W	AV008/B	2
	Quadplex (SAT SAT TV FM DAB) module	AV009/W	AV009/B	2
<b>TELEPHONE</b>				
	BT master module	AV011/W	AV011/B	1
	BT slave module	AV010/W	AV010/B	1

		White Insert	Black Insert	Gang Size
<b>DATA</b>				
	RJ11 module	AV014/W	AV014/B	1
	RJ45 Cat 5e module	AV015/W	AV015/B	1
	RJ45 Cat6 module	AV016/W	AV016/B	1
	Angled keystone fascia with shutter	AV022/W	AV022/B	1
<b>HDMI</b>				
	HDMI module (tailed)	AV018/W	AV018/B	1
<b>USB</b>				
	USB connector (non-charging tailed)	AV019/W	AV019/B	1
	USB type A and C charger	AV021/W	AV021/B	1
	45W power delivery USB charger	AV023/W	AV023/B	2
<b>BLANK</b>				
	Blank 25mm x 50mm	AV001/W	AV001/B	1
	Blank 12.5mm x 50mm	AV002/W	AV002/B	0.5

NOT SUITABLE FOR DRY LINING WALL BOXES





PLATE SIZES:  
Single 86mm x 86mm  
Twin 146mm x 86mm

Minimum order cost.

\*\* Will suit a 35mm deep box when using top cable entry, if using rear or bottom cable entry a 47mm deep wallbox will be required.

**IMPORTANT NOTE**

To order please quote your style and finish code (1) shown below, followed by the product code (2) listed, followed by the switch finish code (3) if applicable.

1 STYLE AND FINISH CODE	
	Dot matt black Gold dots Code: KDTMBPB
	Dot matt black Silver dots Code: KDTMBSC
	Dot matt white Gold dots Code: KDTMW/PB
	Dot matt white Silver dots Code: KDTMWSC

Choose from the following switch finishes:

3 SWITCH FINISH CODE	
Black	/B
White	/W
Polished brass	/PB
Satin chrome	/SC










Please note: Toggle switches are not available in white.

NOT SUITABLE FOR DRY LINING WALL BOXES










PLATE SIZES:  
Single 86mm x 86mm  
Twin 146mm x 86mm

**LIGHT SWITCHES AND DIMMING**












**ROCKER GRID SWITCHES**

	2 PRODUCT CODE	Wallbox Depth (mm)
 1g 20 amp 2 way switch	11.1	35mm Single
 2g 20 amp 2 way switch	11.2	35mm Single
 3g 20 amp 2 way switch	11.3	35mm Twin
 4g 20 amp 2 way switch	11.4	35mm Twin
 1 gang 20 amp double pole rocker switch	11.1/2	35mm Single
 1 gang 20 amp intermediate rocker switch	11.1/3	35mm Single
 1 gang 20 amp 2 way and off rocker switch	11.1/4	35mm Single
 1 gang 20 amp retractive rocker switch	11.1/5	35mm Single
 1 gang 20 amp 2 way and off retractive rocker switch	11.1/7	35mm Single

**CONTEMPORARY TOGGLE SWITCHES**

 1 gang 20 amp 2 way contemporary toggle switch	64.1	35mm Single
 2 gang 20 amp 2 way contemporary toggle switch	64.2	35mm Single
 3 gang 20 amp 2 way contemporary toggle switch	64.3	35mm Twin
 4 gang 20 amp 2 way contemporary toggle switch	64.4	35mm Twin
 1 gang 20 amp double pole contemporary toggle switch	64.1/2	35mm Single
 1 gang 20 amp intermediate contemporary toggle switch	64.1/3	35mm Single
 1 gang 20 amp 2 way and off contemporary toggle switch	64.1/4	35mm Single
 1 gang 20 amp retractive contemporary toggle switch	64.1/5	35mm Single
 1 gang 20 amp 2 way and off retractive contemporary toggle switch	64.1/7	35mm Single





**ROTARY DIMMERS**

 1 gang 400W intelligent dimmer	21.1/T	35mm Single
 2 gang 400W intelligent dimmer	21.2/TT	35mm Single
 3 gang 400W intelligent dimmer	21.3/TTT	35mm Twin
 4 gang 400W intelligent dimmer	21.4/TTTT	35mm Twin
 1 gang 400W dimmer (mains & low voltage)*	22.1	35mm Single
 2 gang 400W dimmer (mains & low voltage)*	22.2	35mm Single
 3 gang 400W dimmer (mains & low voltage)*	22.3	35mm Twin
 4 gang 400W dimmer (mains & low voltage)*	22.4	35mm Twin
 1 gang 0-10V dimmer	21.1/6	35mm Single
 1 gang intermediate on/off	21.1/7	35mm Single
 1 gang 2 way on/off	21.1/1	35mm Single

\* Suitable for mains and low voltage filament lamps and many 'leading edge' dimmable mains voltage LED replacement lamps - features 'trimmer' to set lower dimmed lighting level.

**IMPORTANT NOTE**

To order please quote your style and finish code (1) shown below, followed by the product code (2) listed, followed by the switch finish code (3) if applicable.

<b>1 STYLE AND FINISH CODE</b>	
	Dot matt black Gold dots Code: KDTMBPB
	Dot matt black Silver dots Code: KDTMBSC
	Dot matt white Gold dots Code: KDTMWPB
	Dot matt white Silver dots Code: KDTMWSC

Choose from the following switch finishes:









<b>3 SWITCH FINISH CODE</b>	
Black	/B
White	/W
Polished brass	/PB
Satin chrome	/SC





Please note: Toggle switches are not available in white.










† Will suit 35mm deep box as standard, unless using rear cable entry in which case a 47mm deep box may be required.

NOT SUITABLE FOR DRY LINING WALL BOXES





PLATE SIZES:  
Single 86mm x 86mm  
Twin 146mm x 86mm


POWER		2 PRODUCT CODE		Wallbox Depth (mm)
SWITCHED SOCKET OUTLETS		White Insert	Black Insert	
	2 gang 13 amp	18.2W	18.2B	35mm Twin
	2 gang 13 amp USB sw/skt (laser marked)	68.2W	68.2B	35mm Single
	1 gang 13 amp	18.1W	18.1B	See Notes †
	1 gang 13 amp USB sw/skt (laser marked)	68.1W	68.1B	35mm Single
UNSWITCHED SOCKET OUTLETS		PRODUCT CODE		
	1 gang 5 amp unswitched socket	20.1		35mm Single
	1 gang 13 amp unswitched socket	17.1/US		35mm Single
	Shaver socket outlet 110/240 voltage	36.1		47mm Twin
FUSED CONNECTION UNITS		White Insert	Black Insert	
	13 amp switch fuse spur	26.1W	26.1B	35mm Single




AV & DATA			
EURO MODULE PLATES			
	1 module euro plate	EUR.1	35mm Single
	2 module euro plate	EUR.2	35mm Single
	3 module euro plate	EUR.3	35mm Twin
	4 module euro plate	EUR.4	35mm Twin

	EURO AV MODULES		PRODUCT CODE		Gang Size
	White Insert	Black Insert	White Insert	Black Insert	
<b>TV/SAT</b>					
	AV012/W	AV012/B	1		
	AV004/W	AV004/B	1		
	AV003/W	AV003/B	1		
	AV013/W	AV013/B	1		
	AV005/W	AV005/B	1		
	AV007/W	AV007/B	2		
	AV006/W	AV006/B	2		
	AV008/W	AV008/B	2		
	AV009/W	AV009/B	2		

TELEPHONE				
	BT master module	AV011/W	AV011/B	1
	BT slave module	AV010/W	AV010/B	1

	White Insert	Black Insert	Gang Size
	AV014/W	AV014/B	1
	AV015/W	AV015/B	1
	AV016/W	AV016/B	1
	AV022/W	AV022/B	1





HDMI				
	HDMI module (tailed)	AV018/W	AV018/B	1

USB				
	USB connector (non-charging tailed)	AV019/W	AV019/B	1
	USB type A and C charger	AV021/W	AV021/B	1
	45W power delivery USB charger	AV023/W	AV023/B	2

BLANK				
	Blank 25mm x 50mm	AV001/W	AV001/B	1
	Blank 12.5mm x 50mm	AV002/W	AV002/B	0.5

## IMPORTANT NOTE

To order please quote your style and finish code (1) shown below, followed by the product code (2) listed, followed by the switch finish code (3) if applicable.



Choose from the following switch finishes:

**3** SWITCH FINISH CODE

Black	/B
White	/W
Polished brass	/PB
Satin chrome	/SC

Please note: Toggle switches are not available in white.

NOT SUITABLE FOR DRY LINING WALL BOXES




PLATE SIZES:  
Single 86mm x 86mm  
Twin 146mm x 86mm

LIGHT SWITCHES AND DIMMING		2	PRODUCT CODE	Wallbox Depth (mm)
<b>ROCKER GRID SWITCHES</b>				
	1g 20 amp 2 way switch		11.1	35mm Single
	2g 20 amp 2 way switch		11.2	35mm Single
	3g 20 amp 2 way switch		11.3	35mm Twin
	4g 20 amp 2 way switch		11.4	35mm Twin
	1 gang 20 amp double pole rocker switch		11.1/2	35mm Single
	1 gang 20 amp intermediate rocker switch		11.1/3	35mm Single
	1 gang 20 amp 2 way and off rocker switch		11.1/4	35mm Single
	1 gang 20 amp retractive rocker switch		11.1/5	35mm Single
	1 gang 20 amp 2 way and off retractive rocker switch		11.1/7	35mm Single
<b>CONTEMPORARY TOGGLE SWITCHES</b>				
	1 gang 20 amp 2 way contemporary toggle switch		64.1	35mm Single
	2 gang 20 amp 2 way contemporary toggle switch		64.2	35mm Single
	3 gang 20 amp 2 way contemporary toggle switch		64.3	35mm Twin
	4 gang 20 amp 2 way contemporary toggle switch		64.4	35mm Twin
	1 gang 20 amp double pole contemporary toggle switch		64.1/2	35mm Single
	1 gang 20 amp intermediate contemporary toggle switch		64.1/3	35mm Single
	1 gang 20 amp 2 way and off contemporary toggle switch		64.1/4	35mm Single
	1 gang 20 amp retractive contemporary toggle switch		64.1/5	35mm Single
	1 gang 20 amp 2 way and off retractive contemporary toggle switch		64.1/7	35mm Single
<b>ROTARY DIMMERS</b>				
	1 gang 400W intelligent dimmer		21.1/T	35mm Single
	2 gang 400W intelligent dimmer		21.2/TT	35mm Single
	3 gang 400W intelligent dimmer		21.3/TTT	35mm Twin
	4 gang 400W intelligent dimmer		21.4/TTTT	35mm Twin
	1 gang 400W dimmer (mains & low voltage)*		22.1	35mm Single
	2 gang 400W dimmer (mains & low voltage)*		22.2	35mm Single
	3 gang 400W dimmer (mains & low voltage)*		22.3	35mm Twin
	4 gang 400W dimmer (mains & low voltage)*		22.4	35mm Twin
	1 gang 0-10V dimmer		21.1/6	35mm Single
	1 gang intermediate on/off		21.1/7	35mm Single
	1 gang 2 way on/off		21.1/1	35mm Single

\* Suitable for mains and low voltage filament lamps and many 'leading edge' dimmable mains voltage LED replacement lamps - features 'trimmer' to set lower dimmed lighting level.

**IMPORTANT NOTE**

To order please quote your style and finish code (1) shown below, followed by the product code (2) listed, followed by the switch finish code (3) if applicable.

	<b>1</b> STYLE AND FINISH CODE
	Pinstripe matt black Gold stripes Code: KPSMBPB
	Pinstripe matt black Silver stripes Code: KPSMBSC
	Pinstripe matt white Gold stripes Code: KPSMWPB
	Pinstripe matt white Silver stripes Code: KPSMWSC

Choose from the following switch finishes:









<b>3</b> SWITCH FINISH CODE	
Black	/B
White	/W
Polished brass	/PB
Satin chrome	/SC





Please note: Toggle switches are not available in white.










† Will suit 35mm deep box as standard, unless using rear cable entry in which case a 47mm deep box may be required.



NOT SUITABLE FOR DRY LINING WALL BOXES





PLATE SIZES:  
Single 86mm x 86mm  
Twin 146mm x 86mm

POWER		2 PRODUCT CODE		Wallbox Depth (mm)
		White Insert	Black Insert	
<b>SWITCHED SOCKET OUTLETS</b>				
	2 gang 13 amp	18.2W	18.2B	35mm Twin
	2 gang 13 amp USB sw/skt (laser marked)	68.2W	68.2B	35mm Single
	1 gang 13 amp	18.1W	18.1B	See Notes †
	1 gang 13 amp USB sw/skt (laser marked)	68.1W	68.1B	35mm Single
<b>UNSWITCHED SOCKET OUTLETS</b>				
		PRODUCT CODE		
	1 gang 5 amp unswitched socket	20.1		35mm Single
	1 gang 13 amp unswitched socket	17.1/US		35mm Single
	Shaver socket outlet 110/240 voltage	36.1		47mm Twin
<b>FUSED CONNECTION UNITS</b>				
	13 amp switch fuse spur	26.1W	26.1B	35mm Single




AV & DATA			
EURO MODULE PLATES			
	1 module euro plate	EUR.1	35mm Single
	2 module euro plate	EUR.2	35mm Single
	3 module euro plate	EUR.3	35mm Twin
	4 module euro plate	EUR.4	35mm Twin

	EURO AV MODULES		PRODUCT CODE		Gang Size
	White Insert	Black Insert	White Insert	Black Insert	
<b>TV/SAT</b>					
	Female non isolated TV outlet module	AV012/W	AV012/B		1
	Female TV outlet screened module	AV004/W	AV004/B		1
	Male TV outlet screened module	AV003/W	AV003/B		1
	Satellite TV outlet module	AV013/W	AV013/B		1
	Satellite TV outlet screened module	AV005/W	AV005/B		1
	TV/SAT outlet module	AV007/W	AV007/B		2
	Diplex (FM DAB/TV) module	AV006/W	AV006/B		2
	Triplex (FM DAB/SAT/TV) module	AV008/W	AV008/B		2
	Quadplex (SAT SAT TV FM DAB) module	AV009/W	AV009/B		2

TELEPHONE					
	BT master module	AV011/W	AV011/B		1
	BT slave module	AV010/W	AV010/B		1

	White Insert	Black Insert	Gang Size	
<b>DATA</b>				
	RJ11 module	AV014/W	AV014/B	1
	RJ45 Cat 5e module	AV015/W	AV015/B	1
	RJ45 Cat6 module	AV016/W	AV016/B	1
	Angled keystone fascia with shutter	AV022/W	AV022/B	1





HDMI				
	HDMI module (tailed)	AV018/W	AV018/B	1

USB				
	USB connector (non-charging tailed)	AV019/W	AV019/B	1
	USB type A and C charger	AV021/W	AV021/B	1
	45W power delivery USB charger	AV023/W	AV023/B	2

BLANK				
	Blank 25mm x 50mm	AV001/W	AV001/B	1
	Blank 12.5mm x 50mm	AV002/W	AV002/B	0.5

## IMPORTANT NOTE

To order please quote your style and finish code (1) shown below, followed by the product code (2) listed, followed by the switch finish code (3) if applicable.

1 STYLE AND FINISH CODE	
	Corner matt black Polished brass Code: KCOMBPPB
	Corner matt black Satin chrome Code: KCOMBSC
	Corner matt white Polished brass Code: KCOMWPB
	Corner matt white Satin chrome Code: KCOMWSC






























Choose from the following switch finishes:

3 SWITCH FINISH CODE	
Black	/B
White	/W
Polished brass	/PB
Satin chrome	/SC

Please note: Toggle switches are not available in white.

NOT SUITABLE FOR DRY LINING WALL BOXES





PLATE SIZES:  
Single 86mm x 86mm  
Twin 146mm x 86mm

LIGHT SWITCHES AND DIMMING		2 PRODUCT CODE	Wallbox Depth (mm)
<b>ROCKER GRID SWITCHES</b>			
	1g 20 amp 2 way switch	11.1	35mm Single
	2g 20 amp 2 way switch	11.2	35mm Single
	3g 20 amp 2 way switch	11.3	35mm Twin
	4g 20 amp 2 way switch	11.4	35mm Twin
	1 gang 20 amp double pole rocker switch	11.1/2	35mm Single
	1 gang 20 amp intermediate rocker switch	11.1/3	35mm Single
	1 gang 20 amp 2 way and off rocker switch	11.1/4	35mm Single
	1 gang 20 amp retractive rocker switch	11.1/5	35mm Single
	1 gang 20 amp 2 way and off retractive rocker switch	11.1/7	35mm Single
<b>CONTEMPORARY TOGGLE SWITCHES</b>			
	1 gang 20 amp 2 way contemporary toggle switch	64.1	35mm Single
	2 gang 20 amp 2 way contemporary toggle switch	64.2	35mm Single
	3 gang 20 amp 2 way contemporary toggle switch	64.3	35mm Twin
	4 gang 20 amp 2 way contemporary toggle switch	64.4	35mm Twin
	1 gang 20 amp double pole contemporary toggle switch	64.1/2	35mm Single
	1 gang 20 amp intermediate contemporary toggle switch	64.1/3	35mm Single
	1 gang 20 amp 2 way and off contemporary toggle switch	64.1/4	35mm Single
	1 gang 20 amp retractive contemporary toggle switch	64.1/5	35mm Single
	1 gang 20 amp 2 way and off retractive contemporary toggle switch	64.1/7	35mm Single
<b>ROTARY DIMMERS</b>			
	1 gang 400W intelligent dimmer	21.1/T	35mm Single
	2 gang 400W intelligent dimmer	21.2/TT	35mm Single
	3 gang 400W intelligent dimmer	21.3/TTT	35mm Twin
	4 gang 400W intelligent dimmer	21.4/TTTT	35mm Twin
	1 gang 400W dimmer (mains & low voltage)*	22.1	35mm Single
	2 gang 400W dimmer (mains & low voltage)*	22.2	35mm Single
	3 gang 400W dimmer (mains & low voltage)*	22.3	35mm Twin
	4 gang 400W dimmer (mains & low voltage)*	22.4	35mm Twin
	1 gang 0-10V dimmer	21.1/6	35mm Single
	1 gang intermediate on/off	21.1/7	35mm Single
	1 gang 2 way on/off	21.1/1	35mm Single

\* Suitable for mains and low voltage filament lamps and many 'leading edge' dimmable mains voltage LED replacement lamps - features 'trimmer' to set lower dimmed lighting level.

## IMPORTANT NOTE

To order please quote your style and finish code (1) shown below, followed by the product code (2) listed, followed by the switch finish code (3) if applicable.

1 STYLE AND FINISH CODE	
	Corner matt black Polished brass Code: KCOMBPPB
	Corner matt black Satin chrome Code: KCOMBSC
	Corner matt white Polished brass Code: KCOMWPB
	Corner matt white Satin chrome Code: KCOMWSC

Choose from the following switch finishes:









3 SWITCH FINISH CODE	
Black	/B
White	/W
Polished brass	/PB
Satin chrome	/SC





Please note: Toggle switches are not available in white.










† Will suit 35mm deep box as standard, unless using rear cable entry in which case a 47mm deep box may be required.

NOT SUITABLE FOR DRY LINING WALL BOXES





PLATE SIZES:  
Single 86mm x 86mm  
Twin 146mm x 86mm

POWER		2 PRODUCT CODE		Wallbox Depth (mm)
		White Insert	Black Insert	
<b>SWITCHED SOCKET OUTLETS</b>				
	2 gang 13 amp	18.2W	18.2B	35mm Twin
	2 gang 13 amp USB sw/skt (laser marked)	68.2W	68.2B	35mm Single
	1 gang 13 amp	18.1W	18.1B	See Notes †
	1 gang 13 amp USB sw/skt (laser marked)	68.1W	68.1B	35mm Single
<b>UNSWITCHED SOCKET OUTLETS</b>				
		PRODUCT CODE		
	1 gang 5 amp unswitched socket	20.1		35mm Single
	1 gang 13 amp unswitched socket	17.1/US		35mm Single
	Shaver socket outlet 110/240 voltage	36.1		47mm Twin
<b>FUSED CONNECTION UNITS</b>				
	13 amp switch fuse spur	26.1W	26.1B	35mm Single




AV & DATA			
<b>EURO MODULE PLATES</b>			
	1 module euro plate	EUR.1	35mm Single
	2 module euro plate	EUR.2	35mm Single
	3 module euro plate	EUR.3	35mm Twin
	4 module euro plate	EUR.4	35mm Twin

	EURO AV MODULES		PRODUCT CODE		Gang Size
	White Insert	Black Insert	White Insert	Black Insert	
<b>TV/SAT</b>					
	Female non isolated TV outlet module	AV012/W	AV012/B		1
	Female TV outlet screened module	AV004/W	AV004/B		1
	Male TV outlet screened module	AV003/W	AV003/B		1
	Satellite TV outlet module	AV013/W	AV013/B		1
	Satellite TV outlet screened module	AV005/W	AV005/B		1
	TV/SAT outlet module	AV007/W	AV007/B		2
	Diplex (FM DAB/TV) module	AV006/W	AV006/B		2
	Triplex (FM DAB/SAT/TV) module	AV008/W	AV008/B		2
	Quadplex (SAT SAT TV FM DAB) module	AV009/W	AV009/B		2

<b>TELEPHONE</b>					
	BT master module	AV011/W	AV011/B		1
	BT slave module	AV010/W	AV010/B		1

	DATA		Gang Size	
	White Insert	Black Insert		
	RJ11 module	AV014/W	AV014/B	1
	RJ45 Cat 5e module	AV015/W	AV015/B	1
	RJ45 Cat6 module	AV016/W	AV016/B	1
	Angled keystone fascia with shutter	AV022/W	AV022/B	1

<b>HDMI</b>				
	HDMI module (tailed)	AV018/W	AV018/B	1

<b>USB</b>				
	USB connector (non-charging tailed)	AV019/W	AV019/B	1
	USB type A and C charger	AV021/W	AV021/B	1
	45W power delivery USB charger	AV023/W	AV023/B	2

<b>BLANK</b>				
	Blank 25mm x 50mm	AV001/W	AV001/B	1
	Blank 12.5mm x 50mm	AV002/W	AV002/B	0.5

## IMPORTANT NOTE

To order please quote your style and finish code (1) shown below, followed by the product code (2) listed, followed by the switch finish code (3) if applicable.



### 1 STYLE AND FINISH CODE

Fifty Fifty satin brass

Polished brass

Code: KFFSBPB



Fifty Fifty satin chrome

Polished chrome

Code: KFFSCPC

Choose from the following switch finishes:

### 3 SWITCH FINISH CODE

Black /B

White /W

Polished brass /PB

Satin brass /SB










Polished chrome /PC

Satin chrome /SC










Please note: Toggle switches are not available in white.

## LIGHT SWITCHES AND DIMMING












### ROCKER GRID SWITCHES

	2 PRODUCT CODE	Wallbox Depth (mm)
 1g 20 amp 2 way switch	11.1	35mm Single
 2g 20 amp 2 way switch	11.2	35mm Single
 3g 20 amp 2 way switch	11.3	35mm Twin
 4g 20 amp 2 way switch	11.4	35mm Twin
 1 gang 20 amp double pole rocker switch	11.1/2	35mm Single
 1 gang 20 amp intermediate rocker switch	11.1/3	35mm Single
 1 gang 20 amp 2 way and off rocker switch	11.1/4	35mm Single
 1 gang 20 amp retractive rocker switch	11.1/5	35mm Single
 1 gang 20 amp 2 way and off retractive rocker switch	11.1/7	35mm Single

### CONTEMPORARY TOGGLE SWITCHES

 1 gang 20 amp 2 way contemporary toggle switch	64.1	35mm Single
 2 gang 20 amp 2 way contemporary toggle switch	64.2	35mm Single
 3 gang 20 amp 2 way contemporary toggle switch	64.3	35mm Twin
 4 gang 20 amp 2 way contemporary toggle switch	64.4	35mm Twin
 1 gang 20 amp double pole contemporary toggle switch	64.1/2	35mm Single
 1 gang 20 amp intermediate contemporary toggle switch	64.1/3	35mm Single
 1 gang 20 amp 2 way and off contemporary toggle switch	64.1/4	35mm Single
 1 gang 20 amp retractive contemporary toggle switch	64.1/5	35mm Single
 1 gang 20 amp 2 way and off retractive contemporary toggle switch	64.1/7	35mm Single

### ROTARY DIMMERS

 1 gang 400W intelligent dimmer	21.1/T	35mm Single
 2 gang 400W intelligent dimmer	21.2/TT	35mm Single
 3 gang 400W intelligent dimmer	21.3/TTT	35mm Twin
 4 gang 400W intelligent dimmer	21.4/TTTT	35mm Twin
 1 gang 400W dimmer (mains & low voltage)*	22.1	35mm Single
 2 gang 400W dimmer (mains & low voltage)*	22.2	35mm Single
 3 gang 400W dimmer (mains & low voltage)*	22.3	35mm Twin
 4 gang 400W dimmer (mains & low voltage)*	22.4	35mm Twin
 1 gang 0-10V dimmer	21.1/6	35mm Single
 1 gang intermediate on/off	21.1/7	35mm Single
 1 gang 2 way on/off	21.1/1	35mm Single

\* Suitable for mains and low voltage filament lamps and many 'leading edge' dimmable mains voltage LED replacement lamps - features 'trimmer' to set lower dimmed lighting level.

NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
Single 86mm x 86mm  
Twin 146mm x 86mm



## IMPORTANT NOTE

To order please quote your style and finish code (1) shown below, followed by the product code (2) listed, followed by the switch finish code (3) if applicable.



### 1 STYLE AND FINISH CODE

Fifty Fifty satin brass

Polished brass

Code: KFFSBPB



Fifty Fifty satin chrome

Polished chrome

Code: KFFSCPC

Choose from the following switch finishes:

### 3 SWITCH FINISH CODE

Black /B

White /W

Polished brass /PB

Satin brass /SB

Polished chrome /PC

Satin chrome /SC

Please note: Toggle switches are not available in white.

POWER		2 PRODUCT CODE		Wallbox Depth (mm)
		White Insert	Black Insert	
<b>SWITCHED SOCKET OUTLETS</b>				
	2 gang 13 amp	18.2W	18.2B	35mm Twin
	2 gang 13 amp USB sw/skt (laser marked)	68.2W	68.2B	35mm Single
	1 gang 13 amp	18.1W	18.1B	See Notes †
	1 gang 13 amp USB sw/skt (laser marked)	68.1W	68.1B	35mm Single
<b>UNSWITCHED SOCKET OUTLETS</b>				
		PRODUCT CODE		
	1 gang 5 amp unswitched socket	20.1		35mm Single
	1 gang 13 amp unswitched socket	17.1/US		35mm Single
	Shaver socket outlet 110/240 voltage	36.1		47mm Twin
<b>FUSED CONNECTION UNITS</b>				
	13 amp switch fuse spur	26.1W	26.1B	35mm Single

AV & DATA			
<b>EURO MODULE PLATES</b>			
	1 module euro plate	EUR.1	35mm Single
	2 module euro plate	EUR.2	35mm Single
	3 module euro plate	EUR.3	35mm Twin
	4 module euro plate	EUR.4	35mm Twin

	EURO AV MODULES		PRODUCT CODE		Gang Size
	White Insert	Black Insert	White Insert	Black Insert	
<b>TV/SAT</b>					
	Female non isolated TV outlet module	AV012/W	AV012/B		1
	Female TV outlet screened module	AV004/W	AV004/B		1
	Male TV outlet screened module	AV003/W	AV003/B		1
	Satellite TV outlet module	AV013/W	AV013/B		1
	Satellite TV outlet screened module	AV005/W	AV005/B		1
	TV/SAT outlet module	AV007/W	AV007/B		2
	Diplex (FM DAB/TV) module	AV006/W	AV006/B		2
	Triplex (FM DAB/SAT/TV) module	AV008/W	AV008/B		2
	Quadplex (SAT SAT TV FM DAB) module	AV009/W	AV009/B		2

<b>TELEPHONE</b>					
	BT master module	AV011/W	AV011/B		1
	BT slave module	AV010/W	AV010/B		1

	White Insert	Black Insert	Gang Size	
<b>DATA</b>				
	RJ11 module	AV014/W	AV014/B	1
	RJ45 Cat 5e module	AV015/W	AV015/B	1
	RJ45 Cat6 module	AV016/W	AV016/B	1
	Angled keystone fascia with shutter	AV022/W	AV022/B	1

<b>HDMI</b>				
	HDMI module (tailed)	AV018/W	AV018/B	1

<b>USB</b>				
	USB connector (non-charging tailed)	AV019/W	AV019/B	1
	USB type A and C charger	AV021/W	AV021/B	1
	45W power delivery USB charger	AV023/W	AV023/B	2

<b>BLANK</b>				
	Blank 25mm x 50mm	AV001/W	AV001/B	1
	Blank 12.5mm x 50mm	AV002/W	AV002/B	0.5





NOT SUITABLE FOR DRY LINING WALL BOXES

PLATE SIZES:  
Single 86mm x 86mm  
Twin 146mm x 86mm

† Will suit 35mm deep box as standard, unless using rear cable entry in which case a 47mm deep box may be required.

## IMPORTANT NOTE

To order please quote your style and finish code (1) shown below, followed by the product code (2) listed, followed by the switch finish code (3) if applicable.

1 STYLE AND FINISH CODE	
	Plank matt black Code: KPKMB
	Plank matt white Code: KPKMW
	Plank satin brass Code: KPKSB
	Plank satin chrome Code: KPKSC





























Choose from the following switch finishes:

3 SWITCH FINISH CODE	
Black	/B
White	/W
Satin brass	/SB
Satin chrome	/SC

Please note: Toggle grid switches are not available in white.

NOT SUITABLE FOR DRY LINING WALL BOXES





PLATE SIZES:  
Single 86mm x 86mm  
Twin 146mm x 86mm

LIGHT SWITCHES AND DIMMING		2 PRODUCT CODE	Wallbox Depth (mm)
<b>ROCKER GRID SWITCHES</b>			
	1g 20 amp 2 way switch	11.1	35mm Single
	2g 20 amp 2 way switch	11.2	35mm Single
	3g 20 amp 2 way switch	11.3	35mm Twin
	4g 20 amp 2 way switch	11.4	35mm Twin
	1 gang 20 amp double pole rocker switch	11.1/2	35mm Single
	1 gang 20 amp intermediate rocker switch	11.1/3	35mm Single
	1 gang 20 amp 2 way and off rocker switch	11.1/4	35mm Single
	1 gang 20 amp retractive rocker switch	11.1/5	35mm Single
	1 gang 20 amp 2 way and off retractive rocker switch	11.1/7	35mm Single
<b>CONTEMPORARY TOGGLE SWITCHES</b>			
	1 gang 20 amp 2 way contemporary toggle switch	64.1	35mm Single
	2 gang 20 amp 2 way contemporary toggle switch	64.2	35mm Single
	3 gang 20 amp 2 way contemporary toggle switch	64.3	35mm Twin
	4 gang 20 amp 2 way contemporary toggle switch	64.4	35mm Twin
	1 gang 20 amp double pole contemporary toggle switch	64.1/2	35mm Single
	1 gang 20 amp intermediate contemporary toggle switch	64.1/3	35mm Single
	1 gang 20 amp 2 way and off contemporary toggle switch	64.1/4	35mm Single
	1 gang 20 amp retractive contemporary toggle switch	64.1/5	35mm Single
	1 gang 20 amp 2 way and off retractive contemporary toggle switch	64.1/7	35mm Single
<b>ROTARY DIMMERS</b>			
	1 gang 400W intelligent dimmer	21.1/T	35mm Single
	2 gang 400W intelligent dimmer	21.2/TT	35mm Single
	3 gang 400W intelligent dimmer	21.3/TTT	35mm Twin
	4 gang 400W intelligent dimmer	21.4/TTTT	35mm Twin
	1 gang 400W dimmer (mains & low voltage)*	22.1	35mm Single
	2 gang 400W dimmer (mains & low voltage)*	22.2	35mm Single
	3 gang 400W dimmer (mains & low voltage)*	22.3	35mm Twin
	4 gang 400W dimmer (mains & low voltage)*	22.4	35mm Twin
	1 gang 0-10V dimmer	21.1/6	35mm Single
	1 gang intermediate on/off	21.1/7	35mm Single
	1 gang 2 way on/off	21.1/1	35mm Single

\* Suitable for mains and low voltage filament lamps and many 'leading edge' dimmable mains voltage LED replacement lamps - features 'trimmer' to set lower dimmed lighting level.

## IMPORTANT NOTE

To order please quote your style and finish code (1) shown below, followed by the product code (2) listed, followed by the switch finish code (3) if applicable.

1 STYLE AND FINISH CODE	
	Plank matt black Code: KPKMB
	Plank matt white Code: KPKMW
	Plank satin brass Code: KPKSB
	Plank satin chrome Code: KPKSC



Choose from the following switch finishes:





3 SWITCH FINISH CODE	
Black	/B
White	/W
Satin brass	/SB
Satin chrome	/SC










Please note: Toggle grid switches are not available in white.

NOT SUITABLE FOR DRY LINING WALL BOXES





PLATE SIZES:  
Single 86mm x 86mm  
Twin 146mm x 86mm

POWER		2 PRODUCT CODE		Wallbox Depth (mm)
		White Insert	Black Insert	
<b>SWITCHED SOCKET OUTLETS</b>				
	2 gang 13 amp	18.2W	18.2B	35mm Twin
	2 gang 13 amp USB sw/skt (laser marked)	68.2W	68.2B	35mm Single
	1 gang 13 amp	18.1W	18.1B	See Notes †
	1 gang 13 amp USB sw/skt (laser marked)	68.1W	68.1B	35mm Single
<b>UNSWITCHED SOCKET OUTLETS</b>				
		PRODUCT CODE		
	1 gang 5 amp unswitched socket	20.1		35mm Single
	1 gang 13 amp unswitched socket	17.1/US		35mm Single
	Shaver socket outlet 110/240 voltage	36.1		47mm Twin
<b>FUSED CONNECTION UNITS</b>				
	13 amp switch fuse spur	26.1W	26.1B	35mm Single




AV & DATA			
<b>EURO MODULE PLATES</b>			
	1 module euro plate	EUR.1	35mm Single
	2 module euro plate	EUR.2	35mm Single
	3 module euro plate	EUR.3	35mm Twin
	4 module euro plate	EUR.4	35mm Twin

	EURO AV MODULES		PRODUCT CODE		Gang Size
	White Insert	Black Insert	White Insert	Black Insert	
<b>TV/SAT</b>					
	Female non isolated TV outlet module	AV012/W	AV012/B		1
	Female TV outlet screened module	AV004/W	AV004/B		1
	Male TV outlet screened module	AV003/W	AV003/B		1
	Satellite TV outlet module	AV013/W	AV013/B		1
	Satellite TV outlet screened module	AV005/W	AV005/B		1
	TV/SAT outlet module	AV007/W	AV007/B		2
	Diplex (FM DAB/TV) module	AV006/W	AV006/B		2
	Triplex (FM DAB/SAT/TV) module	AV008/W	AV008/B		2
	Quadplex (SAT SAT TV FM DAB) module	AV009/W	AV009/B		2

<b>TELEPHONE</b>					
	BT master module	AV011/W	AV011/B		1
	BT slave module	AV010/W	AV010/B		1

	DATA		White Insert	Black Insert	Gang Size
	RJ11 module	AV014/W	AV014/B		1
	RJ45 Cat 5e module	AV015/W	AV015/B		1
	RJ45 Cat6 module	AV016/W	AV016/B		1
	Angled keystone fascia with shutter	AV022/W	AV022/B		1


<b>HDMI</b>					
	HDMI module (tailed)	AV018/W	AV018/B		1

<b>USB</b>					
	USB connector (non-charging tailed)	AV019/W	AV019/B		1
	USB type A and C charger	AV021/W	AV021/B		1
	45W power delivery USB charger	AV023/W	AV023/B		2


<b>BLANK</b>					
	Blank 25mm x 50mm	AV001/W	AV001/B		1
	Blank 12.5mm x 50mm	AV002/W	AV002/B		0.5

# FINISHES


## BRUSHED METAL



Satin stainless steel  
Code: SS




Satin chrome  
Code: SC




Satin nickel  
Code: SN


## POLISHED METAL



Polished stainless steel  
Code: PS




Polished chrome  
Code: PC




Polished nickel  
Code: PN


## BRASS



Polished brass unlacquered  
Code: PBUL




Polished brass  
Code: PB




Satin brass  
Code: SB


## BRONZE



Bronze antique  
Code: BA




Chocolate bronze  
Code: CB




Jordan bronze  
Code: JB

## COLOURED



Matt white  
Code: MW




Matt black  
Code: MB




Primed  
Code: PW

## CUSTOM FINISHES


Custom finish  
Code: ZZ



CUSTOM  
DESIGNED  
BY YOU



Antique brass  
Code: AB



Colour coated  
Code: CC

Finishes shown are a representation only.

The finish codes above form part of our part numbers. Simply add them after the style code and before the product code to create a part number if required.

An example is shown here.

STYLE

FINISH

PRODUCT CODE

TRIM/INSERT COLOUR

PART NUMBER

A

SS

18.2

W

ASS18.2W

Ambassador Classic

Satin stainless

2G 13A switched socket

White trim/insert

Ambassador Classic satin stainless 2G 13A switched socket with white inserts

PLEASE CALL 01424 858060  
TO ORDER A SWATCH