


the minimalist
electrical outlet



rond

fits in plastered walls,
wood and stone


DARKLIGHT DESIGN

VERSION

TRIMLESS

Sits flush with the installation surface


Diameter: Ø48mm - Ø49mm




SMALL TRIM

Sits proud above the installation surface


Diameter: Ø52mm





FURNITURE | WOOD | STONE | VENEER
INSTALLATION


MULTIFIT HOLDER
(8800-2012)




- For Small Trim data-ports and USB-C wall sockets, push buttons and switches
- Installs into cabinets and furniture, and into wood, veneer and stone panels
- For panels with a depth of 10-30mm
- Junction box not included



BACKFIT HOLDER (8800-2016)





- For Trimless and Small Trim data-ports, USB-C wall sockets, push buttons and switches
- Installs into cabinets and furniture, and into wood, veneer and stone panels
- For panels with a depth of 19mm and with access to the back of the panel
- Where the panel is thicker or thinner than 19mm, the panel can be machine cut or packed out to the correct depth. See diagram (*right*)



UNIFIT

UNWIRED (8800-5039) WIRED (8800-5040)



- No holder required
- The fixing wings are adjustable by screw, and fit panels with a 12-30mm thickness
- Requires a Ø44mm cutout
- Small trim design (Ø49mm) which protrudes from the surface
- Flush mount countersink possible - Ø49.4mm and 2.3mm depth



[UK POWER SOCKET
UNIFIT UNWIRED](#)

(8800-5039)

Ø49mm
SMALL TRIM

countersink for
flush fitting
Holder: N/A

Faceplate Finish:

Black (8800-5043)
Cream (8800-5042)
White (8800-5041)

- Unwired version - suitable for cables up to 2.5mm²
- Supplied with an electrical back box



[UK POWER SOCKET
UNIFIT WIRED](#)

(8800-5040)

Ø49mm
SMALL TRIM

countersink for
flush fitting
Holder: N/A

Faceplate Finish:

Black (8800-5043)
Cream (8800-5042)
White (8800-5041)

- Wired version - supplied with 1.5m cable and plug
- Does NOT need an electrical back box



[USB-C WALL SOCKET
MULTIFIT](#)

Ø48mm
TRIMLESS

Holder:
Backfit (8800-2016)

Faceplate Finish:

Black ano	(8880-2435)
White alu	(8880-2436)
Brushed steel (alu)	(8880-2437)
Brushed grey (alu)	(8880-2438)
Brushed nickel	(8880-2439)
Brushed brass	(8880-2440)
Light bronze	(8880-2441)
Dark bronze	(8880-2442)
Canon de fusil light	(8880-2443)
Canon de fusil dark	(8880-2444)



[USB-C WALL SOCKET
MULTIFIT](#)

Ø52mm
SMALL TRIM

Holder:
Multifit (8800-2012)
Backfit (8800-2016)

Faceplate Finish:

Black ano	(8880-2455)
White alu	(8880-2456)
Brushed steel (alu)	(8880-2457)
Brushed grey (alu)	(8880-2458)
Brushed nickel	(8880-2459)
Brushed brass	(8880-2460)
Light bronze	(8880-2461)
Dark bronze	(8880-2462)
Canon de fusil light	(8880-2463)
Canon de fusil dark	(8880-2464)



[DATA PORT MULTIFIT](#)

Ø48mm
TRIMLESS

Holder:
Backfit (8800-2016)

Faceplate Finish:

Black ano	(8800-2194)
White alu	(8800-2191)
Brushed steel (alu)	(TBC)
Brushed grey (alu)	(TBC)
Brushed nickel	(8800-2190)
Brushed brass	(8800-2189)
Light bronze	(8800-2188)
Dark bronze	(8800-2187)
Canon de fusil light	(8800-2186)
Canon de fusil dark	(8800-2185)

Keystones:

RJ45 UTP	(8800-2212)
Audio - black	(8800-2215)
HDMI - black	(8800-2216)
COAX - black	(8800-2217)
Dummy - black	(8800-2218)
Audio - white	(8800-2221)
HDMI - white	(8800-2222)
COAX - white	(8800-2223)
Dummy - white	(8800-2224)



[DATA PORT MULTIFIT](#)

Ø52mm
SMALL TRIM

Holder:
Multifit (8800-2012)
Backfit (8800-2016)

Faceplate Finish:

Black ano	(8800-2204)
White alu	(8800-2205)
Brushed steel (alu)	(TBC)
Brushed grey (alu)	(TBC)
Brushed nickel	(8800-2206)
Brushed brass	(8800-2207)
Light bronze	(8800-2208)
Dark bronze	(8800-2209)
Canon de fusil light	(8800-2210)
Canon de fusil dark	(8800-2211)



[24V PUSH BUTTON MULTIFIT](#)

Ø48mm
TRIMLESS

Holder:
Backfit (8800-2016)

Faceplate Finish:


Black ano
White alu
Brushed steel (alu)
Brushed grey (alu)
Brushed nickel
Brushed brass
Light bronze
Dark bronze
Canon de fusil light
Canon de fusil dark

Two-Fold

8800-2068
8800-2069
8800-2070
8800-2071
8800-2072
8800-2073
8800-2074
8800-2075
8800-2076
8800-2077

Four-Fold

8800-2078
8800-2079
8800-2080
8800-2081
8800-2082
8800-2083
8800-2084
8800-2085
8800-2086
8800-2087



[24V PUSH BUTTON MULTIFIT](#)

Ø52mm
SMALL TRIM

Holder:
Multifit (8800-2012)
Backfit (8800-2016)

Faceplate Finish:

Black ano
White alu
Brushed steel (alu)
Brushed grey (alu)
Brushed nickel
Brushed brass
Light bronze
Dark bronze
Canon de fusil light
Canon de fusil dark

Two-Fold

8800-2108
8800-2109
8800-2110
8800-2111
8800-2112
8800-2113
8800-2114
8800-2115
8800-2116
8800-2117

Four-Fold

8800-2118
8800-2119
8800-2120
8800-2121
8800-2122
8800-2123
8800-2124
8800-2125
8800-2126
8800-2127



[230V SWITCH MULTIFIT](#)

Ø48mm
TRIMLESS


Holder:
Backfit (8800-2016)

Finish:

Basic Black
Basic White
Black aluminium
White aluminium
Brushed steel alu.
Brushed grey alu.
Brushed bronze alu.

Switch Types:

single-pole switch
two-pole switch
two-circuit switch
NO/NC push button
double NO/NC push
button
two-way switch
double two-way
switch
two-pole two-way
switch
intermediate switch



[230V SWITCH MULTIFIT](#)

Ø52mm
SMALL TRIM

Holder:
Multifit (8800-2012)
Backfit (8800-2016)

Finish:

Basic aluminium
White aluminium
Brushed steel alu.
Brushed grey alu.
Brushed bronze alu.

Switch Types:

single-pole switch
two-pole switch
two-circuit switch
NO/NC push button
double NO/NC push
button
two-way switch
double two-way
switch
two-pole two-way
switch
intermediate switch

Contact us for product codes


PLASTERBOARD | BRICKWORK
INSTALLATION

RETROFIT PLASTER
RING
(8800-2011)

*RETROFIT PLASTER
RING SHORT
(8800-2018)



- For Small Trim and Trimless power sockets, data ports, USB-C sockets, switches and push buttons
- For plasterboard and brick work installation
- Fits in universal Ø68 junction boxes. The ultimate solution for universal junction boxes, round or square
- Thanks to the rond removal tool, electrical connections remain accessible, even after plastering
- The optional trimless tool allows easy installation





[UK POWER SOCKET
RETROFIT](#)

Ø48mm
TRIMLESS

Plaster Ring:
Retrofit Short (8800-2018)

Faceplate Finish:

- Black (8800-5020)
- Cream (8800-5022)
- White (8800-5021)




[UK POWER SOCKET
RETROFIT](#)

Ø52mm
SMALL TRIM

Plaster Ring:
Retrofit Short (8800-2018)

Faceplate Finish:

- Black (8800-5023)
- Cream (8800-5025)
- White (8800-5024)



[USB-C WALL SOCKET
RETROFIT](#)

Ø48mm
TRIMLESS

Plaster Ring:
Retrofit (8800-2011)

Faceplate Finish:

Black ano	(8880-2435)
White alu	(8880-2436)
Brushed steel (alu)	(8880-2437)
Brushed grey (alu)	(8880-2438)
Brushed nickel	(8880-2439)
Brushed brass	(8880-2440)
Light bronze	(8880-2441)
Dark bronze	(8880-2442)
Canon de fusil light	(8880-2443)
Canon de fusil dark	(8880-2444)



[USB-C WALL SOCKET
RETROFIT](#)

Ø52mm
SMALL TRIM

Plaster Ring:
Retrofit (8800-2011)

Faceplate Finish:

Black ano	(8880-2445)
White alu	(8880-2446)
Brushed steel (alu)	(8880-2447)
Brushed grey (alu)	(8880-2448)
Brushed nickel	(8880-2449)
Brushed brass	(8880-2450)
Light bronze	(8880-2451)
Dark bronze	(8880-2452)
Canon de fusil light	(8880-2453)
Canon de fusil dark	(8880-2454)



[DATA PORT RETROFIT](#)

Ø48mm
TRIMLESS

Plaster Ring:
Retrofit (8800-2011)

Faceplate Finish:

Black ano	(8800-2194)
White alu	(8800-2191)
Brushed steel (alu)	(TBC)
Brushed grey (alu)	(TBC)
Brushed nickel	(8800-2190)
Brushed brass	(8800-2189)
Light bronze	(8800-2188)
Dark bronze	(8800-2187)
Canon de fusil light	(8800-2186)
Canon de fusil dark	(8800-2185)

Keystones:

RJ45 UTP	(8800-2212)
Audio - black	(8800-2215)
HDMI - black	(8800-2216)
COAX - black	(8800-2217)
Dummy - black	(8800-2218)
Audio - white	(8800-2221)
HDMI - white	(8800-2222)
COAX - white	(8800-2223)
Dummy - white	(8800-2224)




[DATA PORT RETROFIT](#)

Ø52mm
SMALL TRIM

Plaster Ring:
Retrofit (8800-2011)

Faceplate Finish:

Black ano	(8800-2284)
White alu	(8800-2295)
Brushed steel (alu)	(TBC)
Brushed grey (alu)	(TBC)
Brushed nickel	(8800-2196)
Brushed brass	(8800-2197)
Light bronze	(8800-2198)
Dark bronze	(8800-2199)
Canon de fusil light	(8800-2200)
Canon de fusil dark	(8800-2201)



24V PUSH BUTTON
RETROFIT

Ø48mm
TRIMLESS

Plaster Ring:
Retrofit (8800-2011)

Faceplate Finish:	Two-Fold	Four-Fold
Basic black	8800-2068	8800-2078
Basic white	8800-2069	8800-2079
Black ano	8800-2070	8800-2080
White struc	8800-2071	8800-2081
Brushed nickel	8800-2072	8800-2082
Brushed brass	8800-2073	8800-2083
Light bronze	8800-2074	8800-2084
Dark bronze	8800-2075	8800-2085
Canon de fusil light	8800-2076	8800-2086
Canon de fusil dark	8800-2077	8800-2087



24V PUSH BUTTON
RETROFIT

Ø52mm
SMALL TRIM

Plaster Ring:
Retrofit (8800-2011)

Faceplate Finish:	Two-Fold	Four-Fold
Basic black	8800-2088	8800-2098
Basic white	8800-2089	8800-2099
Black ano	8800-2090	8800-2100
White struc	8800-2091	8800-2101
Brushed nickel	8800-2092	8800-2102
Brushed brass	8800-2093	8800-2103
Light bronze	8800-2094	8800-2104
Dark bronze	8800-2095	8800-2105
Canon de fusil light	8800-2096	8800-2106
Canon de fusil dark	8800-2097	8800-2107



[230V SWITCH RETROFIT](#)

Ø48mm
TRIMLESS

Plaster Ring:
Retrofit (8800-2011)

Finish:

Basic Black
Basic White
Black aluminium
White aluminium
Brushed steel alu.
Brushed grey alu.
Brushed bronze alu.

Switch Types:

single-pole switch
two-pole switch
two-circuit switch
NO/NC push button
double NO/NC push
button
two-way switch
double two-way
switch
two-pole two-way
switch
intermediate switch



[230V SWITCH RETROFIT](#)

Ø52mm
SMALL TRIM

Plaster Ring:
Retrofit (8800-2011)

Finish:

Basic Black
Basic White
Black aluminium
White aluminium
Brushed steel alu.
Brushed grey alu.
Brushed bronze alu.

Switch Types:

single-pole switch
two-pole switch
two-circuit switch
NO/NC push button
double NO/NC push
button
two-way switch
double two-way
switch
two-pole two-way
switch
intermediate switch

Contact us for product codes

WANT TO SEE MORE?

Our website has plenty for you to discover...



Have some questions?
Our team of experts are ready and waiting

DARKLIGHT DESIGN



sales@darklightdesign.com



01189 882294



darklightdesign.com

Unit 10 Brookside Business Centre

Church Road | Swallowfield

Reading | Berkshire | RG7 1TH