


CONTRA LED

GENERAL CARD



TECHNICAL PARAMETERS

Ingress protection:	IP40/IP20; IP44/IP20
Impact resistance:	IK06
Rated power of the luminaire [W]*:	24.00 - 36.00
Luminous flux [lm]*:	3200 - 5200
Colour temperature [K]:	4000
Colour rendering index:	80
Electrical protection class:	II
Material of the body:	coated aluminium
Diffuser type:	PRM; matt
Mounting version:	podtynkowy, natynkowy, zwieszany
Dimensions (H/W/T/S) [mm]:	595/595/30; 1195/295/30;
SDCM:	≤ 2

CHARACTERISTICS

Contra LED versatile LED panel characterised by its low, slim profile and elegant design. Adapted for flush-mounted installation in modular ceilings, surface-mounted or suspended using an additional frame (available as an accessory). Luminaire with integrated energy-saving LED module, made of white painted aluminium profile, equipped with structured multi-layer PS MAT or PRM shade for perfect light diffusion.

APPLICATION

The luminaire is intended for indoor use in office (offices, conference rooms) or representative use (hotels, restaurants); illumination of public facilities, including hospitals, educational facilities, offices, halls, garages, passageways, warehouses, shops, as well as in the food industry and food-related retail and service facilities. The unique design and excellent light performance enable CONTRA LED to be used as the main source of light, also for work that requires visual focus. The lamp is suitable for both new applications and the replacement of traditional T8 and T5 luminaires with energy-efficient LED solutions.

CONTRA LED

GENERAL CARD

AVAILABLE VERSIONS



Click index >>, to see details

CONTRA LED IP40/IP20

Rated power of the luminaire [W]*	Luminous flux [lm]*	Diffuser type	UGR (4H8H)	DIMM DALI	Beam angle [°]	Dimensions (H/W/T/S) [mm]	Index
24	3200	matt			110	595/595/30	>> 374517
24	3200	matt			110	1195/295/30	>> 374548
24	3200	matt		yes	110	595/595/30	>> 374579
24	3200	matt		yes	110	1195/295/30	>> 374609
24	3400	PRM	<19		115	1195/295/30	>> 375958
24	3400	PRM	<19		115	595/595/30	>> 375552
31	4300	matt			110	595/595/30	>> 374500
31	4300	matt			110	1195/295/30	>> 374555
31	4300	matt		yes	110	595/595/30	>> 374562
31	4300	matt		yes	110	1195/295/30	>> 374616
31	4500	PRM	<19		115	595/595/30	>> 374524
31	4500	PRM	<19	yes	115	595/595/30	>> 374586
31	4500	PRM	<19		115	1195/295/30	>> 375941
31	4500	PRM	<19	yes	115	1195/295/30	>> 375972
36	5000	matt			110	595/595/30	>> 374531
36	5000	matt		yes	110	595/595/30	>> 374593
36	5200	PRM	<19		115	595/595/30	>> 375569
36	5200	PRM	<19	yes	115	595/595/30	>> 375965

CONTRA LED IP44/IP20


Rated power of the luminaire [W]*	Luminous flux [lm]*	Diffuser type	UGR (4H8H)	DIMM DALI	Beam angle [°]	Dimensions (H/W/T/S) [mm]	Index
24	3200	matt			110	1195/295/30	>> 375378
24	3200	matt		yes	110	1195/295/30	>> 375385
24	3200	matt			110	595/595/30	>> 375453
24	3200	matt		yes	110	595/595/30	>> 375460
31	4300	matt			110	1195/295/30	>> 375392
31	4300	matt		yes	110	1195/295/30	>> 375446
31	4300	matt			110	595/595/30	>> 375477
31	4300	matt		yes	110	595/595/30	>> 375484
36	5000	matt			110	595/595/30	>> 375491
36	5000	matt		yes	110	595/595/30	>> 375545

CONTRA LED


GENERAL CARD

ACCESSORIES AVAILABLE


index	Name
374708	CONTRA LED surface-mounted frame CLICK 1200x300x65mm
999543	Plasterboard recessing kit 630x630 white (steel version)
998966	Frame steel white structure RAL9016 600x600 SM "well effect"
374715	CONTRA LED surface-mounted frame CLICK 600x600x65mm
374845	Frame adapter KG 635x635 WHITE
374852	Frame adapter KG 1235x335 WHITE
374692	CONTRA LED suspension system 1200x300
374739	CONTRA LED - suspension system 1200x300 DALI
374685	CONTRA LED suspension system 600x600
374722	CONTRA LED suspension system 600x600 DALI
374838	CONTRA LED MOUNTING CLIPS IN KG (4PCS)




CONTRA LED surface-mounted frame
CLICK 1200x300x65mm (374708)



Plasterboard recessing kit 630x630
white (steel version) (999543)



Frame steel white structure RAL9016
600x600 SM "well effect" (998966)



CONTRA LED surface-mounted frame
CLICK 600x600x65mm (374715)



CONTRA LED suspension system
1200x300 (374692)