

# Wireflow

0311

VIBIA

Design By Arik Levy

Wireflow designed by Arik Levy. A hanging lamp which reviews and updates the chandelier look through an exercise of simplification that explores its essence and enhances its outline with great delicacy and at the same time a strong formal presence. Its appearance, as a structure of fine cables finished with four LED terminals, discretely connects with classic chandelier models, taking this type of lamp to a new, groundbreaking and futuristic dimension. Employing CREA product configurator software, the design can be modified to adapt to your specific project requirements.

## Model Sheet



Optional : Extra cable length


Min. quantity, upcharge and extra lead time apply

|                       |                                                                                                                                                                      |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Finish                |  O4 Black<br>RAL 9005                                                               |
| LED                   | 2700 K / 3000 K / 3500 K                                                                                                                                             |
| Control               | Push; 1-10V; DALI-2 / Casambi                                                                                                                                        |
| Electrical connection | Surface Canopy                                                                                                                                                       |
| Light source          | 4 x LED 4,48W 350mA<br>                                                             |
| LED                   | CRI>90 1961 lm 109<br>2700 K / 3000 K / 3500 K                                                                                                                       |
| Driver                | Constant Current 350 mA 110~240 V<br>50/60 Hz<br> Dimmable LED IP20 Bi-volt 50-60Hz |
| Application           | Hanging                                                                                                                                                              |
| Packaging             | 2 Box<br>0.833 m x 0.819 m x 0.086 m<br>Gross weight 8.5 kg<br>Net weight 7.15 kg<br>Vol. 0.1027 m3                                                                  |


### Lighting effect

#### Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



### Photometric Data



|                   |        |
|-------------------|--------|
| Efficiency        | 40.11% |
| Coordinate System | CG     |
| Total Flux        | 1961   |
| Maximum Value     | 53.86  |

All of our products come with a five-year warranty. Check our legal terms at [www.vibia.com/warranty](http://www.vibia.com/warranty)

Vibia Lighting, S.L.U.

Office / Oficina  
Progrés 4-6, 08850 Gavà. Barcelona, Spain.

International T +34 934 796 971  
Spain / Portugal T +34 934 796 970

[customer.service@vibia.com](mailto:customer.service@vibia.com)  
[vibia.com](http://vibia.com)