



0309

Design By Arik Levy

Wireflow designed by Arik Levy. A hanging lamp which reviews and updates the chandelier look through an exercise of simplification that explores its essence and enhances its outline with great delicacy and at the same time a strong formal presence. Its appearance, as a structure of fine cables finished with eight LED terminals, discretely connects with classic chandelier models, taking this type of lamp to a new, groundbreaking and futuristic dimension. Employing CREA product configurator software, the design can be modified to adapt to your specific project requirements.

Model Sheet



Optional : Extra cable length

Min. quantity, upcharge and extra lead time apply

Finish



04 Black
RAL 9005

LED

2700 K / 3000 K / 3500 K

Control

Push; 1-10V; DALI-2 / Casambi

Electrical connection Surface Canopy

Light source

4 x LED 4,48W 350mA



LED

CRI>90 1961 lm 108
2700 K / 3000 K / 3500 K

Driver

Constant Current 350 mA 110~240 V
50/60 Hz



F	Dimmable	LED	IP20	Bi-volt	50-60Hz
---	----------	-----	------	---------	---------

Application

Hanging


Packaging

2 Box
1.158 m x 1.133 m x 0.086 m
Gross weight 10.4 kg
Net weight 8.86 kg
Vol. 0.1569 m³



Lighting effect

Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



Photometric Data



Efficiency	40.11%
Coordinate System	CG
Total Flux	1961
Maximum Value	53.86