

CILON TYPOGRAPHY

RP-E-1801



Rakumba

WWW.RAKUMBA.COM
SALES@RAKUMBA.COM


ALL RIGHTS RESERVED © RAKUMBA, 2025
PHOTOGRAPHY BY HAYDN CATTACH & PIM TOP
STYLING BY MARSHA GOLEMAC

Rakumba




TYPOGRAPHY CILON

RIB PENDANT



CONTENTS

INTRODUCTION	07
PENDANT	10
WALL	47
FLOOR	51
SPECIFY	
FINISHES	58
OPTIONS	59
DIMENSIONS	60
COMPOSITIONS	62
SYSTEM DETAILS	76
DATA	82



TYPOGRAPHY CILON

RP-E-1801

Studio Truly Truly and Rakumba have designed a lighting system of exceptional flexibility and purity of form.

Mix and match to create endless expressions
Rail System | 8 Luminaires
Flexibly positioned | Individually controlled |
Infinite combinations
Pendant | Chandelier | Wall | Floor

An advanced rail, almost impossibly thin, allows for the complete mobility of any light along the line. Each light can be positioned on four sides of the central axis. Combining multiple rails in vertical or horizontal orientations enables TYPOGRAPHY to be formed into endless expressions; from simple pendants or wall arrangements to dramatic chandeliers and floor lamps – almost limitless design solutions.



"The system is inspired by the way letters form words, and how these can be arranged in relationships to form a language of expression."

Studio Truly Truly















20

TYPOGRAPHY CILON


DISC PENDANT



TYPOGRAPHY CILON

HORIZONTAL CABLE SUSPENSION

21



22

TYPOGRAPHY CILON

DISC & STAFF PENDANT



TYPOGRAPHY CILON

DISC GANTRY

23



24

TYPOGRAPHY CILON


LAYER VERTICAL CABLE SUSPENSION



TYPOGRAPHY CILON

STAFF VERTICAL CABLE SUSPENSION


25



Typography's first collection, CILON, consists of eight different lighting fixtures, or characters. Each light can be positioned on four sides of the central axis and can be controlled independently of any other.







30

TYPOGRAPHY CILON

STAFF PENDANT



TYPOGRAPHY CILON

31





"We are constantly trying to appeal to our own desire to be surprised, captivated or moved. Our work is often sculptural or poetic, with tactility, sensuality and functionality playing an important role."

Studio Truly Truly






36

TYPOGRAPHY CILON


ROLL



TYPOGRAPHY CILON

ROLL & MINI GANTRY

37



38

TYPOGRAPHY CILON

RIB GANTRY



TYPOGRAPHY CILON

39







44

TYPOGRAPHY CILON

SPOT & RIB PENDANT



TYPOGRAPHY CILON

SPOT SANS

45



WALL



48

TYPOGRAPHY CILON


STAFF SCONCE



TYPOGRAPHY CILON

RIB SCONCE

49




FLOOR



52

TYPOGRAPHY CILON

FLOOR DISC & LAYER



TYPOGRAPHY CILON

FLOOR DISC

53



54

TYPOGRAPHY CILON

FLOOR RIB & SPOT SANS



TYPOGRAPHY CILON

FLOOR LAYER & SPOT SANS

55



MATERIALS & FINISHES

ANODISED ALUMINIUM // STAINLESS STEEL //
PMMA OR FROSTED GLASS



GOLDEN ANODISED LUMINAIRE FINISH



BLACK ANODISED LUMINAIRE FINISH

OPTIONS

RAIL CONFIGURATION

RAIL LENGTH	<input type="radio"/> 150MM	<input type="radio"/> 500MM	<input type="radio"/> 750MM
	<input type="radio"/> 1000MM	<input type="radio"/> 1200MM	<input type="radio"/> 1500MM
	<input type="radio"/> 1800MM	<input type="radio"/> 2000MM	<input type="radio"/> 2500MM
	<input type="radio"/> 2800MM	<input type="radio"/> CUSTOM	
LUMINAIRE FINISH	<input type="radio"/> BLACK ANODISED	<input type="radio"/> GOLDEN ANODISED	
MOUNTS	<input type="radio"/> CEILING MOUNT	<input type="radio"/> CANOPY	
	<input type="radio"/> WALL MOUNT	(FOR VERTICAL RAILS	
	<input type="radio"/> COUNTER TO CEILING	FIXING TO CONCRETE	
	<input type="radio"/> WALL TO WALL	SUBSTRATE)	
VERTICAL CABLE SUSPENSION	<input type="radio"/> 2M	<input type="radio"/> 5M	
	<input type="radio"/> CUSTOM	INCLUDES STEEL CABLE	
		AND ULTRA-FINE	
		BRAIDED FLEX	
LUMINAIRES	<input type="radio"/> DISC	<input type="radio"/> LAYER	<input type="radio"/> MINI
	<input type="radio"/> RIB	<input type="radio"/> ROLL	<input type="radio"/> STAFF
	<input type="radio"/> SPOT SANS	<input type="radio"/> SPOT	

FLOOR

LAMP HEIGHTS	<input type="radio"/> 1600MM	<input type="radio"/> 1800MM	
LUMINAIRE FINISH	<input type="radio"/> BLACK ANODISED		
	<input type="radio"/> GOLDEN ANODISED		
LUMINAIRES	<input type="radio"/> DISC	<input type="radio"/> LAYER	<input type="radio"/> MINI
	<input type="radio"/> RIB	<input type="radio"/> ROLL	<input type="radio"/> STAFF
	<input type="radio"/> STAFF		<input type="radio"/> SPOT SANS

WALL

FINISH	<input type="radio"/> BLACK ANODISED	
	<input type="radio"/> GOLDEN ANODISED	
MODELS	<input type="radio"/> STAFF SCONCE	<input type="radio"/> MINI SCONCE
	<input type="radio"/> LAYER SCONCE	<input type="radio"/> RIB SCONCE

DIMMING


<input type="radio"/> NONE	<input type="radio"/> DALI/SWITCH DIM
<input type="radio"/> CASAMBI WIRESS	

DIMENSIONS


ALL DIMENSIONS IN MILLIMETERS

LUMINAIRES


CILON SPOT
RP-E-1802




CILON SPOT SANS
RP-E-1802-SANS




CILON ROLL
RP-E-1803




CILON STAFF
RP-E-1804




CILON LAYER
RP-E-1805




CILON MINI
RP-E-1806



CILON RIB
RP-E-1807




CILON DISC
RP-E-1808




SURFACE MOUNT PENDANTS

COMPOSITIONS


CUSTOM COMPOSITIONS MAY BE CURATED
USING COMBINATION OF THE 8 CILON
LIGHTS IN ANY LOCATION



A



B




C




CABLE SUSPENSION PENDANTS

COMPOSITIONS


CUSTOM COMPOSITIONS MAY BE CURATED
USING COMBINATION OF THE 8 CILON
LIGHTS IN ANY LOCATION, UP TO A
MAXIMUM OF 10.5KG TOTAL WEIGHT
OF LUMINAIRES.*




A



B



C




*IT IS SUGGESTED THAT LUMINAIRE
POSITIONING BE BALANCED ACROSS
OPPOSITE SIDES OF THE RAIL TO
ENSURE PENDANT HANGS
VERTICALLY STRAIGHT.


GANTRY

COMPOSITIONS


CUSTOM COMPOSITIONS MAY BE CURATED
USING COMBINATION OF THE 8 CILON
LIGHTS IN ANY LOCATION



HORIZONTAL CABLE SUSPENSION




A



B

Suspension cable
supports longer rail sizes.





TYPOGRAPHY CILON

3D CHANDELIERS

COMPOSITIONS

CUSTOM COMPOSITIONS MAY BE CURATED
USING COMBINATION OF THE 8 CILON
LIGHTS IN ANY LOCATION


A




WALL RAILS

COMPOSITIONS


CUSTOM COMPOSITIONS MAY BE CURATED
USING COMBINATION OF THE 8 CILON
LIGHTS IN ANY LOCATION*



A



B




*WALL OFFSET SUPPORTS MUST BE
POSITIONED APPROPRIATELY TO PROVIDE
REQUIRED SUPPORT.





FLOOR

COMPOSITIONS

CUSTOM COMPOSITIONS MAY BE CURATED
USING COMBINATIONS OF 7 CILON LIGHTS
IN ANY LOCATION. A MAXIMUM OF 4 CILON
FITTINGS CAN BE APPLIED AT A TIME.*




A B C D



*THE FLOOR LAMP IS NOT AVAILABLE
WITH SPOT, BUT IT IS AVAILABLE WITH
SPOT SANS.

WALL

CILON STAFF
RP-E-1804W



STAFF SCONCE

CILON MINI
RP-E-1806W




MINI SCONCE

CILON LAYER
RP-E-1805W



LAYER SCONCE

CILON RIB
RP-E-1807W










RIB SCONCE



TYPOGRAPHY CILON


RIB SCONCE

RAIL SYSTEM DETAILS

LENGTH	CANTILEVER	MOUNT - SURFACE	MOUNT - CANOPY
			
The maximum continuous length of a vertical or horizontal rail is 2.8m. Longer horizontal lengths can be created using inline joiners (see below).	Maximum horizontal cantilever is 0.5m and 0.5kg. Refer to product data page for luminaire weights.	Fixed surface mount for ceiling, floor, or wall attachment.	Optional canopy may be used where electrical connection outside the wall/ceiling is required.
SPAN	HORIZONTAL CABLE SUSPENSION	VERTICAL CABLE SUSPENSION PENDANT	DIMMING
			
Whilst the system has no maximum horizontal length, the maximum distance between vertical supports - either vertical rails or horizontal cable suspensions - is 2m.	The horizontal suspension cable enables a longer span between vertical supports, with a maximum distance of 2m between cables and supports.	Vertical cable suspension pendants will support a total maximum of 10.5kg of luminaires. It is critical that luminaire positioning be balanced across opposite sides of the rail to ensure the pendant hangs vertically straight.	The standard driver is capable of DALI/switch-dim dimming - a 1-10V converter can be provided on request.


RAIL SYSTEM DETAILS

DRIVER - REMOTE




The TYPOGRAPHY driver may be located up to 10M away for the fitting to maintain correct power supply.

DRIVER - ON RAIL



Optional on-rail driver may be used where a remote driver cannot be installed.

REMOTE DRIVER




Driver is remotely located.

CASAMBI BLUETOOTH CONTROL



Optional Casambi Bluetooth control.


CONNECTING RAILS



Horizontal rails may be aesthetically connected to create long spans, but power does not transfer across the joint. Each side of the joint needs to be connected to a power supply.

WALL SYSTEM DETAILS

REMOTE DRIVER




Driver is remotely located.

DIMENSIONS

ALL DIMENSIONS IN MILLIMETERS

RAIL CONFIGURATION





FIXED SURFACE MOUNT

RAIL OVERLAP CONNECTION

LUMINAIRE CONNECTION

WALL CONFIGURATIONS

CILON STAFF SCONCE
RP-E-1804W



410



CILON LAYER SCONCE
RP-E-1805W



CILON MINI SCONCE
RP-E-1806W




90

75



90

CILON RIB SCONCE
RP-E-1807W



270

72



90



165

DATA

TYPOGRAPHY SYSTEM	RAIL SYSTEM
	RP-E-1801-S1
DESIGN	STUDIO TRULY TRULY
POWER	UP TO 130W PER CIRCUIT
PRIMARY VOLTAGE (TO DRIVER)	240VAC
SECONDARY VOLTAGE (TO FITTING)	48VDC CONSTANT VOLTAGE
PRODUCT WEIGHT	0.6KG PER 1M
PACKED WEIGHT	APPROX. 1.25KG PER 1M
PACKED DIMENSIONS	1 @ 11 X 11 X CUSTOM LENGTH CM
DRIVER LOCATION	REMOTE OR ON-RAIL
IP RATING	IP20
NOMINAL LIFETIME	50,000 HOURS
APPROVALS	AUSTRALIA, NEW ZEALAND, EUROPE

* SPECIFICATIONS DEPEND ON CHOSEN LUMINAIRES, PLEASE SEE INDIVIDUAL DATA TABLES

LUMINAIRES	SPOT RP-E-1802	SPOT RP-E- 1802- SANS	ROLL RP-E-1803	STAFF RP-E-1804	LAYER RP-E-1805	MINI RP-E-1806	RIB RP-E- 1806W	DISC RP-E-1808
DESIGN	STUDIO TRULY TRULY							
LIGHTSOURCE	INTEGRATED LED							
POWER	12W	12W	5W	8W	8W	9W	9.5W	13W
LUMENS (DELIVERED)	900lm	900lm	450lm	800lm	680lm	710lm	500lm	230lm
COLOUR TEMPERATURE	2700K							
CRI	CRI98	CRI98	CRI80	CRI90	CRI90	CRI90	CRI80	CRI90
PRODUCT WEIGHT	0.4KG	0.3KG	0.8KG	0.7KG	0.5KG	0.3KG	0.6KG	0.7KG
PACKED WEIGHT	0.6KG	0.5KG	1KG	1KG	0.7KG	0.5KG	0.8KG	1KG
PACKED DIMENSIONS	1 @ 27 X 11 X 9CM	1 @ 27 X 11 X 9CM	1 @ 16 X 19 X 9CM	1 @ 47 X 12 X 12CM	1 @ 15 X 12 X 12CM	1 @ 15 X 12 X 12CM	1 @ 32 X 20 X 9CM	1 @ 31 X 21 X 10CM
DRIVER LOCATION - WALL	-			REMOTE				-
IP RATING	IP20							
L70	50,000 HOURS							
APPROVALS	AUSTRALIA, NEW ZEALAND, EUROPE							

TYPOGRAPHY FLOOR LAMPS	FLOOR LAMP 1600 RP-E-1801-F-1600	FLOOR LAMP 1800 RP-E-1801-F-1800
DESIGN	STUDIO TRULY TRULY	
POWER	UP TO 75W	
PRIMARY VOLTAGE (TO DRIVER)	240VAC	
SECONDARY VOLTAGE (TO FITTING)	48VDC CONSTANT VOLTAGE	
MAX. LIGHTS PER LAMP	4	
PRODUCT WEIGHT	7.4KG	7.5KG
PRODUCT DIMENSIONS (MM)	290 X 1600	290 X 1800
PACKED WEIGHT	APPROX. 8.9KG	APPROX. 9KG
PACKED DIMENSIONS (MM)	110 X 1650 / 335 X 335 X 40	110 X 1850 / 335 X 335 X 40
DRIVER LOCATION	INTERGRATED	
IP RATING	IP20	
NOMINAL LIFETIME	50,000 HOURS	
APPROVALS	AUSTRALIA, NEW ZEALAND, EUROPE	



STUDIO TRULY TRULY

Truly Truly is a Rotterdam (NL) based design studio founded by Australian husband and wife design team Joel & Kate Booy. The studio operates on the interface between industry and art. Kate and Joel run a versatile practice, creating textiles, lighting, furniture and spatial installations for internationally renowned design brands.