





|                                                                          |                                                                                           |                                                                                                                                                              |                                                                                                                                                                                                       |
|--------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Suspension luminaire with direct light for indoor use.                   | So slim and essential...<br>A small tube that lights the table with wonder.               | The roses available are in textured matt black or matt white painted steel. The brass body comes in a range of painted or galvanised finishes.               | The light source is LED with integrated module.<br>The electric cable is in matt white or matt black, depending on the luminaire finish.<br>A range of roses and power supplies are available.        |
| Apparecchio di illuminazione a sospensione, a luce diretta, per interni. | Così esile ed essenziale...<br>Un tubo sottile per fare una meravigliosa luce sul tavolo. | I rosoni disponibili sono in acciaio verniciati bianco opaco o nero opaco texturizzato.<br>Il corpo è in ottone in varie finiture verniciate o galvanizzate. | La sorgente luminosa è a LED e a modulo integrato.<br>Il cavo elettrico è di colore bianco opaco o nero opaco in funzione della finitura.<br>Sono disponibili vari rosoni e sistemi di alimentazione. |

|        |     |                       |               |     |             |               |
|--------|-----|-----------------------|---------------|-----|-------------|---------------|
| Finish | .03 | Matt White            | (White cable) | .04 | Matt Black  | (White cable) |
|        | .08 | Brushed Brass         | (Black cable) | .26 | Total Black | (Black cable) |
|        | .28 | Polished Black Chrome | (Black cable) |     |             |               |
|        |     |                       |               |     |             |               |





Custom finish available on request.  
Finitura personalizzata su richiesta.

|                                                                                   |                                                                                                                                                                          |                               |                 |
|-----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|-----------------|
|  | <b>MISS</b>                                                                                                                                                              | Matt White - 2700K            | 1A2960300.27.20 |
|                                                                                   | 4W                                                                                                                                                                       | Matt White - 3000K            | 1A2960300.30.20 |
|                                                                                   | Max 350mA DC                                                                                                                                                             | Matt Black - 2700K            | 1A2960400.27.20 |
|                                                                                   | 2700K - 290lm / 3000K - 310lm                                                                                                                                            | Matt Black - 3000K            | 1A2960400.30.20 |
|                                                                                   | CRI >90                                                                                                                                                                  | Brushed Brass - 2700K         | 1A2960800.27.20 |
|                                                                                   | Driver not included                                                                                                                                                      | Brushed Brass - 3000K         | 1A2960800.30.20 |
|                                                                                   |   IP20 | Total Black - 2700K           | 1A2962600.27.20 |
|                                                                                   |                                                                                                                                                                          | Total Black - 3000K           | 1A2962600.30.20 |
|                                                                                   |                                                                                                                                                                          | Polished Black Chrome - 2700K | 1A2962800.27.20 |
|                                                                                   |                                                                                                                                                                          | Polished Black Chrome - 3000K | 1A2962800.30.20 |

|                                                                                   |                                                                                                                                                                                                                                                            |                               |                 |
|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|-----------------|
|  | <b>MISS ENDLESS</b>                                                                                                                                                                                                                                        | Matt White - 2700K            | 1A2960300.27.40 |
|                                                                                   | Endless version only                                                                                                                                                                                                                                       | Matt White - 3000K            | 1A2960300.30.40 |
|                                                                                   | 6,3W - 0,16A                                                                                                                                                                                                                                               | Matt Black - 2700K            | 1A2960400.27.40 |
|                                                                                   | 48V DC                                                                                                                                                                                                                                                     | Matt Black - 3000K            | 1A2960400.30.40 |
|                                                                                   | 2700K - 290lm / 3000K - 310lm                                                                                                                                                                                                                              | Brushed Brass - 2700K         | 1A2960800.27.40 |
|                                                                                   | CRI >90                                                                                                                                                                                                                                                    | Brushed Brass - 3000K         | 1A2960800.30.40 |
|                                                                                   | Driver not included                                                                                                                                                                                                                                        | Total Black - 2700K           | 1A2962600.27.40 |
|                                                                                   | See page ENDLESS                                                                                                                                                                                                                                           | Total Black - 3000K           | 1A2962600.30.40 |
|                                                                                   |   IP20  | Polished Black Chrome - 2700K | 1A2962800.27.40 |
|                                                                                   |                                                                                                                                                                                                                                                            | Polished Black Chrome - 3000K | 1A2962800.30.40 |

Compulsory accessories / Accessori obbligatori


Suspension kits / Kit di sospensione


|                                                                                     |                                                                                    |      |                 |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------|-----------------|
|   |                                                                                    |      |                 |
| <b>Ceiling rose with driver / Rosone con alimentatore</b>                           |                                                                                    |      |                 |
| Matt White                                                                          | Input 220-240V - 50/60Hz<br>Output 350mA DC - Max 4W<br>IP20 - ON/OFF              | MISS | 1X0230300.01.00 |
| Matt Black                                                                          | Input 220-240V - 50/60Hz<br>Output 350mA DC - Max 4W<br>IP20 - ON/OFF              | MISS | 1X0230400.01.00 |
|  |                                                                                    |      |                 |
| <b>Ceiling rose with driver / Rosone con alimentatore</b>                           |                                                                                    |      |                 |
| Matt White                                                                          | Input 110-240V - 50/60Hz<br>Output 350mA DC - Max 4W<br>IP20 - DALI - PUSH - 1-10V | MISS | 1X0230300.02.07 |
| Matt Black                                                                          | Input 110-240V - 50/60Hz<br>Output 350mA DC - Max 4W<br>IP20 - DALI - PUSH - 1-10V | MISS | 1X0230400.02.07 |
| Matt White                                                                          | Input 220-240V - 50/60Hz<br>Output 350mA DC - Max 4W<br>IP20 - TRIAC/IGBT          | MISS | 1X0230300.03.02 |
| Matt Black                                                                          | Input 220-240V - 50/60Hz<br>Output 350mA DC - Max 4W<br>IP20 - TRIAC/IGBT          | MISS | 1X0230400.03.02 |


The sizes are expressed in millimeters.


Compulsory accessories / Accessori obbligatori

Suspension kits / Kit di sospensione


|                                                                                     |                                 |      |                 |
|-------------------------------------------------------------------------------------|---------------------------------|------|-----------------|
|  |                                 |      |                 |
| <b>Ceiling rose without driver / Rosone senza alimentatore</b>                      |                                 |      |                 |
| Matt White                                                                          | For electrical cables - 1 Piece | MISS | 1X0010300.06.00 |
| Matt Black                                                                          | For electrical cables - 1 Piece | MISS | 1X0010400.06.00 |


|                                                                                     |                                                                                                                                 |      |                 |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|------|-----------------|
|  |                                                                                                                                 |      |                 |
| <b>Recessed rose without driver / Rosone da incasso senza alimentatore</b>          |                                                                                                                                 |      |                 |
| Matt White                                                                          | For electrical cables - 1 Piece<br>Plasterboard cut-out Ø 44 mm<br>Minimum space for mounting 70 mm<br>For 12,5 mm plasterboard | MISS | 1X0000300.06.00 |
| Matt Black                                                                          | For electrical cables - 1 Piece<br>Plasterboard cut-out Ø 44 mm<br>Minimum space for mounting 70 mm<br>For 12,5 mm plasterboard | MISS | 1X0000400.06.00 |

|                                                                                     |                                                                                                |      |                 |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|------|-----------------|
|  |                                                                                                |      |                 |
| <b>Recessed rose without driver / Rosone da incasso senza alimentatore</b>          |                                                                                                |      |                 |
| Matt White                                                                          | Plasterboard cut-out 85x97 mm<br>Minimum space for mounting 120 mm<br>For 12,5 mm plasterboard | MISS | 1X0230300.04.00 |
| Matt Black                                                                          | Plasterboard cut-out 85x97 mm<br>Minimum space for mounting 120 mm<br>For 12,5 mm plasterboard | MISS | 1X0230400.04.00 |

|                                                                                     |                                                                        |      |                 |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------|------|-----------------|
|  |                                                                        |      |                 |
| <b>BINARIO TRIFASE adapter / Adattatore per BINARIO TRIFASE</b>                     |                                                                        |      |                 |
| Matt White                                                                          | Input 220-240V - 50/60Hz<br>Output 350mA DC - Max 14,7W<br>IP20 - DALI | MISS | 1X0230300.05.01 |
| Matt Black                                                                          | Input 220-240V - 50/60Hz<br>Output 350mA DC - Max 14,7W<br>IP20 - DALI | MISS | 1X0230400.05.01 |


Drivers / Alimentatori

|                                                                                       |                           |      |               |
|---------------------------------------------------------------------------------------|---------------------------|------|---------------|
|  |                           |      |               |
| <b>Driver / Alimentatore</b>                                                          |                           |      |               |
| 220-240V                                                                              | 350mA/17W/IP20/TRIAC/IGBT | MISS | 1Z0240850.350 |


|                                                                                       |                                     |      |               |
|---------------------------------------------------------------------------------------|-------------------------------------|------|---------------|
|  |                                     |      |               |
| <b>Driver / Alimentatore</b>                                                          |                                     |      |               |
| 220-240V(110-127V)                                                                    | 350mA/18,9W(13,5W)/IP20/DALI - PUSH | MISS | 1Z0241270.350 |

Optional accessories / Accessori opzionali

Suspension kits / Kit di sospensione



| Decentralization kit / Kit decentratore |      |                 | Not included |
|-----------------------------------------|------|-----------------|--------------|
|                                         | MISS | 1A0360000.00.00 |              |





| Kit ceiling rose and decentralizer / Kit rosone e decentratore |                                |      | Not included    |
|----------------------------------------------------------------|--------------------------------|------|-----------------|
| Matt White                                                     | Transparent cable 3 m included | MISS | 1A0770300.00.00 |
| Matt Black                                                     | Transparent cable 3 m included | MISS | 1A0770400.00.00 |

The sizes are expressed in millimeters.




SUSPENSION GUIDELINE / GUIDA PER LE SOSPENSIONI





SUSPENSION KITS / KIT DI SOSPENSIONE

CEILING SUSPENSION KITS

|                                                                                   | Version                        | Use                   | Product reference                                         | Finish     | Code            |
|-----------------------------------------------------------------------------------|--------------------------------|-----------------------|-----------------------------------------------------------|------------|-----------------|
| Ceiling rose with driver*                                                         |                                |                       |                                                           |            |                 |
|  |                                |                       | See product page.                                         |            |                 |
| Ceiling rose without driver                                                       |                                |                       |                                                           |            |                 |
|  | Ceiling rose without driver 01 | For suspension cables | SOTTILE<br>SOTTILE SISTEMA                                | Matt White | 1X0010300.01.00 |
|                                                                                   |                                |                       |                                                           | Matt Black | 1X0010400.01.00 |
|                                                                                   | Ceiling rose without driver 02 | For electrical cables | MAGIA                                                     | Matt White | 1X0010300.02.00 |
|                                                                                   |                                |                       |                                                           | Matt Black | 1X0010400.02.00 |
|                                                                                   | Ceiling rose without driver 03 | For suspension cables | MASAI<br>REFLEX S                                         | Matt White | 1X0010300.03.00 |
|                                                                                   |                                |                       |                                                           | Matt Black | 1X0010400.03.00 |
|                                                                                   | Ceiling rose without driver 04 | For electrical cables | ASINTOTO<br>REFLEX S<br>SOTTILE<br>SOTTILE SISTEMA<br>taO | Matt White | 1X0010300.04.00 |
|                                                                                   |                                |                       |                                                           | Matt Black | 1X0010400.04.00 |
|                                                                                   | Ceiling rose without driver 05 | For electrical cables | CARTESIO<br>LOUIS XIV<br>SOTTOSOPRA                       | Matt White | 1X0010300.05.00 |
|                                                                                   |                                |                       |                                                           | Matt Black | 1X0010400.05.00 |
|                                                                                   | Ceiling rose without driver 06 | For electrical cables | CATHODE<br>MISS<br>OVO<br>OVONELPIATTO                    | Matt White | 1X0010300.06.00 |
|                                                                                   |                                |                       |                                                           | Matt Black | 1X0010400.06.00 |

SUSPENSION KITS / KIT DI SOSPENSIONE

| RECESSED SUSPENSION KITS                                                             |                                 |                       |                                                           |            |                 |
|--------------------------------------------------------------------------------------|---------------------------------|-----------------------|-----------------------------------------------------------|------------|-----------------|
|                                                                                      | Version                         | Use                   | Product reference                                         | Finish     | Code            |
| Recessed rose without driver                                                         |                                 |                       |                                                           |            |                 |
|   | Recessed rose without driver 01 | For suspension cables | SOTTILE<br>SOTTILE SISTEMA                                | Matt White | 1X0000300.01.00 |
|                                                                                      |                                 |                       |                                                           | Matt Black | 1X0000400.01.00 |
|                                                                                      | Recessed rose without driver 02 | For electrical cables | MAGIA                                                     | Matt White | 1X0000300.02.00 |
|                                                                                      |                                 |                       |                                                           | Matt Black | 1X0000400.02.00 |
|                                                                                      | Recessed rose without driver 03 | For suspension cables | MASAI<br>REFLEX S                                         | Matt White | 1X0000300.03.00 |
|                                                                                      |                                 |                       |                                                           | Matt Black | 1X0000400.03.00 |
|                                                                                      | Recessed rose without driver 04 | For electrical cables | ASINTOTO<br>REFLEX S<br>SOTTILE<br>SOTTILE SISTEMA<br>taO | Matt White | 1X0000300.04.00 |
|                                                                                      |                                 |                       |                                                           | Matt Black | 1X0000400.04.00 |
|                                                                                      | Recessed rose without driver 05 | For electrical cables | CARTESIO<br>LOUIS XIV<br>SOTTOSOPRA                       | Matt White | 1X0000300.05.00 |
|                                                                                      |                                 |                       |                                                           | Matt Black | 1X0000400.05.00 |
|                                                                                      | Recessed rose without driver 06 | For electrical cables | CATHODE<br>MISS<br>OVO<br>OVONELPIATTO                    | Matt White | 1X0000300.06.00 |
|                                                                                      |                                 |                       |                                                           | Matt Black | 1X0000400.06.00 |
|   | Recessed rose without driver*   |                       | CATHODE<br>MISS<br>OVO<br>OVONELPIATTO                    | Matt White | 1X0230300.04.00 |
|                                                                                      |                                 |                       |                                                           | Matt Black | 1X0230400.04.00 |
|  | Recessed rose without driver*   |                       | SIMBIOSI                                                  | Matt White | 1X0220300.03.00 |
|                                                                                      |                                 |                       |                                                           | Matt Black | 1X0220400.03.00 |

The sizes are expressed in millimeters.

\* Custom finish available on request. / Finitura personalizzata su richiesta.