


Volta

suspension lamp



Configurator.estiluz.com
 Customize your creation with our
 configurator, preview it in a virtual
 room and augmented reality.



Table of contents

1. Product Overview	Page 2
2. Finishes and Materials	Page 2
3. Light Source & Dimming	Page 2
4. Functionality & Accessories	Page 3
5. Photometric Data & Technical Information	Page 3
6. Installation	Page 4
7. Recommended Use & Installation Height	Page 4
8. Ordering Codes	Page 5
9. Certifications & Standards	Page 16
10. Maintenance & Cleaning	Page 16

Versions



VOL_3535
Page 5



VOL_3536
Page 6



Linear Clusters
Page 7-13



Round Clusters
Page 14-15

Volta

suspension lamp

1. Product Overview

Suspension lamp with a curved metallic body, cylindrical aluminium heads and acrylic (PMMA) lens diffusers. Optional embedded aluminium optic lens with a 30° beam angle. Adjustable height. Possibility to create different compositions.



2. Finishes & Materials



Body & Head: 26 Black
26 Black & 61 Satin Gold

Canopy: 26 Black
74 White

PVC extra-thin electrical cable:
Black on all finishes

Extra thin steel tension cables.

3. Light Source & Dimming

Lamping per head
LED 6,2W (Ang. 60° / >90 CRI / 350mA) 120V
2700K / Typ* 725 lumens
3000K / Typ* 763 lumens
*Integrated LED module (included).

Dimming options:
Standard: Dimmable Triac

Optional optic lens: embedded aluminium
optic lens 30°.

Volta

suspension lamp

4. Functionality & Accessories

Two possible optic lenses

Standard configuration provides acrylic optic. It provides diffused uniform illumination and it is visible as a decorative light line when seen from the side. 60° beam angle.

Optional architectural optic conceals the LED source within a conical aluminium lens. It projects light exclusively downward (no lateral emission). 30° beam angle.



Standard
Acrylic optic lens
60° beam angle




Optional
Optic lens
30° beam angle

5. Photometric Data & Technical Information


Photometric data corresponds to the output of each individual head.
Access to photometric files in download area.

2D / 3D / BIM Files available. Access to files in download area here.

Optic lens 60°



Optic lens 30°



Volta

suspension lamp


6. Installation

Single canopy	Clusters	
Surface	Linear	Round
		



7. Recommended Use & Installation Height

Suitable for general lighting, as well as for direct illumination above dining tables, countertops, bars, or desks. We recommend positioning the light source approximately 33" above the surface. For more accurate information, refer to the photometric report.

Standard Acrylic Lens




Embedded Aluminium Lens



Volta

suspension lamp



Configurator.estiluz.com
Customize your creation with our configurator, preview it in a virtual room and augmented reality.

8. Ordering Codes

Lamping 3535S

LED 2x6.2W (Ang. 60° / >90 CRI / 350mA) 120V

2700K / Typ* 2x725 lumens

3000K / Typ* 2x763 lumens

*Integrated LED module (included).

DIM: Dimmable Triac

Optional optic lens: embedded aluminium
optic lens 30°.

Canopy: Single Surface
Driver in the canopy

Finishes

Body & Head:


26 Black & 61 Satin Gold

26 Black

Canopy:

26 Black

74 White




Drawing	Finish Canopy	Finish Body / Head	Ordering Code	Ordering Code
			2700K	3000K
VOL_3535S 	Black	Black / Black	VOL_3535S_262626W	VOL_3535S_262626M
	White	Black / Black	VOL_3535S_742626W	VOL_3535S_742626M
	Black	Black / Satin Gold	VOL_3535S_262661W	VOL_3535S_262661M
	White	Black / Satin Gold	VOL_3535S_742661W	VOL_3535S_742661M

Lens Ordering Codes:

One 30° embedded lens per head	Black	2 units of 123530263
	Satin Gold	2 units of 123530613

Volta

suspension lamp



Configurator.estiluz.com
Customize your creation with our configurator, preview it in a virtual room and augmented reality.

8. Ordering Codes

Lamping 3536S

LED 3x6.2W (Ang. 60° / >90 CRI / 350mA) 120V

2700K / Typ* 3x725 lumens

3000K / Typ* 3x763 lumens

*Integrated LED module (included).

DIM: Dimmable Triac

Optional optic lens: embedded aluminium
optic lens 30°.

Canopy: Single Surface

Driver in the canopy

Finishes

Body & Head:


26 Black & 61 Satin Gold

26 Black

Canopy:

26 Black

74 White



Drawing	Finish Canopy	Finish Body / Head	Ordering Code	Ordering Code
			2700K	3000K
<p>VOL_3536S</p> <p>109 mm 4.1/2"</p> <p>max. 2600 mm max. 102.3/8"</p> <p>40 mm 1.5/8"</p> <p>272 mm 10.3/4"</p> <p>543 mm 21.3/8"</p> <p>100 mm 37/8"</p> <p>630 mm 24.3/4"</p> <p>867 mm 34.1/8"</p> <p>Ø 35 mm Ø 1.3/8"</p>	Black	Black / Black	VOL_3536S_262626W	VOL_3536S_262626M
	White	Black / Black	VOL_3536S_742626W	VOL_3536S_742626M
	Black	Black / Satin Gold	VOL_3536S_262661W	VOL_3536S_262661M
	White	Black / Satin Gold	VOL_3536S_742661W	VOL_3536S_742661M


Lens Ordering Codes:

One 30° embedded lens per head

Black	3 units of 123530263
Satin Gold	3 units of 123530613

Volta

suspension lamp



Configurator.estiluz.com
Customize your creation with our configurator, preview it in a virtual room and augmented reality.

8. Ordering Codes

Lamping L73S2D

LED 4x6.2W (Ang. 60° / >90 CRI / 350mA) 120V

2700K / Typ* 4x725 lumens

3000K / Typ* 4x763 lumens

*Integrated LED module (included).

DIM: Dimmable Triac

Optional optic lens: embedded aluminium optic lens 30°.

Canopy: Multiple Linear Surface
Driver in the canopy

Finishes

Body & Head:


26 Black & 61 Satin Gold

26 Black

Canopy:

26 Black

74 White



Finish Canopy	Finish Body / Head	Ordering Code	Ordering Code
		2700K	3000K
Black	Black / Black	VOL_L73S2D_262626W	VOL_L73S2D_262626M
White	Black / Black	VOL_L73S2D_742626W	VOL_L73S2D_742626M
Black	Black / Satin Gold	VOL_L73S2D_262661W	VOL_L73S2D_262661M
White	Black / Satin Gold	VOL_L73S2D_742661W	VOL_L73S2D_742661M


Drawing

VOL_L73S2D

Lens Ordering Codes:


One 30° embedded lens per head

Black	4 units of 123530263
Satin Gold	4 units of 123530613



Volta

suspension lamp



Configurator.estiluz.com
 Customize your creation with our configurator, preview it in a virtual room and augmented reality.

8. Ordering Codes

Lamping L78S1D1T
 LED 5x6.2W (Ang. 60° / >90 CRI / 350mA) 120V
 2700K / Typ* 5x725 lumens
 3000K / Typ* 5x763 lumens
 *Integrated LED module (included).

DIM: Dimmable Triac

Optional optic lens: embedded aluminium
 optic lens 30°.

Canopy: Multiple Linear Surface
 Driver in the canopy

Finishes

Body & Head:
 26 Black & 61 Satin Gold
 26 Black


Canopy:
 26 Black
 74 White



Finish Canopy	Finish Body / Head	Ordering Code	Ordering Code
		2700K	3000K
Black	Black / Black	VOL_L78S1D1T_262626W	VOL_L78S1D1T_262626M
White	Black / Black	VOL_L78S1D1T_742626W	VOL_L78S1D1T_742626M
Black	Black / Satin Gold	VOL_L78S1D1T_262661W	VOL_L78S1D1T_262661M
White	Black / Satin Gold	VOL_L78S1D1T_742661W	VOL_L78S1D1T_742661M

Drawing

VOL_L78S1D1T




Lens Ordering Codes:

One 30° embedded lens per head

Black	5 units of 123530263
Satin Gold	5 units of 123530613

Volta

suspension lamp



Configurator.estiluz.com
Customize your creation with our configurator, preview it in a virtual room and augmented reality.

8. Ordering Codes

Lamping L92S2T

LED 6x6.2W (Ang. 60° / >90 CRI / 350mA) 120V

2700K / Typ* 6x725 lumens

3000K / Typ* 6x763 lumens

*Integrated LED module (included).

DIM: Dimmable Triac

Optional optic lens: embedded aluminium optic lens 30°.

Canopy: Multiple Linear Surface
Driver in the canopy

Finishes

Body & Head:

26 Black & 61 Satin Gold

26 Black

Canopy:

26 Black


74 White



Finish Canopy	Finish Body / Head	Ordering Code	Ordering Code
		2700K	3000K
Black	Black / Black	VOL_L92S2T_262626W	VOL_L92S2T_262626M
White	Black / Black	VOL_L92S2T_742626W	VOL_L92S2T_742626M
Black	Black / Satin Gold	VOL_L92S2T_262661W	VOL_L92S2T_262661M
White	Black / Satin Gold	VOL_L92S2T_742661W	VOL_L92S2T_742661M

Drawing

VOL_L92S2T




Lens Ordering Codes:

One 30° embedded lens per head

Black	6 units of 123530263
Satin Gold	6 units of 123530613

Volta

suspension lamp



Configurator.estiluz.com
 Customize your creation with our configurator, preview it in a virtual room and augmented reality.

8. Ordering Codes

Lamping L165S3D
 LED 6x6.2W (Ang. 60° / >90 CRI / 350mA) 120V
 2700K / Typ* 6x725 lumens
 3000K / Typ* 6x763 lumens
 *Integrated LED module (included).

DIM: Dimmable Triac

Optional optic lens: embedded aluminium
 optic lens 30°.

Canopy: Multiple Linear Surface
 Driver in the canopy

Finishes

Body & Head:
 26 Black & 61 Satin Gold
 26 Black

Canopy:
 26 Black
 74 White



Finish Canopy	Finish Body / Head	Ordering Code	Ordering Code
		2700K	3000K
Black	Black / Black	VOL_L165S3D_262626W	VOL_L165S3D_262626M
White	Black / Black	VOL_L165S3D_742626W	VOL_L165S3D_742626M
Black	Black / Satin Gold	VOL_L165S3D_262661W	VOL_L165S3D_262661M
White	Black / Satin Gold	VOL_L165S3D_742661W	VOL_L165S3D_742661M


Drawing

VOL_L165S3D

Lens Ordering Codes:


One 30° embedded lens per head

Black	6 units of 123530263
Satin Gold	6 units of 123530613



Volta

suspension lamp



Configurator.estiluz.com
Customize your creation with our configurator, preview it in a virtual room and augmented reality.

8. Ordering Codes

Lamping L165S1T1D1T
LED 8x6.2W (Ang. 60° / >90 CRI / 350mA) 120V
2700K / Typ* 8x725 lumens
3000K / Typ* 8x763 lumens
*Integrated LED module (included).

DIM: Dimmable Triac

Optional optic lens: embedded aluminium
optic lens 30°.

Canopy: Multiple Linear Surface
Driver in the canopy

Finishes

Body & Head:
26 Black & 61 Satin Gold
26 Black


Canopy:
26 Black
74 White



Finish Canopy	Finish Body / Head	Ordering Code 2700K	Ordering Code 3000K
Black	Black / Black	VOL_L165S1T1D1T_262626W	VOL_L165S1T1D1T_262626M
White	Black / Black	VOL_L165S1T1D1T_742626W	VOL_L165S1T1D1T_742626M
Black	Black / Satin Gold	VOL_L165S1T1D1T_262661W	VOL_L165S1T1D1T_262661M
White	Black / Satin Gold	VOL_L165S1T1D1T_742661W	VOL_L165S1T1D1T_742661M

Drawing

VOL_L165S1T1D1T




Lens Ordering Codes:

One 30° embedded lens per head

Black	8 units of 123530263
Satin Gold	8 units of 123530613

Volta

suspension lamp



Configurator.estiluz.com
Customize your creation with our configurator, preview it in a virtual room and augmented reality.

8. Ordering Codes

Lamping L165S1D2T
LED 8x6.2W (Ang. 60° / >90 CRI / 350mA) 120V
2700K / Typ* 8x725 lumens
3000K / Typ* 8x763 lumens
*Integrated LED module (included).

DIM: Dimmable Triac

Optional optic lens: embedded aluminium
optic lens 30°.

Canopy: Multiple Linear Surface
Driver in the canopy

Finishes

Body & Head:
26 Black & 61 Satin Gold
26 Black


Canopy:
26 Black
74 White



Finish Canopy	Finish Body / Head	Ordering Code 2700K	Ordering Code 3000K
Black	Black / Black	VOL_L165S1D2T_262626W	VOL_L165S1D2T_262626M
White	Black / Black	VOL_L165S1D2T_742626W	VOL_L165S1D2T_742626M
Black	Black / Satin Gold	VOL_L165S1D2T_262661W	VOL_L165S1D2T_262661M
White	Black / Satin Gold	VOL_L165S1D2T_742661W	VOL_L165S1D2T_742661M

Drawing

VOL_L165S1D2T




Lens Ordering Codes:

One 30° embedded lens per head

Black	8 units of 123530263
Satin Gold	8 units of 123530613

Volta

suspension lamp



Configurator.estiluz.com
Customize your creation with our configurator, preview it in a virtual room and augmented reality.

8. Ordering Codes

Lamping L165S3D2T
LED 12x6.2W (Ang. 60° / >90 CRI / 350mA) 120V
2700K / Typ* 12x725 lumens
3000K / Typ* 12x763 lumens
*Integrated LED module (included).

DIM: Dimmable Triac

Optional optic lens: embedded aluminium
optic lens 30°.

Canopy: Multiple Linear Surface
Driver in the canopy

Finishes

Body & Head:
26 Black & 61 Satin Gold
26 Black


Canopy:
26 Black
74 White



Finish Canopy	Finish Body / Head	Ordering Code 2700K	Ordering Code 3000K
Black	Black / Black	VOL_L165S3D2T_262626W	VOL_L165S3D2T_262626M
White	Black / Black	VOL_L165S3D2T_742626W	VOL_L165S3D2T_742626M
Black	Black / Satin Gold	VOL_L165S3D2T_262661W	VOL_L165S3D2T_262661M
White	Black / Satin Gold	VOL_L165S3D2T_742661W	VOL_L165S3D2T_742661M

Drawing

VOL_L165S3D2T




Lens Ordering Codes:

One 30° embedded lens per head

Black	12 units of 123530263
Satin Gold	12 units of 123530613

Volta

suspension lamp



Configurator.estiluz.com
Customize your creation with our configurator, preview it in a virtual room and augmented reality.

8. Ordering Codes

Lamping R70S3D
LED 6x6.2W (Ang. 60° / >90 CRI / 350mA) 120V
2700K / Typ* 6x725 lumens
3000K / Typ* 6x763 lumens
*Integrated LED module (included).

DIM: Dimmable Triac

Optional optic lens: embedded aluminium
optic lens 30°.

Canopy: Multiple Round Surface
Driver in the canopy

Finishes

Body & Head:
26 Black & 61 Satin Gold
26 Black

Canopy:
26 Black
74 White




Drawing	Finish Canopy	Finish Body / Head	Ordering Code	Ordering Code
			2700K	3000K
<p>VOL_R70S3D</p>	Black	Black / Black	VOL_R70S3D_262626W	VOL_R70S3D_262626M
	White	Black / Black	VOL_R70S3D_742626W	VOL_R70S3D_742626M
	Black	Black / Satin Gold	VOL_R70S3D_262661W	VOL_R70S3D_262661M
	White	Black / Satin Gold	VOL_R70S3D_742661W	VOL_R70S3D_742661M

Lens Ordering Codes:

One 30° embedded lens per head	Black	6 units of 123530263
	Satin Gold	6 units of 123530613

Volta

suspension lamp



Configurator.estiluz.com
Customize your creation with our configurator, preview it in a virtual room and augmented reality.

8. Ordering Codes

Lamping R100S5D
LED 10x6.2W (Ang. 60° / >90 CRI / 350mA) 120V
2700K / Typ* 10x725 lumens
3000K / Typ* 10x763 lumens
*Integrated LED module (included).

DIM: Dimmable Triac

Optional optic lens: embedded aluminium
optic lens 30°.

Canopy: Multiple Round Surface
Driver in the canopy

Finishes

Body & Head:
26 Black & 61 Satin Gold
26 Black

Canopy:
26 Black
74 White



Drawing	Finish Canopy	Finish Body / Head	Ordering Code 2700K	Ordering Code 3000K
	Black	Black / Black	VOL_R100S5D_262626W	VOL_R100S5D_262626M
	White	Black / Black	VOL_R100S5D_742626W	VOL_R100S5D_742626M
	Black	Black / Satin Gold	VOL_R100S5D_262661W	VOL_R100S5D_262661M
	White	Black / Satin Gold	VOL_R100S5D_742661W	VOL_R100S5D_742661M

Lens Ordering Codes:

One 30° embedded lens per head	Black	10 units of 123530263
	Satin Gold	10 units of 123530613

Volta

suspension lamp

9. Certifications & Standards



Warranty: 1 year
100% made in Spain

Estiluz products are guaranteed against manufacturing defect for one year from date of delivery. Estiluz products with integral LED modules and drivers are guaranteed against manufacturing defects for five years from date of delivery. This guarantee is limited to replacement of defective material and does not include any labor, expenses or damages contingent or incidental thereto. This warranty does not apply to products damaged due to accident, tampering, misuse or abuse.

10. Maintenance & Cleaning

Our lighting fixtures are crafted with high-quality materials and finishes to ensure durability and timeless elegance. To maintain their original beauty, please follow these care recommendations:

1. Regular cleaning: Dust the fixture regularly using a soft, dry microfiber cloth to prevent buildup.
2. For deeper cleaning: If necessary, use a slightly damp cloth with clean water. Always dry the surface immediately with a dry cloth.
3. Avoid harsh products: Do not use alcohol, abrasive cleaners, solvents, or detergents, as they may damage the finish and alter the appearance.

In case of failure, LEDs can be easily replaced.