


# Frame

bollard light



## Table of contents

1. Product Overview	Page 2
2. Finishes & Materials	Page 2
3. Light Source & Dimming	Page 3
4. Photometric Data & Technical Information	Page 3
5. Ordering Codes	Page 4
6. Certifications & Standards	Page 7
7. Maintenance & Cleaning	Page 7

## Versions



FRA\_4054X  
Page 4



FRA\_4055X  
Page 5



FRA\_4056X  
Page 6

# Frame

bollard light

## 1. Product Overview

Bollard lamp for accent or ambient lighting. Metallic structure with transparent Pyrex glass diffuser, encircled by a metal frame.

Integrated LED concealed in the upper section projects indirect light downward. Hard wired (no plug). Built-in driver for direct connection.

To be installed on a solid base (concrete or similar). Not suitable for installation on soil or grass.

Double-layer protective coating for high resistance to corrosion and maritime environments.



## 2. Finishes & Materials



87 Bronze  
96 Anthracite

Transparent Pyrex Glass

# Frame

bollard light

## 3. Light Source & Dimming

### Lamping

LED 6.2W (2700K / Ang. 70° / >90 CRI / 350mA)

120V / Typ 725 lumens / Non dimmable

\*Integrated LED module (included).

### Light color and perceived tone:

The LED operates at 2700K, providing a warm tone. However, the use of a clear borosilicate (Pyrex) glass diffuser may visually shift the light toward a cooler appearance, closer to 3000K, depending on the installation context. Additionally, reflections and surrounding surfaces (such as walls or floors) can influence the perceived color temperature of the emitted light.


## 4. Photometric Data & Technical Information

Photometric data corresponds to the output of each individual lamp.

Access to photometric files in download area.

2D / 3D / BIM Files available.

Access to files in download area here



# Frame

bollard light

## 5. Ordering Codes

Lamping 4054X (Outdoor)  
 LED 6.2W (2700K / Ang. 70° / >90 CRI / 350mA)  
 120V / Typ 725 lumens / Non dimmable  
 \*Integrated LED module (included).

Finishes:  
 87 Bronze  
 96 Anthracite



Drawing	Mounting	Setting	Finish Body	Ordering Code
FRA_4054X  	Bollard light. Hard wired (no plug).  Surface mounted on a solid base.	Outdoor	Bronze	FRA_4054X_87W
		Outdoor	Anthracite	FRA_4054X_96W

# Frame

## bollard light

### 5. Ordering Codes

Lamping 4055X (Outdoor)  
 LED 6.2W (2700K / Ang. 70° / >90 CRI / 350mA)  
 120V / Typ 725 lumens / Non dimmable  
 \*Integrated LED module (included).

Finishes:  
 87 Bronze  
 96 Anthracite



Drawing	Mounting	Setting	Finish Body	Ordering Code
FRA_4055X 	Bollard light. Hard wired (no plug).  Surface mounted on a solid base.	Outdoor	Bronze	FRA_4055X_87W
		Outdoor	Anthracite	FRA_4055X_96W

# Frame

bollard light

## 5. Ordering Codes

Lamping 4056X (Outdoor)  
 LED 6.2W (2700K / Ang. 70° / >90 CRI / 350mA)  
 120V / Typ 725 lumens / Non dimmable  
 \*Integrated LED module (included).

Finishes:  
 87 Bronze  
 96 Anthracite



Drawing	Mounting	Setting	Finish Body	Ordering Code
FRA_4056X 	Bollard light. Hard wired (no plug).  Surface mounted on a solid base.	Outdoor	Bronze	FRA_4056X_87W
		Outdoor	Anthracite	FRA_4056X_96W

---

# Frame

bollard light

---

## 6. Certifications & Standards



Warranty: 1 year  
100% made in Spain

Estiluz products are guaranteed against manufacturing defect for one year from date of delivery. Estiluz products with integral LED modules and drivers are guaranteed against manufacturing defects for five years from date of delivery. This guarantee is limited to replacement of defective material and does not include any labor, expenses or damages contingent or incidental thereto. This warranty does not apply to products damaged due to accident, tampering, misuse or abuse.

---

## 7. Maintenance & Cleaning

Our lighting fixtures are crafted with high-quality materials and finishes to ensure durability and timeless elegance. To maintain their original beauty, please follow these care recommendations:

1. Regular cleaning: Dust the fixture regularly using a soft, dry microfiber cloth to prevent buildup.
2. For deeper cleaning: If necessary, use a slightly damp cloth with clean water. Always dry the surface immediately with a dry cloth.
3. Avoid harsh products: Do not use alcohol, abrasive cleaners, solvents, or detergents, as they may damage the finish and alter the appearance.