

# Belt


floor lamp




## Table of contents

1. Product overview	Page 2
2. Finishes and materials	Page 2
3. Light Source & dimming	Page 2
4. Functionality & Accessories	Page 3
5. Photometric data and technical information	Page 3
6. Ordering codes	Page 4
7. Certifications & standards	Page 10
8. Maintenance & Cleaning	Page 10


## Versions:



4148  
4148G  
Page 4-5



4149M  
4149MG  
Page 6-7



4149L  
4149LG  
Page 8-9

# Belt

floor lamp

## 1. Product overview

Floor lamp featuring a metal body, aluminium and glass shades. Acrylic (PMMA) lens diffuser, and integrated integrated LED technology. The glass and metal shades are optional and can be arranged in various ways and positions to create different designs. The metal shade comes in two sizes and can be mounted facing up or down during installation.



## 2. Finishes and Materials



**Shade:** White Opal Glass

**Body:** 89 Pale Green  
94 Champagne  
96 Anthracite

## 3. Light Source & Dimming

### Lamping (with glass shade)

LED 6,2W (2700K / Ang. 70° / >90 CRI / 350mA)  
230V / Typ\* 725 lumens  
Upon request: 3000K / Typ\* 763 lumens  
\*Integrated LED module (included).

### Lamping (without glass shade)

LED 6,2W (2700K / Ang. 60° / >90 CRI / 350mA)  
230V / Typ\* 725 lumens  
Upon request: 3000K / Typ\* 763 lumens  
\*Integrated LED module (included).

### Dimming

Push button dimmer on the head.


# Belt

floor lamp

## 4. Functionality & Accessories

Versions and sizes available for projects. Consult our offices.

### Flexibility / Possible Shapes:




Push button dimmer on the head.

## 5. Photometric Data and Technical Information


Photometric data corresponds to the output of each individual lamp. Access to photometric files in download area.

2D / 3D / BIM Files available. Access to files in download area here.


Acrylic lens, metal shade up



Acrylic lens, metal shade down



Acrylic lens, metal shade up, with glass



# Belt

floor lamp

## 6. Ordering Codes

### Lamping 4149MG

LED 6,2W (2700K / Ang. 70° / >90 CRI / 350mA)

230V / Typ\* 725 lumens

Upon request: 3000K / Typ\* 763 lumens

\*Integrated LED module (included).

**Dimming** Push button dimmer on the head.

### Finishes

Body:

89 Pale Green

94 Champagne

96 Anthracite



Drawing	Mounting	Finish Body	Ordering Code
<p>BEL_4149MG</p>	<p>Floor lamp.</p>	<p>Pale Green</p> <p>Champagne</p> <p>Anthracite</p>	<p>BEL_4149MG_89W</p> <p>BEL_4149MG_94W</p> <p>BEL_4149MG_96W</p>


---

# Belt

floor lamp

---

## 7. Certifications & Standards



Warranty: 2 years

100% made in Spain

---

## 8. Maintenance & Cleaning

Our lighting fixtures are crafted with high-quality materials and finishes to ensure durability and timeless elegance. To maintain their original beauty, please follow these care recommendations:

1. Regular cleaning: Dust the fixture regularly using a soft, dry microfiber cloth to prevent buildup.
2. For deeper cleaning: If necessary, use a slightly damp cloth with clean water. Always dry the surface immediately with a dry cloth.
3. Avoid harsh products: Do not use alcohol, abrasive cleaners, solvents, or detergents, as they may damage the finish and alter the appearance.

In case of failure, LEDs can be easily replaced.